Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 721 | 11 July Julie | 2025 | No. 52981

ISSN 1682-5845

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
	GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Transport, Department of/ Vervoer, Departement van			
6418	South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration Amendment of National Road R555 Section 4: Amendment of Declaration No. 538 of 2014	52981	3
6418	Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet, 1998 (Wet No. 7 van 1998): Verklaring Wysiging van Nasionale Pad R555 Seksie 4: Wysiging van Verklaring No. 538 van 2014	52981	4

DEPARTMENT OF TRANSPORT

NO. 6418 **11 July 2025**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R555 SECTION 4

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph N(ii) of the Schedule, being the descriptive declaration of the route from its intersection with Provincial Road R577 up to Burgersfort, with the accompanying sheets 1 to 13 of Plan No. P1184/19.

In the town of Steelpoort the R555 Section 4 enters the town from the west and continuous in a easterly direction through the town.

In the town of Burgersfort the R555 Section 4 enters the town from the west and continuous in a easterly direction through the town up to its intersection with National Road R37.

(National Road R555 Section 4: R577 Intersection – Burgersfort)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 6418 **11 Julie 2025**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R555 SEKSIE 4

WYSIGING VAN VERKLARING No. 538 VAN 2014.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf N(ii) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die interseksie met Provinsiale Pad R577 tot by Burgersfort, met bygaande velle 1 tot 13 van Plan No. P1184/19.


In die dorp Steelpoort kom die R555 Seksie 4 die dorp binne vanuit die weste en volg dan 'n oostelike rigting deur die dorp


In die dorp Burgersfort kom die R555 Seksie 4 die dorp binne vanuit die weste en volg dan 'n oostelike rigting deur die dorp tot by die interseksie daarvan met Nasionale Pad R37.


(Nasionale Pad R555 Seksie 4: R577 Interseksie – Burgersfort)


MINISTER VAN VERVOER



BELVEDERE 362-KT
STEELPOORTPARK 366-KT
KENNEDY'S VALE 361-KT
MIDDLE OF STEELPOORT RIVER
R577 (D212-5)
R555/3
PTN 1
PTN 2
PTN 3
PTN 6
PTN 7
PTN 9
PTN 14
PTN 15
PTN 16
PTN 17
PTN 19
PTN 21
PTN 22
PTN 25
PTN 28
PTN 29
PTN 32
PTN 33
PTN 34
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R555 Seksie 4
of National Route Section
Vel 1 van 13
Sheet 1 of 13
Plan P1184/19



KENNEDY'S VALE 361-KT
PTN 29
STEELPOORT EXT. 11
1220
1215
1216
1217
1218
1219
SPITSKOP 333-KT
PTN 10
PTN 11
PTN 28
PTN 2
PTN 3
CL OF EPT SERV 18M WIDE BOTH SIDES
CL OF EPL SERV
ST
Y +90 500
Y +89 500
Y +88 500
Y +87 000
Y +86 500
Y +85 500
X +2 747 500
X +2 746 500
X +2 746 000
X +2 745 500
X +2 745 000
X +2 744 500
X +2 744 000
X +2 743 500
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R555 Seksie 4
of National Route Section
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
Vel 2 van 13
Sheet of
Plan P1184/19



SPITSKOP 333-KT
PTN 1
PTN 2
PTN 28
PTN 1 ST
335-KT
STEELPOORT EXT. 1
PTN 1
ANNEX GROOTBOOM 335-KT
REM
PTN 3
GROOTBOOM 336-KT
PTN 3
PTN 2
PTN 4
LEASE AREA
REM
PTN 2
GROOTBOOM 336-KT
PTN 4
GOUDMYN 337-KT
REM
REM PTN 6
PTN 25
CL OF EPL SERV
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R555 Seksie 4
of National Route Section
Vel Sheet 3 van of 13
Plan P1184/19



STEELPOORT EXT. 9
GOUDMYN 337-KT
REM PTN 6
STEELPOORT EXT. 4
337-KT
OLIFANTSPOORTJE 319-KT
PTN 38
REM PTN 7
EXT. 7
STEELPOORT EXT. 7
EXT. 3
EXT. 4
GOUDMYN 337-KT
REM PTN 1
PTN 3
PTN 27
SERV AREA
ROAD
ST
REM PTN 5
PTN 25
PTN 37
PTN 26
PTN 36
REM PTN 8
PTN 24
PTN 12
REM
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte
The figure shown represents the road reserve of a portion
van Nasionale Roete R555 Seksie 4
of National Route Section
Vel 4 van 13
Sheet of
Plan P1184/19


OLIFANTSPOORTJE 319-KT
REM PTN 5
PTN 62
REM PTN 22
DOORNBOSCH 294-KT
REM
STERKFONTEIN 318-KT
PTN 18
REM PTN 3
PTN 26
PTN 5
PTN 2
PTN 6
PTN 27
PTN 28
PTN 29
PTN 30
REM PTN 5
REM PTN 22
REM
STEELPOORT EXT. 3
PTN 14
PTN 49
PTN 12
KUNA LANE
GETHLANE ST
MIDDLE OF STEELPOORT RIVER
NORTH EASTERN BOUNDARY ROW SERV 8M WIDE
CL OF EPL SERV
ROW SERV
L120
L119
L118
L117
L116
L115
L114
L113
L112
L111
L110
L109
L108
L123
L124
L125
L126
L127
L128
L129
L130
L131
L132
L133
L134
L121
L122
R125
R124
R123
R122
R121
R120
R119
R118
R117
R116
R115
R114
R113
R112
R111
R110
R127
R128
R129
R130
R131
R132
R133
R134
+2 735 500
+2 735 750
+2 734 750
+2 735 000
+2 735 250
+78 250
+78 500
+78 150
+78 000
+77 250
+77 750
X
Y
12
13
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R555 Seksie 4
The figure shown represents the road reserve of a portion of National Route R555 Section 4
Vel 5 van 13
Sheet 5 of 13
Plan P1184/19


14
15
STERKFONTEIN 318-KT
PTN 18
PTN 19
PTN 26
REM PTN 3
REM PTN 14
PTN 13
3319
3320
3321
3318
3339
3338
3337
3336
3335
3334
3333
3332
3331
3330
3329
3317
ST
EXT.23
STEELPOORT EXT.22
PTN 5
EXT.23
CL OF EPL SERV
L129
L130
L131
L132
L133
L134
L135
L136
R135
R136
R137
R138
R139
R140
R141
R142
R143
X +2 734 500
X +2 734 250
X +2 734 000
X +2 733 750
Y +17 000
Y +17 500
Y +18 000
PTN 20
PTN 23
PTN 12
4137
4138
4139
4123
4122
4121
ROAD
STEELPOORT EXT.38
STEELPOORT EXT.67
EXT.66
4131
L139
L140
L141
L142
L143
L144
L145
L146
R144
R145
R146
R147
R148
R149
R150
R151
R152
R153
R154
R155
X +2 733 250
X +2 733 000
Y +17 500
Y +18 000
Y +18 250
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R555 Seksie 4
of National Route Section
Vel 6 van 13
Sheet of
Plan P1184/19


APIESBOOMEN 295-KT
REM
PTN 1
FRAAIUITZICHT 302-KT
REM
STERKFONTEIN 318-KT
PTN 20
PTN 21
PTN 5
REM PTN 3
MIDDLE OF STEELPOORT RIVER
CL OF EPL SERV
STEELPOORT EXT. 38
STEELPOORT EXT. 66
EXT. 67
ROAD
ST
4120
4121
4124
4127
4128
4131
4132
4133
4139
L146
L147
L148
L149
L150
L151
L152
L153
L154
L155
L156
L157
L158
R155
R156
R157
R158
R159
R160
R161
R162
R163
R164
R165
R166
R167
R168
R169
R170
R171
X +2 732 000
X +2 732 250
X +2 732 750
Y +74 750
Y +75 000
Y +75 250
Y +75 500
PTN 20
16
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte van Nasionale Roete R555 Seksie 4
represents the road reserve of a portion of National Route Section
Vel 7 van 13
Sheet of
Plan P1184/19


APIESBOOMEN 295-KT
REM
FRAAIUITZICHT 302-KT
REM
PTN 1
MIDDLE OF STEELPOORT RIVER
CL OF EPL SERV
LEEUWVALLEI 297-KT
REM PTN 3
APIESBOOMEN 295-KT
REM
PTN 1
MIDDLE OF STEELPOORT RIVER
STEELPOORTSDRIFT 296-KT
REM
MIDDLE OF STEELPOORT RIVER
REM PTN 58
FRAAIUITZICHT 302-KT
REM
BURGERSFORT EXT. 46
8319
8321
ST
17
18
stel die padreserwe voor van 'n gedeelte van Nasionale Roete
represents the road reserve of a portion of National Route
R555
Seksie Section
4
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
Vel Sheet 8 van of 13
Plan P1184/19


LEEUWVALLEI 297-KT
REM PTN 61
BURGERSFORT EXT.30
BURGERSFORT EXT.31
BURGERSFORT EXT.11
BURGERSFORT EXT.47
BURGERSFORT EXT.46
297-KT
296-KT
REM
MIDDLE OF STEELPOORT RIVER
R37/1
R37/2
DIRK WINTERBACH ST
PTN 74
PTN 73
PTN 8
REM PTN 27
REM PTN 58
8287
8288
8289
8254
8255
8256
8257
8258
8259
8260
8261
8262
8263
8264
8265
8266
8304
8296
8297
8295
8310
8311
8320
8322
8327
8324
8328
8323
8325
8319
8318
8321
8311
8248
8249
284
285
ST
PL SERV
x +2 728 750
x +2 729 000
x +70 250
x +70 500
x +70 000
x +69 750
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R555 Seksie 4
of National Route Section
Vel 9 van 13
Sheet of
Plan P1184/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 31°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L1	96 536.37	2 752 136.97		R1	96 509.67	2 752 167.55
L2	96 473.64	2 752 069.56		R2	96 467.39	2 752 123.57
L3	96 334.65	2 751 875.11		R3	96 433.48	2 752 079.32
L4	96 273.14	2 751 787.13		R4	96 240.64	2 751 804.68
L5	96 219.73	2 751 723.85		R5	96 203.49	2 751 759.29
L6	96 164.72	2 751 673.92		R6	96 147.23	2 751 710.72
L7	96 127.91	2 751 645.90		R7	96 057.99	2 751 647.07
L8	94 611.00	2 750 757.75		R8	94 588.51	2 750 788.53
L9	94 257.61	2 750 551.01		R9	94 241.11	2 750 585.19
L10	93 912.98	2 750 349.39		R10	93 895.03	2 750 382.71
L11	93 859.96	2 750 315.39		R11	93 779.76	2 750 308.23
L12	93 776.33	2 750 257.57		R12	93 650.86	2 750 220.02
L13	93 636.41	2 750 160.85		R13	93 589.05	2 750 171.13
L14	93 594.88	2 750 128.68		R14	93 513.16	2 750 105.23
L15	93 471.97	2 750 021.92		R15	93 352.65	2 749 964.60
L16	93 359.75	2 749 919.52		R16	93 138.93	2 749 764.88
L17	93 161.56	2 749 738.69		R17	93 085.17	2 749 715.56
L18	92 935.03	2 749 531.00		R18	92 998.70	2 749 639.72
L19	92 838.84	2 749 442.80		R19	92 910.24	2 749 559.15
L20	92 722.52	2 749 336.15		R20	92 819.43	2 749 476.22
L21	92 306.06	2 748 953.16		R21	92 710.23	2 749 376.20
L22	92 112.44	2 748 778.38		R22	92 688.03	2 749 355.87
L23	91 979.18	2 748 657.03		R23	92 616.74	2 749 290.58
L24	91 945.56	2 748 618.17		R24	92 435.82	2 749 128.37
L25	91 884.85	2 748 539.05		R25	92 244.81	2 748 950.68
L26	91 736.14	2 748 346.45		R26	92 162.46	2 748 874.07
L27	91 621.04	2 748 196.75		R27	92 050.65	2 748 771.62
L28	91 591.73	2 748 161.03		R28	91 932.20	2 748 655.48
L29	91 554.42	2 748 123.38		R29	91 853.17	2 748 559.79
L30	91 483.78	2 748 069.80		R30	91 565.73	2 748 185.68
L31	91 233.85	2 747 880.23		R31	91 486.54	2 748 124.47
L32	90 969.06	2 747 680.33		R32	91 447.57	2 748 094.25
L33	90 901.43	2 747 619.25		R33	91 200.47	2 747 902.57
L34	90 848.16	2 747 540.28		R34	91 016.30	2 747 766.69
L35	90 812.32	2 747 473.94		R35	90 902.31	2 747 672.45
L36	90 702.13	2 747 204.83		R36	90 902.60	2 747 689.70
L37	90 699.00	2 747 162.88		R37	90 901.33	2 747 690.64
L38	90 706.11	2 747 145.93		R38	90 813.90	2 747 561.02
L39	90 685.64	2 747 095.95		R39	90 776.11	2 747 491.08
L40	90 668.69	2 747 088.85		R40	90 574.70	2 746 999.16
L41	90 641.50	2 747 056.76		R41	90 539.38	2 746 927.49
L42	90 611.19	2 746 982.72		R42	90 497.86	2 746 874.02
L43	90 573.46	2 746 906.16		R43	90 464.93	2 746 844.62
L44	90 527.22	2 746 846.61		R44	90 191.20	2 746 610.15
L45	90 491.26	2 746 814.51		R45	90 123.08	2 746 582.08
L46	90 166.25	2 746 536.11		R46	90 107.13	2 746 581.53
L47	89 493.30	2 745 960.86		R47	90 063.73	2 746 548.36
L48	88 942.27	2 745 489.96		R48	90 062.32	2 746 530.03
L49	88 916.35	2 745 442.77		R49	90 024.84	2 746 468.22
L50	88 914.28	2 745 421.65		R50	89 473.79	2 745 996.80
L51	88 883.38	2 745 396.26		R51	88 916.88	2 745 520.87

Vel Sheet	10	Van of	13	P1184/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 31°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L52	88 862.27	2 745 398.32	R52	88 865.55	2 745 504.57
L53	88 810.28	2 745 381.48	R53	88 844.44	2 745 506.63
L54	88 636.07	2 745 250.40	R54	88 813.53	2 745 481.24
L55	88 550.82	2 745 190.86	R55	88 811.47	2 745 460.12
L56	88 349.15	2 745 060.55	R56	88 785.54	2 745 412.92
L57	88 219.32	2 744 984.18	R57	88 612.58	2 745 282.79
L58	88 190.20	2 744 969.55	R58	88 528.51	2 745 224.06
L59	86 798.81	2 744 206.50	R59	88 328.14	2 745 094.61
L60	86 025.56	2 743 783.36	R60	88 200.22	2 745 019.35
L61	85 969.24	2 743 749.95	R61	88 172.16	2 745 002.80
L62	85 914.84	2 743 706.21	R62	87 303.18	2 744 528.18
L63	85 877.50	2 743 670.68	R63	86 883.94	2 744 297.31
L64	85 830.05	2 743 614.16	R64	86 780.07	2 744 241.05
L65	85 799.93	2 743 568.48	R65	86 002.42	2 743 815.76
L66	85 786.59	2 743 544.66	R66	85 967.39	2 743 795.23
L67	85 750.33	2 743 468.90	R67	85 928.94	2 743 768.70
L68	85 442.50	2 742 777.63	R68	85 885.76	2 743 733.52
L69	85 322.81	2 742 509.33	R69	85 844.99	2 743 693.46
L70	85 305.67	2 742 470.91	R70	85 812.64	2 743 656.38
L71	84 526.68	2 740 725.62	R71	85 767.13	2 743 591.05
L72	84 363.97	2 740 362.51	R72	85 747.55	2 743 556.41
L73	84 359.40	2 740 315.49	R73	85 727.65	2 743 512.68
L74	84 377.88	2 740 291.21	R74	85 385.99	2 742 746.97
L75	84 365.67	2 740 263.81	R75	85 360.22	2 742 692.38
L76	84 334.97	2 740 260.68	R76	85 300.90	2 742 556.07
L77	84 302.64	2 740 225.60	R77	85 285.45	2 742 514.17
L78	84 173.06	2 739 932.82	R78	85 223.75	2 742 375.88
L79	83 899.38	2 739 320.33	R79	85 061.43	2 742 011.87
L80	83 868.77	2 739 249.62	R80	85 012.04	2 741 910.91
L81	83 712.93	2 738 900.07	R81	84 648.79	2 741 096.88
L82	83 664.39	2 738 791.47	R82	84 502.73	2 740 765.72
L83	83 610.51	2 738 673.14	R83	83 831.91	2 739 268.35
L84	83 594.37	2 738 645.01	R84	83 629.37	2 738 808.24
L85	83 585.72	2 738 629.92	R85	83 567.87	2 738 677.42
L86	83 557.76	2 738 588.26	R86	83 543.23	2 738 637.50
L87	83 526.47	2 738 549.82	R87	83 487.24	2 738 565.41
L88	83 491.93	2 738 513.19	R88	83 440.57	2 738 519.83
L89	83 454.91	2 738 479.83	R89	83 386.89	2 738 478.17
L90	83 415.89	2 738 449.38	R90	83 337.24	2 738 447.27
L91	83 373.36	2 738 422.05	R91	82 998.45	2 738 262.42
L92	83 329.87	2 738 396.30	R92	82 847.64	2 738 180.74
L93	83 018.58	2 738 227.31	R93	81 948.00	2 737 689.90
L94	82 591.58	2 737 995.22	R94	80 707.92	2 737 013.32
L95	81 970.65	2 737 656.65	R95	80 665.19	2 736 988.29
L96	80 726.54	2 736 979.77	R96	80 637.94	2 736 968.79
L97	80 655.74	2 736 936.05	R97	80 161.14	2 736 599.14
L98	80 180.13	2 736 569.22	R98	80 108.94	2 736 570.36
L99	80 057.51	2 736 497.59	R99	80 107.91	2 736 567.32
L100	80 041.08	2 736 427.33	R100	80 052.75	2 736 535.62
L101	80 000.82	2 736 412.62	R101	79 889.55	2 736 476.74
L102	79 967.63	2 736 448.99	R102	79 830.21	2 736 463.07

Vel Sheet 11	Van of 13	P1184/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 31°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L103	79 909.67	2 736 447.03	R103	79 715.88	2 736 451.79
L104	79 838.03	2 736 428.75	R104	79 523.17	2 736 416.09
L105	79 803.57	2 736 421.35	R105	79 424.76	2 736 402.44
L106	79 543.76	2 736 386.30	R106	79 340.01	2 736 390.70
L107	79 014.60	2 736 314.15	R107	79 272.85	2 736 381.39
L108	78 780.77	2 736 282.27	R108	79 016.74	2 736 351.10
L109	78 724.43	2 736 262.20	R109	78 940.81	2 736 347.61
L110	78 640.76	2 736 202.95	R110	78 893.89	2 736 340.09
L111	78 600.77	2 736 162.47	R111	78 885.83	2 736 350.10
L112	78 566.41	2 736 112.80	R112	78 841.48	2 736 344.14
L113	78 541.89	2 736 061.39	R113	78 808.85	2 736 327.10
L114	78 494.21	2 735 944.61	R114	78 746.35	2 736 311.68
L115	78 363.21	2 735 636.02	R115	78 665.01	2 736 276.19
L116	78 359.23	2 735 626.77	R116	78 568.28	2 736 196.94
L117	78 326.26	2 735 545.60	R117	78 542.37	2 736 155.90
L118	78 280.80	2 735 460.15	R118	78 512.14	2 736 092.53
L119	78 235.31	2 735 406.07	R119	78 464.27	2 735 985.86
L120	78 217.63	2 735 385.33	R120	78 454.82	2 735 963.03
L121	78 138.24	2 735 322.47	R121	78 448.75	2 735 948.11
L122	77 780.92	2 735 098.25	R122	78 293.30	2 735 565.77
L123	77 610.96	2 734 993.35	R123	78 249.17	2 735 481.61
L124	77 437.27	2 734 880.53	R124	78 213.53	2 735 438.10
L125	77 381.12	2 734 837.40	R125	78 196.04	2 735 416.76
L126	77 321.01	2 734 788.54	R126	78 042.79	2 735 308.02
L127	77 256.09	2 734 725.20	R127	77 754.07	2 735 126.71
L128	77 195.65	2 734 662.08	R128	77 647.70	2 735 059.45
L129	77 138.38	2 734 590.33	R129	77 581.10	2 735 017.77
L130	77 086.42	2 734 516.77	R130	77 516.83	2 734 977.54
L131	77 038.27	2 734 439.08	R131	77 417.39	2 734 912.83
L132	76 995.14	2 734 358.80	R132	77 338.65	2 734 852.14
L133	76 958.81	2 734 277.98	R133	77 296.40	2 734 825.17
L134	76 931.81	2 734 215.07	R134	77 234.56	2 734 756.03
L135	76 867.40	2 734 065.02	R135	77 117.20	2 734 624.78
L136	76 717.41	2 733 709.66	R136	76 996.96	2 734 448.15
L137	76 637.16	2 733 518.13	R137	76 941.07	2 734 339.89
L138	76 517.68	2 733 242.68	R138	76 894.99	2 734 230.60
L139	76 462.05	2 733 112.40	R139	76 861.33	2 734 150.82
L140	76 354.67	2 732 860.93	R140	76 839.70	2 734 099.53
L141	76 299.24	2 732 759.65	R141	76 715.72	2 733 805.58
L142	76 162.00	2 732 617.57	R142	76 648.73	2 733 646.73
L143	76 129.34	2 732 596.12	R143	76 640.09	2 733 626.24
L144	76 106.76	2 732 581.29	R144	76 484.27	2 733 256.77
L145	76 031.37	2 732 540.89	R145	76 429.22	2 733 126.25
L146	75 951.36	2 732 510.65	R146	76 371.04	2 732 988.30
L147	75 868.10	2 732 491.08	R147	76 341.52	2 732 918.31
L148	75 783.01	2 732 482.52	R148	76 308.01	2 732 844.48
L149	75 708.51	2 732 484.14	R149	76 265.17	2 732 775.64
L150	75 488.55	2 732 503.45	R150	76 213.74	2 732 712.97
L151	75 432.11	2 732 504.97	R151	76 154.58	2 732 657.52
L152	75 376.07	2 732 497.28	R152	76 108.84	2 732 624.69
L153	75 321.98	2 732 480.54	R153	76 088.71	2 732 610.25

Vel Sheet	12	Van of	13	P1184/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 31°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L154	75 271.31	2 732 455.20	R154	76 017.25	2 732 571.96
L155	75 235.97	2 732 434.33	R155	75 941.40	2 732 543.29
L156	75 168.20	2 732 359.00	R156	75 862.48	2 732 524.74
L157	75 138.60	2 732 308.53	R157	75 849.25	2 732 523.41
L158	75 116.99	2 732 254.14	R158	75 799.50	2 732 534.49
L159	74 874.10	2 731 399.35	R159	75 759.50	2 732 533.31
L160	74 840.29	2 731 314.65	R160	75 709.52	2 732 518.82
L161	74 811.75	2 731 261.66	R161	75 700.76	2 732 519.09
L162	74 740.99	2 731 169.10	R162	75 492.44	2 732 539.07
L163	74 582.81	2 730 960.39	R163	75 430.19	2 732 540.04
L164	74 420.95	2 730 751.97	R164	75 368.58	2 732 531.06
L165	74 302.00	2 730 646.88	R165	75 309.20	2 732 512.36
L166	74 178.20	2 730 552.63	R166	75 253.56	2 732 484.43
L167	74 026.62	2 730 437.53	R167	75 209.06	2 732 452.28
L168	73 867.15	2 730 316.30	R168	75 171.82	2 732 423.25
L169	73 737.58	2 730 222.66	R169	75 132.62	2 732 374.36
L170	73 694.31	2 730 194.14	R170	75 101.85	2 732 319.65
L171	73 606.61	2 730 156.41	R171	75 072.91	2 732 233.12
L172	73 490.33	2 730 127.99	R172	74 836.69	2 731 405.30
L173	73 373.38	2 730 113.71	R173	74 807.71	2 731 330.79
L174	73 238.07	2 730 097.85	R174	74 760.71	2 731 256.43
L175	73 069.34	2 730 078.01	R175	74 407.74	2 730 793.84
L176	72 882.98	2 730 053.55	R176	74 372.39	2 730 752.88
L177	72 813.09	2 730 035.19	R177	74 323.92	2 730 710.41
L178	72 742.09	2 730 005.48	R178	73 799.33	2 730 311.86
L179	72 686.07	2 729 976.66	R179	73 675.66	2 730 227.76
L180	72 670.49	2 729 964.82	R180	73 598.87	2 730 193.88
L181	72 600.22	2 729 914.65	R181	73 500.90	2 730 166.95
L182	72 367.57	2 729 734.22	R182	72 928.52	2 730 099.29
L183	72 225.60	2 729 615.41	R183	72 873.24	2 730 090.14
L184	72 161.07	2 729 567.74	R184	72 753.62	2 730 052.03
L185	72 062.04	2 729 516.53	R185	72 626.19	2 729 986.08
L186	72 012.11	2 729 495.59	R186	72 164.74	2 729 619.65
L187	71 931.70	2 729 480.50	R187	72 060.20	2 729 559.35
L188	71 870.55	2 729 473.90	R188	71 978.66	2 729 531.15
L189	71 668.01	2 729 460.41	R189	71 871.20	2 729 513.41
L190	71 646.17	2 729 456.65	R190	71 665.11	2 729 503.08
L191	71 509.32	2 729 417.57	R191	71 511.62	2 729 462.59
L192	70 934.74	2 729 214.28	R192	70 921.28	2 729 251.94

Vel Sheet	13	Van of	13	P1184/19

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**