Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 721 | 11 July Julie | 2025 | No. 52984

ISSN 1682-5845

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
	GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Transport, Department of/ Vervoer, Departement van			
6421	South African National Roads Agency Limited and National Roads Act 1998 (Act No. 7 of 1998): Declaration Amendment of National Road R71 Section 2 Amendment of Declaration No's 1229 of 2004 and 778 of 2007	52984	3
6421	Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998): Verklaring Wysiging van Nasionale Pad R71 Seksie 2: Wysiging van Verklaring No's 1229 van 2004 en 778 van 2007	52984	4

DEPARTMENT OF TRANSPORT

NO. 6421 **11 July 2025**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R71 SECTION 2

AMENDMENT OF DECLARATION NO'S. 1229 OF 2004 AND 778 OF 2007.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend **(I)** Declaration No. 1229 of 2004 by substituting a part of paragraph V of the Schedule, being the descriptive declaration of the route through the town of Tzaneen and **(II)** Declaration No. 778 of 2007 in its entirety, by substituting all sheets of their respective Plans with the accompanying sheets 1 to 22 of Plan No. P1176/19.

(National Road R71 Section 2: Tzaneen – Gravelotte)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 6421 **11 Julie 2025**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R71 SEKSIE 2

WYSIGING VAN VERKLARING NO'S. 1229 VAN 2004 EN 778 VAN 2007.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No.7 van 1998), wysig ek hiermee **(I)** Verklaring No. 1229 van 2004, deur 'n gedeelte van paragraaf V van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad deur die dorp van Tzaneen en **(II)** Verklaring No. 778 van 2007 in sy geheel, deur alle velle van hulle respektiewelike Planne te vervang met meegaande velle 1 tot 22 van Plan No. P1176/19.

(Nasionale Pad R71 Seksie 2: Tzaneen – Gravelotte)

MINISTER VAN VERVOER





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section


Vel 1 van 22
Sheet of
Plan P1176/19



555-LT
TZANEEN EXT.74
R/4593
WOLKBERG DRIVE
6291
5788
4595
2657
2664
R/2656
2/2656
1/2656
TZANEEN EXT.34
ROW SERV
2/4593
1/4593
SERV AREA
NORTH-WESTERN BOUNDARY OF MUNICIPAL SERVICES SERV 2.00m
704
TZANEEN EXT.68
R/5793
23/4596
24/4596
1/5793
WOLKBERG DRIVE
PTN 356
TZANEEN EXT.67
PUSELA 555-LT
4597
4596 TZANEEN EXT.67
PUSELA 555-LT
REM PTN 186
PTN 492
PTN 447
REM PTN 186
SERV
TZANEEN EXT.21
TZANEEN
PTN 90
TZANEEN EXT.62
REM PTN 72
SERV
PTN 446
REM PTN 72
REM 703
1/703
PTN 86
PTH 87
R/727
6298
PTN 489
6292
ASDSHADE ST
ASDSHADE ST
R/727
1/727
728
R/729
1/729
R/2286
1/2286
5760
2/820
3/820
4/820
R/820
TZANEEN EXT.16
PUSELA 555-LT
TZANEEN EXT.6
R/590
R/2276
2/590
2628
1/2276
REM PTN 213
1920
2208
5759
2207
PTN 445
2206
REM PTN 213
TZANEEN EXT.21
TZANEEN EXT.10
+2 636 500
+2 636 750
+486 250
+486 500
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Vel 2 van 22
Sheet 2 of
Plan P1176/19



TZANEEN EXT. 75
TZANEEN EXT. 53
TZANEEN EXT. 74
PUSELA TZANEEN 555-LT EXT. 34
TZANEEN EXT. 47
MANORVLEI 556-LT
PUSELA 555-LT
PTN 391
REM PTN 10
PTN 64
REM PTN 103
PTN 491
PTN 104
REM PTN 103
PTN 28
PTN 27
PTN 37
SEWER SERV 5.00m
SEWER SERV 3.00m
EPL SERV 22.00m
FURROW AND INTAKE SERV
SERV AREA
PROV RD
OLD GRAVELOTTE RD
AGATHA ST
WOLKBERG DRIVE
R/4593
MIDDLE OF GROOT LETABA RIVER
4463
4462
4461
4460
4459
4590
2946
2931
2940
2947
2932
2977
2993
6295
6296
6297
4409
REM ST
REM 3219
3019
2662
2663
3081
2658
2660
2/2659
R/2661
2657
2664
5788
R/2656
6291
1/2942
R/2942
1/2659
R/2659
3/2661
4/3101
5/3101
6/3101
X +2 635 250
X +2 635 500
X +2 635 750
Y +484 750
Y +485 000
Y +485 500
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
Vel 3 van 22
Sheet of
Plan P1176/19



DOORNVLEI 569-LT
REM
PTN 1
REM PTN 20
REM 4413
REM PTN 23 1/4413
TZANEEN EXT. 75
4414
23/4414
24/4414
25/4414
26/4414
27/4414
28/4414
PTN 35
PTN 26
4469
4468
4467
4466
4465
4464
4463
PTN 27
PTN 37
PTN 30
PTN 31
PTN 43
PTN 29
PTN 25
MANORVLEI 556-LT
REM PTN 22
ROW SERV 5.00m
PTN 108
REM PTN 37
LUSHOF 540-LT
REM PTN 38
PTN 134
PTN 130
REM PTN 39
PTN 135
PTN 52
REM PTN 51
REM PTN 109
PTN 146
REM PTN 50
PTN 140
REM PTN 49
PTN 139
REM PTN 129
ROW SERV 14.48m
X +2 634 750
X +2 635 000
X +2 635 250
X +2 635 500
Y +84 000
Y +84 250
Y +84 500
Y +83 750
Y +83 500
Y +83 250
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R71 Seksie 2
of National Route Section
Vel 4 van 22
Sheet of
Plan P1176/19



LUSHOF
540-LT
BROEDERSTROOMDRIFT
534-LT
PTN 46
PTN 47
PTN 45
PTN 138
PTN 147
REM PTN 115
REM PTN 44
PTN 137
PTN 136
PTN 134
PTN 133
PTN 132
PTN 131
REM PTN 39
REM PTN 38
REM PTN 42
REM PTN 41
REM PTN 40
PTN 135
PTN 52
PTN 53
REM PTN 57
PTN 144
PTN 143
REM PTN 56
PTN 142
REM PTN 55
PTN 141
REM PTN 54
PTN 29
PTN 107
PTN 106
PTN 148
PTN 140
REM PTN 80
REM PTN 48
PTN 183
PTN 182
PTN 47
PTN 138
PTN 145
REM PTN 59
PTN 147
REM PTN 115
REM PTN 82
REM PTN 128
PTN 142
PTN 101
REM PTN 128
REM PTN 80
ROW SERV 14.48m
CL OF A PIPELINE SERV 2.00m
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte van Nasionale Roete R71
represents the road reserve of a portion of National Route
Seksie 2
Section
Vel 5 van 22
Sheet
Plan P1176/19



8
9
BROEDERSTROOMDRIFT 534-LT
FREANCLA 570-LT
FLEURBAAI 533-LT
BROEDERSTROOMDRIFT 534-LT
MIDDLE OF SPRUIT
CL OF A ROAD SERV 6.00m
ROW SERV
REM PTN 28
PTN 131
PTN 158
PTN 26
PTN 147
PTN 165
PTN 138
PTN 141
PTN 160
PTN 142
PTN 101
PTN 108
PTN 107
REM PTN 82
REM PTN 81
REM PTN 18
REM PTN 10
REM PTN 103
REM PTN 104
REM PTN 1
PTN 136
PTN 144
PTN 143
REM PTN 97
REM PTN 94
PTN 145
PTN 146
PTN 139
REM PTN 102
PTN 24
PTN 25
PTN 22
PTN 21
PTN 28
PTN 20
REM PTN 10
REM PTN 8
PTN 1
PTN 19
PTN 137
REM PTN 5
PTN 159
PTN 144
PTN 143
REM PTN 97
REM PTN 1
PTN 95
REM PTN 5
X +2 633 500
X +2 634 000
Y +78 500
Y +76 500
Y +77 500
Y +79 500
Y +80 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete
of National Route
R71
Seksie
Section
2
Vel
Sheet
6
van
of
22
Plan
P1176/19


FONTEINPLAATS 528-LT
REM
FLEURBAAI 533-LT
REM PTN 1
PTN 4
REM PTN 11
PTN 21
REM PTN 14
PTN 23
PTN 22
REM PTN 13
PTN 28
PTN 27
PTN 26
PTN 29
CL OF A WATER PIPELINE SERV 3.00m
PTN 3
REM PTN 15
PTN 17
PTN 18
TARENTAALRAND 941-LT
PTN 1
PTN 20
PTN 21
PTN 19
WELVERWACHT 510-LT
X +2 633 500
X +2 634 000
Y +74 000
Y +74 500
Y +75 500
Y +71 500
Y +72 000
X +2 635 000
X +2 634 500
X +2 634 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section
Vel 7 van 22
Sheet of
Plan P1176/19


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route
R71
Seksie
Section
2
Vel
Sheet
8
van
of
22
Plan
P1176/19


JAFFRAY
511-LT
CALIFORNIA
507-LT
521-LT
CALIFORNIA
507-LT
R529/2
SOUTH-WESTERN BOUNDARY OF A PIPELINE SERV 6.11m
NORTHERN BOUNDARY OF A PIPELINE SERV 6.11m
CL OF A CANAL SERV 18.29m
ROW SERV 15.74m
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section
Vel 9 van 22
Sheet of
Plan P1176/19


LANGUEDOC 563-LT
THE JUNCTION 521-LT
REM
PTN 7
PTN 28
PTN 5
PTN 13
PTN 24
PTN 25
PTN 27
REM PTN 8
REM PTN 22
REM PTN 21
MIDDLE OF GROOT LETABA RIVER
SOUTHERN BOUNDARY SERV 3.00m
SERV
L235
L236
L237
L238
L239
L240
L241
L242
L243
L244
L245
L246
L247
L248
L249
L250
L251
L252
L253
L254
L255
L256
L257
L258
L259
L260
L261
L262
L263
L264
R235
R236
R237
R238
R239
R240
R241
R242
R243
R244
R245
Y +62 250
Y +62 500
Y +62 750
X +2 640 250
X +2 640 500
X +2 640 750
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section
Vel 10 van 22
Sheet of
Plan P1176/19





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section

Vel 11 van 22
Sheet of
Plan P1176/19


19
20
EUREKA 564-LT
REM PTN 9
PTN 17
PTN 16
PTN 19
REM PTN 14
REM PTN 8
PTN 5
REM PTN 6
REM PTN 3
PTN 8
PTN 13
THE NECK 565-LT
REM PTN 10
PTN 18
L292
R272
L291
R271
L290
R270
L289
R269
L288
R268
L287
R267
L286
R266
Y +55 500
Y +56 000
Y +56 500
X +2 641 000
X +2 641 500
X +2 642 000
Y +52 500
Y +53 000
Y +53 500
PTN 7
PTN 15
REM
PTN 4
L298
R274
L297
R273
L296
L295
L294
L293
EUREKA 564-LT
REM PTN 3
REM PTN 6
REM PTN 9
PTN 8
PTN 13
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte van Nasionale Roete R71 Seksie 2
represents the road reserve of a portion of National Route R71 Section 2
Vel 12 van 22
Sheet 12 of 22
Plan P1176/19


21
22
23
THE NECK 565-LT
REM
QUAGGA 759-LT
REM PTN 1
PTN 4
REM PTN 1
REM PTN 1
PTN 15
PTN 7
QUAGGA 759-LT
REM PTN 1
PTN 4
REM PTN 14
PTN 19
RUBBERVALE 784-LT
REM PTN 14
565-LT
REM PTN 1
PTN 15
SERV AREA
ROW SERV AREA
RUBBERVALE 784-LT
REM PTN 14
PTN 19
REM PTN 14
L299 L300 L301 L302 L303
L304 L305 L306 L307 L308 L309 L310 L311 L312
L313 L314 L315 L316 L317 L318 L319 L320
R275 R276 R277 R278 R279 R280
R281 R282 R283 R284 R285 R286 R287 R288 R289
R290 R291 R292 R293 R294 R295 R296
X +2 641 500
X +2 642 000
X +2 643 000
X +2 643 500
X +2 644 000
Y +51 500
Y +51 000
Y +50 500
Y +49 500
Y +48 500
Y +47 500
Y +47 000
Y +46 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section
Vel 13 van 22
Sheet of
Plan P1176/19


RUBBERVALE 784-LT
GRAVELOTTE 944-LT
GRAVELOTTE 783-LT
GRAVELOTTE 783-LT
GRAVELOTTE 944-LT
GRAVELOTTE 944-LT
GRAVELOTTE 944-LT
REM PTN 14
REM PTN 3
REM PTN 3
REM PTN 11
REM PTN 14
REM
REM
PTN 19
PTN 17
PTN 18
PTN 2
PTN 15
PTN 23
PTN 6
PTN 5
PTN 4
PTN 5
MIDDLE OF MALATI RIVER
L336
L335
L334
L333
L332
L331
L330
L329
L328
L327
L326
L325
L324
L323
L322
L321
L320
L319
L342
L341
L340
L339
L338
L337
R312
R311
R310
R309
R308
R307
R306
R305
R304
R303
R302
R301
R300
R299
R298
R297
R296
R295
R318
R317
R316
R315
R314
R313
24
25
X +2 647 000
X +2 646 000
X +2 645 500
X +2 648 500
X +2 647 500
Y +43 500
Y +44 500
Y +45 500
Y +46 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R71 Seksie 2
of National Route Section
Vel 14 van 22
Sheet of
Plan P1176/19


FARRELL 906-LT
GRAVELOTTE 783-LT
KAPIRI RANCH 760-LT
GRAVELOTTE EXT.1
FARRELL 781-LT
GRAVELOTTE SIDING
779-LT
785-LT
795-LT
760-LT
REM
PTN 1
PTN 2
PTN 3
PTN 4
PTN 5
PTN 7
PTN 10
PTN 15
PTN 16
PTN 18
REM PTN 3
REM PTN 5
REM PTN 7
SERV AREA
ROW SERV
CL OF AN EPT SERV 22.00m
CL OF AN EPT SERV 31.00m
R526/2
R71/3
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte van Nasionale Roete
represents the road reserve of a portion of National Route
R71
Seksie 2
Section
Vel 15 van 22
Sheet of
Plan P1176/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 31°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L1	87 902.33	2 637 223.74	R1	87 845.44	2 637 260.53
L2	87 861.98	2 637 178.07	R2	87 805.55	2 637 216.56
L3	87 813.90	2 637 113.26	R3	87 759.43	2 637 160.01
L4	87 771.36	2 637 044.69	R4	87 715.65	2 637 074.52
L5	87 708.64	2 636 935.10	R5	87 666.78	2 636 980.41
L6	87 659.84	2 636 876.25	R6	87 661.08	2 636 970.98
L7	87 616.84	2 636 827.80	R7	87 658.83	2 636 967.29
L8	87 562.80	2 636 781.15	R8	87 637.86	2 636 932.89
L9	87 473.72	2 636 709.69	R9	87 625.52	2 636 916.05
L10	87 472.96	2 636 717.69	R10	87 588.48	2 636 871.78
L11	87 412.02	2 636 694.51	R11	87 545.88	2 636 832.89
L12	87 351.88	2 636 679.90	R12	87 498.58	2 636 799.04
L13	87 296.88	2 636 673.26	R13	87 448.29	2 636 772.19
L14	87 283.81	2 636 671.70	R14	87 394.23	2 636 751.61
L15	87 218.53	2 636 672.63	R15	87 338.19	2 636 738.02
L16	87 133.44	2 636 679.10	R16	87 280.86	2 636 731.49
L17	87 137.06	2 636 666.54	R17	87 223.19	2 636 732.34
L18	87 088.31	2 636 682.66	R18	87 115.65	2 636 740.69
L19	87 002.10	2 636 689.33	R19	86 858.71	2 636 760.14
L20	86 918.49	2 636 695.80	R20	86 788.06	2 636 760.84
L21	86 797.35	2 636 701.99	R21	86 730.71	2 636 754.77
L22	86 783.77	2 636 700.37	R22	86 668.09	2 636 739.57
L23	86 740.86	2 636 695.68	R23	86 663.19	2 636 737.74
L24	86 716.07	2 636 689.68	R24	86 621.76	2 636 718.70
L25	86 709.93	2 636 689.04	R25	86 558.87	2 636 687.54
L26	86 664.97	2 636 672.78	R26	86 530.55	2 636 676.81
L27	86 624.95	2 636 658.31	R27	86 482.51	2 636 658.46
L28	86 620.33	2 636 655.88	R28	86 472.43	2 636 660.92
L29	86 605.91	2 636 648.32	R29	86 458.40	2 636 648.49
L30	86 581.42	2 636 636.42	R30	86 452.83	2 636 643.55
L31	86 565.13	2 636 624.86	R31	86 461.51	2 636 633.63
L32	86 534.04	2 636 602.81	R32	86 429.42	2 636 586.12
L33	86 527.59	2 636 598.93	R33	86 277.47	2 636 431.82
L34	86 504.90	2 636 584.84	R34	86 245.61	2 636 399.46
L35	86 486.31	2 636 573.30	R35	86 231.93	2 636 385.38
L36	86 313.21	2 636 400.18	R36	86 132.87	2 636 291.13
L37	86 307.92	2 636 397.67	R37	86 123.36	2 636 279.60
L38	86 173.49	2 636 241.06	R38	86 124.25	2 636 278.91
L39	86 148.27	2 636 215.44	R39	86 077.03	2 636 232.52
L40	86 123.74	2 636 170.12	R40	86 019.69	2 636 170.33
L41	86 114.87	2 636 161.23	R41	85 962.50	2 636 117.09
L42	86 093.40	2 636 139.71	R42	85 901.11	2 636 069.12
L43	86 051.39	2 636 117.95	R43	85 835.84	2 636 027.05
L44	86 001.43	2 636 071.46	R44	85 801.67	2 636 008.43
L45	85 935.93	2 636 020.18	R45	85 726.54	2 635 970.69
L46	85 866.49	2 635 975.42	R46	85 721.55	2 635 973.52
L47	85 829.50	2 635 955.26	R47	85 717.17	2 636 019.66
L48	85 803.51	2 635 942.21	R48	85 687.46	2 636 015.10
L49	85 757.55	2 635 900.07	R49	85 692.63	2 635 960.54
L50	85 729.08	2 635 816.37	R50	85 687.86	2 635 952.21
L51	85 704.72	2 635 823.10	R51	85 653.81	2 635 935.96

Vel Sheet 16	Van of 22	P1176/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 31°		Y	X
L52	85 702.35	2 635 850.34	R52	85 629.15	2 635 925.12
L53	85 691.60	2 635 873.63	R53	85 609.93	2 635 911.23
L54	85 643.78	2 635 877.45	R54	85 529.62	2 635 857.26
L55	85 508.50	2 635 791.17	R55	85 471.33	2 635 820.60
L56	85 401.34	2 635 732.32	R56	85 462.71	2 635 815.42
L57	85 323.02	2 635 695.99	R57	85 387.94	2 635 770.50
L58	85 010.55	2 635 568.85	R58	85 325.31	2 635 739.92
L59	84 959.77	2 635 545.16	R59	85 067.98	2 635 632.94
L60	84 901.63	2 635 513.85	R60	85 011.58	2 635 610.25
L61	84 912.42	2 635 499.46	R61	84 899.28	2 635 559.24
L62	84 865.78	2 635 464.02	R62	84 827.06	2 635 515.82
L63	84 848.74	2 635 453.97	R63	84 782.84	2 635 481.44
L64	84 717.75	2 635 342.82	R64	84 626.82	2 635 360.13
L65	84 687.67	2 635 316.02	R65	84 597.82	2 635 337.58
L66	84 630.69	2 635 265.14	R66	84 575.12	2 635 314.92
L67	84 481.49	2 635 132.16	R67	84 462.55	2 635 202.80
L68	84 422.81	2 635 079.86	R68	84 406.52	2 635 164.78
L69	84 340.58	2 635 006.51	R69	84 380.83	2 635 138.90
L70	84 273.02	2 634 946.26	R70	84 321.93	2 635 070.41
L71	84 233.71	2 634 910.77	R71	84 264.54	2 635 018.88
L72	84 193.35	2 634 879.69	R72	84 240.33	2 634 997.32
L73	84 179.86	2 634 869.39	R73	84 212.64	2 634 994.10
L74	84 165.92	2 634 860.70	R74	84 197.55	2 634 980.75
L75	84 110.41	2 634 826.10	R75	84 191.67	2 634 955.41
L76	84 036.31	2 634 790.97	R76	84 144.33	2 634 918.52
L77	83 958.85	2 634 764.40	R77	84 135.97	2 634 912.03
L78	83 878.69	2 634 746.82	R78	84 061.88	2 634 868.47
L79	83 797.30	2 634 738.49	R79	83 982.83	2 634 834.75
L80	83 732.99	2 634 740.92	R80	83 900.46	2 634 811.33
L81	83 689.99	2 634 742.55	R81	83 815.33	2 634 799.50
L82	83 634.04	2 634 749.61	R82	83 728.85	2 634 798.28
L83	83 557.34	2 634 768.76	R83	83 642.98	2 634 808.58
L84	83 457.95	2 634 801.29	R84	83 559.88	2 634 830.02
L85	83 394.81	2 634 833.83	R85	83 408.36	2 634 900.77
L86	83 329.59	2 634 881.08	R86	83 371.07	2 634 926.36
L87	83 276.05	2 634 927.30	R87	83 314.50	2 634 969.26
L88	83 210.69	2 634 993.08	R88	83 239.69	2 635 047.97
L89	83 189.40	2 635 015.49	R89	83 129.71	2 635 185.43
L90	83 094.87	2 635 095.61	R90	83 105.56	2 635 169.48
L91	83 106.52	2 635 115.76	R91	83 060.26	2 635 197.72
L92	83 039.74	2 635 158.37	R92	82 989.07	2 635 234.48
L93	83 002.50	2 635 182.13	R93	82 903.73	2 635 263.36
L94	82 947.14	2 635 204.22	R94	82 890.26	2 635 267.92
L95	82 943.17	2 635 205.80	R95	82 847.36	2 635 282.44
L96	82 847.12	2 635 233.33	R96	82 773.07	2 635 276.59
L97	82 732.31	2 635 244.39	R97	82 733.04	2 635 280.45
L98	82 694.73	2 635 241.43	R98	82 434.00	2 635 256.91
L99	82 575.99	2 635 232.08	R99	82 276.37	2 635 211.71
L100	82 443.82	2 635 210.65	R100	82 247.09	2 635 197.81
L101	82 348.74	2 635 186.56	R101	82 166.33	2 635 169.99
L102	82 252.32	2 635 153.32	R102	82 139.79	2 635 158.37

Vel Sheet	17	Van of	22	P1176/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 31°		Y	X
L103	82 141.17	2 635 107.81	R103	81 894.19	2 635 050.87
L104	81 986.38	2 635 029.58	R104	81 880.94	2 635 045.07
L105	81 935.98	2 635 004.10	R105	81 853.69	2 635 033.14
L106	81 765.33	2 634 923.09	R106	81 811.38	2 635 012.42
L107	81 711.65	2 634 903.87	R107	81 690.22	2 634 937.57
L108	81 304.98	2 634 710.79	R108	81 668.23	2 634 927.02
L109	81 181.85	2 634 648.33	R109	81 447.79	2 634 821.32
L110	81 094.60	2 634 595.58	R110	81 103.88	2 634 656.41
L111	81 074.41	2 634 585.31	R111	80 910.26	2 634 562.62
L112	81 041.16	2 634 568.39	R112	80 450.35	2 634 339.83
L113	81 021.18	2 634 570.75	R113	79 972.38	2 634 109.71
L114	80 968.20	2 634 545.58	R114	79 774.92	2 634 015.69
L115	80 926.86	2 634 523.99	R115	79 480.80	2 633 875.14
L116	80 878.04	2 634 501.16	R116	79 413.61	2 633 844.58
L117	80 834.84	2 634 481.57	R117	79 371.35	2 633 825.40
L118	80 752.05	2 634 441.74	R118	79 270.37	2 633 789.17
L119	80 608.07	2 634 372.32	R119	79 173.67	2 633 763.74
L120	80 590.09	2 634 363.91	R120	79 095.05	2 633 750.39
L121	80 443.52	2 634 292.14	R121	79 023.43	2 633 743.53
L122	80 393.31	2 634 269.05	R122	78 960.92	2 633 740.97
L123	80 133.84	2 634 137.23	R123	78 880.93	2 633 740.03
L124	79 995.00	2 634 077.51	R124	78 813.77	2 633 739.21
L125	79 963.00	2 634 055.45	R125	78 616.84	2 633 727.60
L126	79 945.44	2 634 043.26	R126	78 579.81	2 633 725.77
L127	79 908.95	2 634 025.49	R127	78 336.47	2 633 713.74
L128	79 851.09	2 634 008.66	R128	78 251.12	2 633 712.43
L129	79 708.86	2 633 935.42	R129	78 175.37	2 633 712.03
L130	79 616.78	2 633 891.96	R130	77 988.94	2 633 712.80
L131	79 473.64	2 633 822.11	R131	77 902.70	2 633 712.37
L132	79 466.77	2 633 818.82	R132	77 700.84	2 633 694.28
L133	79 429.51	2 633 800.58	R133	77 592.70	2 633 685.39
L134	79 319.45	2 633 750.82	R134	77 515.66	2 633 682.11
L135	79 241.03	2 633 727.23	R135	77 404.88	2 633 677.38
L136	79 137.06	2 633 708.32	R136	77 196.00	2 633 669.02
L137	78 979.86	2 633 701.86	R137	77 103.40	2 633 665.32
L138	78 924.76	2 633 699.90	R138	76 963.29	2 633 659.36
L139	78 868.38	2 633 684.82	R139	76 794.96	2 633 652.20
L140	78 817.99	2 633 689.58	R140	76 724.54	2 633 649.21
L141	78 743.99	2 633 692.58	R141	76 225.35	2 633 627.88
L142	78 527.74	2 633 685.07	R142	76 001.87	2 633 620.30
L143	78 177.03	2 633 671.00	R143	75 901.50	2 633 616.09
L144	77 906.53	2 633 642.90	R144	75 485.96	2 633 598.03
L145	77 847.00	2 633 641.02	R145	74 974.60	2 633 576.73
L146	77 682.84	2 633 644.90	R146	74 668.06	2 633 563.81
L147	77 456.00	2 633 642.10	R147	74 588.88	2 633 560.43
L148	77 405.80	2 633 637.77	R148	74 126.54	2 633 541.29
L149	77 296.14	2 633 633.67	R149	73 880.97	2 633 531.08
L150	77 186.94	2 633 628.75	R150	73 760.09	2 633 531.64
L151	77 154.94	2 633 627.41	R151	73 624.49	2 633 548.49
L152	76 785.92	2 633 612.02	R152	73 537.03	2 633 564.12
L153	76 726.19	2 633 609.53	R153	73 421.83	2 633 596.58

Vel Sheet	18	Van of	22	P1176/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 31°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L154	76 227.16	2 633 588.67		R154	73 383.04	2 633 610.33
L155	76 007.74	2 633 579.67		R155	73 312.24	2 633 638.86
L156	75 893.42	2 633 574.35		R156	73 259.64	2 633 664.57
L157	75 665.82	2 633 563.61		R157	73 180.33	2 633 706.51
L158	75 487.94	2 633 555.15		R158	73 068.70	2 633 780.04
L159	75 414.01	2 633 552.50		R159	72 900.71	2 633 904.06
L160	75 178.76	2 633 544.05		R160	72 458.98	2 634 229.79
L161	74 967.03	2 633 536.45		R161	72 381.61	2 634 286.84
L162	74 885.94	2 633 531.50		R162	72 121.38	2 634 478.87
L163	74 708.85	2 633 520.67		R163	71 742.73	2 634 761.29
L164	74 590.05	2 633 522.57		R164	71 551.38	2 634 899.59
L165	74 148.30	2 633 502.45		R165	71 405.70	2 635 006.33
L166	73 880.70	2 633 491.48		R166	71 277.25	2 635 101.13
L167	73 759.14	2 633 492.19		R167	71 240.23	2 635 128.45
L168	73 685.10	2 633 494.56		R168	71 046.37	2 635 273.28
L169	73 528.72	2 633 524.93		R169	71 019.65	2 635 293.49
L170	73 409.09	2 633 558.60		R170	71 000.14	2 635 308.25
L171	73 367.29	2 633 573.50		R171	70 826.13	2 635 439.49
L172	73 294.80	2 633 601.84		R172	70 800.03	2 635 459.20
L173	73 238.62	2 633 626.05		R173	70 760.86	2 635 488.74
L174	73 158.31	2 633 669.68		R174	70 448.08	2 635 715.92
L175	73 045.17	2 633 747.90		R175	70 131.45	2 635 946.16
L176	72 952.70	2 633 816.14		R176	69 955.94	2 636 075.72
L177	72 889.09	2 633 862.95		R177	69 856.57	2 636 150.98
L178	72 461.24	2 634 178.82		R178	69 780.27	2 636 196.47
L179	72 102.48	2 634 443.05		R179	69 669.66	2 636 248.69
L180	71 923.37	2 634 575.24		R180	69 510.38	2 636 302.01
L181	71 755.04	2 634 699.38		R181	69 324.41	2 636 360.15
L182	71 699.06	2 634 740.66		R182	69 282.32	2 636 389.88
L183	71 537.86	2 634 859.54		R183	69 265.80	2 636 387.40
L184	71 389.99	2 634 968.39		R184	69 216.75	2 636 393.02
L185	71 284.55	2 635 046.15		R185	69 005.42	2 636 458.87
L186	71 216.51	2 635 096.33		R186	68 849.89	2 636 506.87
L187	71 033.80	2 635 231.29		R187	68 598.27	2 636 587.78
L188	70 947.57	2 635 294.89		R188	68 221.91	2 636 705.77
L189	70 844.47	2 635 370.93		R189	68 117.19	2 636 738.60
L190	70 786.81	2 635 413.42		R190	67 680.10	2 636 875.69
L191	70 720.92	2 635 461.98		R191	67 620.39	2 636 894.42
L192	70 523.02	2 635 608.23		R192	67 580.83	2 636 922.44
L193	70 107.23	2 635 914.70		R193	67 559.27	2 636 928.59
L194	70 045.76	2 635 960.09		R194	67 506.17	2 636 929.58
L195	69 934.69	2 636 042.11		R195	67 467.79	2 636 941.66
L196	69 834.56	2 636 109.62		R196	66 943.18	2 637 106.70
L197	69 724.93	2 636 171.56		R197	66 752.44	2 637 166.35
L198	69 614.01	2 636 222.34		R198	66 582.64	2 637 219.60
L199	69 497.52	2 636 264.24		R199	66 569.03	2 637 229.64
L200	69 317.33	2 636 320.61		R200	66 545.87	2 637 246.72
L201	69 270.35	2 636 318.87		R201	66 531.02	2 637 251.35
L202	69 242.07	2 636 328.15		R202	66 483.51	2 637 254.75
L203	69 023.75	2 636 408.15		R203	66 150.65	2 637 358.70
L204	68 908.59	2 636 447.86		R204	66 143.96	2 637 360.79

Vel Sheet	19	Van of	22	P1176/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE	Y	X	REGTERKANT/RIGHT HAND SIDE	Y	X
L205	68 773.14	2 636 486.85	R205	66 011.36	2 637 401.89
L206	68 591.93	2 636 529.12	R206	65 634.91	2 637 516.87
L207	68 563.57	2 636 541.01	R207	65 472.68	2 637 568.86
L208	68 523.97	2 636 569.73	R208	65 323.81	2 637 628.82
L209	68 497.26	2 636 578.07	R209	65 276.11	2 637 648.90
L210	68 231.36	2 636 661.11	R210	65 213.23	2 637 678.95
L211	68 075.28	2 636 709.87	R211	65 131.55	2 637 722.59
L212	67 734.45	2 636 816.78	R212	65 049.28	2 637 775.37
L213	67 554.40	2 636 872.96	R213	65 026.69	2 637 791.34
L214	67 519.39	2 636 883.98	R214	64 850.92	2 637 915.64
L215	67 388.73	2 636 925.09	R215	64 821.22	2 637 936.64
L216	66 931.27	2 637 069.05	R216	64 795.85	2 637 973.85
L217	66 734.32	2 637 130.37	R217	64 781.92	2 637 983.49
L218	66 559.87	2 637 185.20	R218	64 731.24	2 638 000.24
L219	66 377.14	2 637 242.62	R219	64 522.92	2 638 147.50
L220	66 148.23	2 637 308.78	R220	64 278.22	2 638 320.52
L221	65 996.55	2 637 352.62	R221	64 033.58	2 638 493.51
L222	65 798.51	2 637 409.86	R222	63 788.94	2 638 666.49
L223	65 452.35	2 637 532.12	R223	63 744.75	2 638 703.56
L224	65 261.20	2 637 605.62	R224	63 642.43	2 638 791.40
L225	65 085.52	2 637 706.56	R225	63 627.24	2 638 804.44
L226	65 004.22	2 637 759.55	R226	63 517.68	2 638 910.59
L227	64 976.25	2 637 777.78	R227	63 505.05	2 638 923.87
L228	64 728.29	2 637 952.97	R228	63 473.58	2 638 956.95
L229	64 554.12	2 638 077.13	R229	63 440.61	2 638 992.87
L230	64 500.13	2 638 115.27	R230	63 338.75	2 639 137.24
L231	64 255.34	2 638 288.16	R231	63 133.91	2 639 427.35
L232	64 010.78	2 638 461.26	R232	63 109.86	2 639 475.49
L233	63 844.46	2 638 578.30	R233	63 039.50	2 639 616.33
L234	63 767.64	2 638 636.36	R234	62 936.16	2 639 852.58
L235	63 711.96	2 638 678.43	R235	62 896.08	2 639 945.98
L236	63 611.03	2 638 765.09	R236	62 712.20	2 640 379.17
L237	63 489.43	2 638 882.30	R237	62 646.20	2 640 481.77
L238	63 384.45	2 638 997.94	R238	62 630.66	2 640 496.38
L239	63 307.91	2 639 093.02	R239	62 557.79	2 640 564.86
L240	63 196.79	2 639 246.69	R240	62 465.01	2 640 618.41
L241	63 124.47	2 639 362.82	R241	62 448.53	2 640 621.27
L242	63 089.25	2 639 428.22	R242	62 225.93	2 640 659.91
L243	63 041.45	2 639 516.96	R243	62 011.41	2 640 574.99
L244	62 975.92	2 639 659.36	R244	61 909.10	2 640 533.87
L245	62 937.11	2 639 751.75	R245	61 751.15	2 640 472.49
L246	62 906.14	2 639 785.18	R246	61 711.36	2 640 457.10
L247	62 892.99	2 639 815.72	R247	61 533.09	2 640 392.29
L248	62 884.46	2 639 877.10	R248	61 359.20	2 640 338.31
L249	62 805.91	2 640 063.39	R249	61 242.98	2 640 307.57
L250	62 667.52	2 640 382.69	R250	61 183.92	2 640 292.15
L251	62 628.61	2 640 441.31	R251	61 032.70	2 640 260.33
L252	62 581.10	2 640 492.03	R252	61 007.16	2 640 254.96
L253	62 564.28	2 640 504.80	R253	60 910.96	2 640 238.57
L254	62 525.44	2 640 534.29	R254	60 812.02	2 640 227.87
L255	62 483.44	2 640 557.43	R255	60 756.99	2 640 226.06

Vel Sheet	20	Van of	22	P1176/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L256	62 464.91	2 640 567.63	R256	60 703.83	2 640 227.14
L257	62 398.23	2 640 591.24	R257	60 425.52	2 640 264.51
L258	62 329.58	2 640 603.59	R258	59 974.21	2 640 337.14
L259	62 259.47	2 640 604.57	R259	59 458.56	2 640 419.99
L260	62 206.15	2 640 597.79	R260	59 071.74	2 640 482.20
L261	62 102.34	2 640 569.18	R261	58 698.00	2 640 542.00
L262	62 092.14	2 640 564.74	R262	58 298.35	2 640 606.55
L263	62 025.15	2 640 535.58	R263	58 282.03	2 640 609.19
L264	61 917.88	2 640 497.22	R264	57 843.77	2 640 679.98
L265	61 689.90	2 640 406.21	R265	57 339.75	2 640 768.26
L266	61 545.31	2 640 354.98	R266	56 744.49	2 640 871.74
L267	61 370.28	2 640 300.04	R267	56 404.40	2 640 931.18
L268	61 194.05	2 640 254.44	R268	56 279.38	2 640 953.29
L269	61 038.62	2 640 221.02	R269	55 745.69	2 641 046.25
L270	61 015.18	2 640 215.98	R270	55 431.62	2 641 102.95
L271	60 814.79	2 640 188.07	R271	54 860.33	2 641 206.01
L272	60 653.66	2 640 190.70	R272	54 593.42	2 641 255.90
L273	60 579.60	2 640 185.16	R273	53 148.82	2 641 517.37
L274	60 559.61	2 640 174.63	R274	52 512.22	2 641 632.39
L275	60 489.39	2 640 184.29	R275	51 956.48	2 641 735.75
L276	60 439.35	2 640 222.80	R276	51 028.47	2 641 908.93
L277	59 902.04	2 640 309.39	R277	50 495.04	2 642 008.26
L278	59 464.88	2 640 380.65	R278	49 847.24	2 642 130.52
L279	59 008.56	2 640 454.25	R279	49 797.20	2 642 144.48
L280	58 659.97	2 640 510.56	R280	49 734.88	2 642 169.61
L281	58 398.64	2 640 552.49	R281	49 665.23	2 642 207.65
L282	58 252.16	2 640 576.00	R282	49 216.74	2 642 507.37
L283	58 166.90	2 640 589.68	R283	49 071.23	2 642 604.74
L284	57 836.28	2 640 643.66	R284	48 808.95	2 642 779.57
L285	57 381.58	2 640 722.79	R285	48 588.87	2 642 926.08
L286	56 751.46	2 640 832.81	R286	48 519.59	2 642 975.06
L287	56 404.36	2 640 893.00	R287	48 301.09	2 643 119.30
L288	56 353.07	2 640 901.99	R288	48 134.61	2 643 230.82
L289	55 740.40	2 641 009.48	R289	47 882.78	2 643 399.24
L290	55 416.91	2 641 067.52	R290	47 547.19	2 643 623.61
L291	54 840.11	2 641 171.58	R291	47 402.26	2 643 720.53
L292	54 564.29	2 641 221.56	R292	47 088.49	2 643 930.07
L293	54 337.11	2 641 262.73	R293	46 639.48	2 644 230.98
L294	54 047.71	2 641 314.84	R294	46 237.18	2 644 500.07
L295	53 702.04	2 641 377.79	R295	45 817.32	2 644 780.28
L296	53 148.31	2 641 479.23	R296	45 736.16	2 644 833.93
L297	52 975.33	2 641 508.72	R297	45 675.48	2 644 885.18
L298	52 524.97	2 641 592.29	R298	45 587.77	2 645 009.95
L299	51 971.09	2 641 695.12	R299	45 546.00	2 645 138.02
L300	51 007.68	2 641 875.15	R300	45 542.87	2 645 229.12
L301	50 482.19	2 641 973.20	R301	45 539.80	2 645 287.22
L302	49 851.13	2 642 090.72	R302	45 530.63	2 645 600.58
L303	49 745.89	2 642 122.96	R303	45 521.38	2 645 841.21
L304	49 702.54	2 642 143.46	R304	45 507.81	2 646 194.31
L305	49 643.80	2 642 176.53	R305	45 501.49	2 646 290.60
L306	49 265.08	2 642 429.52	R306	45 459.78	2 646 396.47

Vel Sheet	21	Van of	22	P1176/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE

	Y	X
L307	49 071.01	2 642 559.58
L308	48 791.61	2 642 746.42
L309	48 509.91	2 642 934.52
L310	48 276.36	2 643 090.49
L311	48 120.54	2 643 194.87
L312	47 853.09	2 643 373.90
L313	47 523.92	2 643 594.41
L314	47 372.18	2 643 695.19
L315	47 065.37	2 643 900.54
L316	46 601.91	2 644 210.26
L317	46 219.16	2 644 466.26
L318	45 811.05	2 644 738.26
L319	45 709.41	2 644 807.50
L320	45 678.57	2 644 831.93
L321	45 655.65	2 644 853.45
L322	45 572.60	2 644 964.73
L323	45 559.03	2 644 984.24
L324	45 522.21	2 645 091.89
L325	45 512.80	2 645 145.50
L326	45 506.84	2 645 261.73
L327	45 505.50	2 645 311.27
L328	45 495.48	2 645 616.50
L329	45 486.42	2 645 844.48
L330	45 473.08	2 646 180.35
L331	45 465.14	2 646 252.14
L332	45 429.24	2 646 379.54
L333	45 381.39	2 646 467.40
L334	45 336.45	2 646 528.82
L335	45 159.17	2 646 678.12
L336	44 832.88	2 646 900.67
L337	44 503.53	2 647 126.02
L338	44 177.41	2 647 349.20
L339	43 804.32	2 647 604.04
L340	43 699.53	2 647 675.85
L341	43 481.56	2 647 825.23
L342	43 191.51	2 648 023.32
L343	42 597.62	2 648 428.74
L344	42 485.33	2 648 481.44
L345	42 170.34	2 648 598.83
L346	41 738.64	2 648 759.51
L347	41 422.12	2 648 876.63
L348	41 335.26	2 648 919.52
L349	40 976.98	2 649 172.14
L350	40 620.70	2 649 426.41
L351	40 302.63	2 649 652.30
L352	40 002.96	2 649 866.27
L353	39 959.43	2 649 897.35
L354	39 914.33	2 649 929.55
L355	39 821.29	2 649 996.19
L356	39 786.21	2 650 020.50
L357	39 776.23	2 650 033.86

REGTERKANT/RIGHT HAND SIDE

	Y	X
R307	45 412.97	2 646 485.69
R308	45 364.52	2 646 549.67
R309	45 309.01	2 646 615.65
R310	45 191.33	2 646 696.25
R311	45 157.25	2 646 719.54
R312	44 857.69	2 646 924.28
R313	44 526.60	2 647 151.05
R314	44 195.15	2 647 377.68
R315	43 825.81	2 647 630.55
R316	43 776.89	2 647 664.02
R317	43 533.10	2 647 830.80
R318	43 201.25	2 648 057.96
R319	42 604.56	2 648 465.88
R320	42 522.97	2 648 505.47
R321	42 253.33	2 648 606.80
R322	42 180.36	2 648 634.22
R323	41 750.75	2 648 793.32
R324	41 437.22	2 648 909.23
R325	41 354.34	2 648 950.63
R326	40 987.82	2 649 208.80
R327	40 641.46	2 649 456.15
R328	40 166.06	2 649 794.52
R329	39 977.88	2 649 928.97
R330	39 953.70	2 649 946.25
R331	39 822.00	2 650 038.07
R332	39 797.11	2 650 055.43
R333	39 671.12	2 650 130.29

LINKERKANT/LEFT HAND SIDE

	Y	X
L358	39 761.62	2 650 041.60
L359	39 684.13	2 650 082.69
L360	39 669.27	2 650 090.52
L361	39 656.31	2 650 098.69

Vel Sheet	22	Van of	22	P1176/19

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**