

Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 721 | 11 July Julie 2025 | No. 52994

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845

9 771682 584003 52994



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
	GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Transport, Department of/ Vervoer, Departement van			
6431	South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration Amendment of National Road R72 Section 4: Amendment of Declaration No. 306 of 2012	52994	3
6431	Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet, 1998 (Wet No. 7 van 1998): Verklaring Wysiging van Nasionale Pad R72 Seksie 4: Wysiging van Verklaring No. 306 van 2012	52994	4

DEPARTMENT OF TRANSPORT

NO. 6431 **11 July 2025**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

No.---------- **Date.....**

DECLARATION AMENDMENT OF NATIONAL ROAD R72 SECTION 4

AMENDMENT OF DECLARATION No. 306 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 306 of 2012 by substituting paragraph II of the Schedule, being the descriptive declaration of the route from its intersection with Provincial Road R345 up to East London, with the accompanying sheets 1 to 33 of Plan No. P1209/20.

(National Road R72 Section 4: R345 Intersection – East London)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 6431 **11 Julie 2025**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30

No.---------- **Datum.....**


VERKLARING WYSIGING VAN NASIONALE PAD R72 SEKSIE 4


WYSIGING VAN VERKLARING No. 306 VAN 2012.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 306 van 2012 deur paragraaf II van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die interseksie met Provinsiale Pad R345 tot by Oos London, met bygaande velle 1 tot 33 van Plan No. P1209/20.


(Nasionale Pad R72 Seksie 4: R345 Interseksie – Oos London)


MINISTER VAN VERVOER



FARM 92
FARM 109
FARM 108
REM
FARM 107
REM
PTN 1
PTN 2
PTN 3
WATER PIPELINE SERV
BELMONT 110
SHOREHAM 111
REM
BRIDGNORTH 113
FARM 117
PTN 1
FARM 109
FARM 108
REM
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 1 van 33
Sheet 1 of 33
Plan P1209/20



PTN 1
SHOREHAM 111
REM
BELMONT 110
BRIDGNORTH 113
X +3 675 000
X +3 675 500
Y -37 000
Y -36 500
Y -36 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte van Nasionale Roete R72 Seksie 4
represents the road reserve of a portion of National Route R72 Section 4
Vel 2 van 33
Sheet 2 of 33
Plan P1209/20



FARM 1153
REM
BELMONT 110
SHOREHAM 111
PTN 1
PTN 1
RIGHT BANK OF RIVER
WATER PIPELINE SERV
Y -36 000
Y -36 500
Y -37 000
X +3 672 500
X +3 673 000
X +3 673 500
X +3 674 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe vaar van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 3 van 33
Sheet
Plan P1209/20



FARM 1153
REM
PTN 1
FARM 1151
WATER PIPELINE SERV
PTN 1
FARM 1154
REM
FARM 1153
REM
PTN 1
WATER PIPELINE SERV
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 4 van 33
Sheet of
Plan P1209/20



FARM 1155
FARM 1150
FARM 1151
FARM 1154
REM
X +3 670 000
X +3 670 500
Y -41 500
Y -42 000
Y -42 500
Y -43 000
Y -43 500
L194
L193
L195
L196
L197
L198
L199
L200
L201
L202
L192
L191
L190
L189
L188
L187
L186
L185
L184
L183
L182
R188
R187
R186
R185
R184
R183
R182
R181
R180
R179
R178
R177
R176
R175
R174
R190
R189
R191
R192
R193
R194
R195
R198
R199
R200
R201
R202
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 5 van 33
Sheet of
Plan P1209/20



FARM 1155
FARM 1156
REM
PTN 1
L201
L202
L203
L204
L205
L206
L207
L208
L209
L210
L211
L212
L213
L214
L215
L216
L217
L218
R202
R203
R204
R205
R206
R207
R208
R209
R210
R211
R212
R213
R214
R215
R216
R217
R218
Y -44 500
Y -45 000
Y -45 500
Y -46 000
X +3 670 000
X +3 670 500
X +3 671 000
8
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 6 van 33
Sheet of
Plan P1209/20



9
FARM 1146
FARM 1144
FARM 1158
REM PTN 1
FARM 1522
FARM 1156
PTN 1
PTN 2
PTN 3
PTN 4
PTN 5
REM
L232
R233
R232
L231
R231
L230
R230
L229
R229
L228
R228
R227
L227
R226
L226
R225
L225
R224
L224
L223
L222
R223
L221
R222
R221
L220
R220
L219
R219
X +3 671 500
X +3 672 000
Y -48 000
Y -47 500
Y -47 000
Y -46 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 7 van 33
Sheet of
Plan P1209/20



FARM 1144
FARM 1146
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 8 van 33
Sheet of
Plan P1209/20


FARM 1041
REM
FARM 1144
FARM 1143
FARM 1042
REM PTN 5
PTN 10
REM PTN 1
PTN 7
PTN 8
REM PTN 3
CHALUMA RIVER
Y -51 500
Y -52 000
Y -52 500
X +3 671 000
X +3 671 500
X +3 672 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R72 Seksie 4
The figure shown represents the road reserve of a portion of National Route Section
Vel 9 van 33 Sheet
Plan P1209/20


FARM 1041
REM PTN 5
FARM 1042
REM
FARM 1043
REM PTN 3
REM PTN 1
REM PTN 7
REM PTN 9
REM PTN 14
REM PTN 15
REM PTN 20
REM PTN 18
PTN 4
PTN 5
PTN 6
PTN 9
PTN 10
PTN 11
PTN 13
PTN 21
PTN 22
PTN 23
PTN 25
PTN 27
PTN 28
PTN 29
PTN 30
PTN 31
PTN 32
PTN 33
PTN 34
PTN 35
PTN 36
12
13
X +3 671 000
X +3 670 500
X +3 671 500
Y -53 500
Y -54 000
Y -54 500
Y -55 000
Y -56 000
Y -57 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 10 van 33
Sheet of
Plan P1209/20


FARM 1048
PTN 3
FARM 1046
PTN 19
FARM 1044
REM PTN 2
FARM 1043
REM PTN 12
REM PTN 5
REM PTN 18
REM PTN 11
PTN 17
PTN 20
PTN 21
PTN 22
PTN 23
PTN 24
PTN 25
PTN 26
PTN 27
PTN 28
PTN 29
PTN 30
PTN 31
PTN 36
PTN 37
REM PTN 8
REM PTN 7
REM PTN 4
REM PTN 1
REM PTN 15
REM PTN 16
PTN 3
PTN 8
PTN 9
PTN 10
REM PTN 14
Y +3 669 000
Y +3 669 500
Y -59 000
Y -58 500
Y -58 000
Y -57 500
R72
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete Seksie 4
of National Route Section
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
Vel 11 van 33
Sheet of
Plan P1209/20


FARM 1047
REM PTN 16
FARM 1048
REM PTN 2
FARM 1046
REM PTN 5
REM PTN 11
REM PTN 12
REM PTN 13
REM PTN 14
REM PTN 15
REM PTN 14
REM PTN 2
REM PTN 5
PTN 3
PTN 7
PTN 17
PTN 20
PTN 21
PTN 22
PTN 23
PTN 24
PTN 25
PTN 26
PTN 27
PTN 28
PTN 29
PTN 30
PTN 31
NCERA RIVER
ROW SERV
x +3 668 500
x +3 669 000
x +3 668 000
y -59 500
y -60 000
y -60 500
y -61 000
y -61 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 12 van 33
Sheet of
Plan P1209/20




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section


Vel 13 van 33
Sheet of


Plan P1209/20



FARM 1300
REM
FARM 1060
REM
PTN 1
FARM 1061
REM
FARM 1059
REM PTN 2
PTN 5
FARM 1063
REM
FARM 1249
FARM 1065
REM
REM PTN 1
FARM 1487
REM
FARM 1065
REM PTN 1
PTN 3
FARM 1064
REM PTN 2
L430
L431
L432
L433
L434
L435
L436
L437
L438
L439
L440
L441
L442
L443
L444
L445
L446
L447
L448
L449
R462
R463
R464
R465
R466
R467
R468
R469
R470
Y -66 000
Y -65 500
Y -65 000
Y -64 500
X +3 667 000
X +3 667 500
X +3 668 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 14 van 33
Sheet of
Plan P1209/20



FARM 1051
REM PTN 4
PTN 7
PTN 10
PTN 9
PTN 17
PTN 8
REM PTN 7
REM PTN 20 PTN 3
GULU RIVER
REM PTN 8
PTN 19
PTN 18
REM PTN 5
PTN 14
PTN 4
FARM 1015
FARM 1012
FARM 1052
REM
PTN 16
PTN 15
REM PTN 10
REM PTN 1
PTN 13
PTN 1
PTN 1
INGWENGYAMA RIVER
FARM 1300
REM
FARM 1056
PTN 1
FARM 1057
REM
PTN 1
REM
FARM 1062
REM
FARM 1060
REM
PTN 1
Y -67 000
Y -66 500
Y -66 000
X +3 666 000
X +3 666 500
X +3 667 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 15 van 33
Sheet of
Plan P1209/20


FARM 1016
PTN 3
FARM 1296
REM
FARM 1013
FARM 1015
FARM 1051
REM
FARM 1052
REM PTN 7
REM PTN 6
PTN 37
PTN 1
PTN 25
PTN 26
REM PTN 4
REM PTN 16
REM PTN 2
PTN 39
PTN 38
PTN 5
PTN 6
PTN 7
PTN 8
REM PTN 3
PTN 10
GULU RIVER
ROW SERV
x +3 663 500
x +3 664 000
x +3 665 000
y -68 500
y -68 000
y -69 500
y -69 000
y -70 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete
of National Route
R72
Seksie
Section
4
Vel
Sheet
16 van
of
33
Plan
P1209/20


20
REM FARM 1001
REM PTN 15
PTN 13
PTN 12
PTN 17
PTN 3
REM PTN 14
REM PTN 9
PTN 32
PTN 33
PTN 34
PTN 35
PTN 36
PTN 37
REM PTN 6
FARM 1016
REM PTN 9
FARM 1013
REM PTN 15
REM PTN 14
REM PTN 10
PTN 29
PTN 30
PTN 31
PTN 32
L532 L531 L530 L529 L528 L527 L526 L525 L524 L523 L522 L521 L520 L519 L518 L517 L516 L515 L514
R538 R535 R534 R533 R532 R531 R528 R537 R536 R530 R529 R527 R526 R525 R524 R523 R522 R521 R520 R519 R518
X +3 663 000
X +3 663 500
Y -11 000
Y -10 500
Y -10 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 17 van 33
Sheet of
Plan P1209/20


FARM 970
REM PTN 2
FARM 973
REM
FARM 1001
REM
FARM 1000
REM
FARM 965
REM PTN 14
FARM 975
REM
FARM 1016
REM PTN 15
PTN 1
PTN 2
PTN 3
PTN 5
PTN 6
PTN 7
PTN 9
PTN 10
PTN 13
PTN 14
PTN 15
PTN 16
PTN 27
PTN 28
PTN 29
PTN 30
PTN 31
PTN 32
PTN 38
PTN 39
REM PTN 9
REM PTN 10
REM PTN 13
REM PTN 15
SERV
X +3 660 500
X +3 661 000
X +3 661 500
X +3 662 000
Y -71 000
Y -72 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie 4
of National Route Section
Vel 18 van 33
Sheet 18 of 33
Plan P1209/20


FARM 966
FARM 934
FARM 1310
FARM 1330
FARM 920
FARM 922
FARM 923
FARM 938
FARM 939
FARM 937
FARM 965
FARM 970
COVE RIDGE 925
FARM 934
FARM 1310
WATER PIPELINE SERV 3m WIDE
ROW SERV
ROAD
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R72 van 4 of Nasionale Roete
The figure shown represents the road reserve of a portion of National Route R72 Section 4
Vel 19 van 33
Sheet 19 of 33
Plan P1209/20


FARM 1214
REM PTN 4
REM PTN 2
REM PTN 3
REM PTN 5
PTN 20
FARM 895
EAST LONDON
REM PTN 1
REM PTN 16
REM PTN 15
REM PTN 13
PTN 14
PTN 32
PTN 9
PTN 8
FARM 1347
PTN 1
REM PTN 1
PTN 7
PTN 10
PTN 4
REM
PTN 1
AERO 894
REM
PTN 3
PTN 6
REM PTN 17
REM PTN 16
PTN 30
REM
PTN 15
PTN 31
PTN 29
PTN 28
REM
PTN 2
PTN 1
PTN 2
PTN 1
PTN 6
FARM 897
FARM 900
FARM 919
REM PTN 2
PTN 3
PTN 11
PTN 10
REM
PTN 9
REM PTN 1
FARM 916
PTN 6
REM
PTN 7
PTN 3
47488
65859
65851
65846
65841
65834
78712
EAST LONDON
FARM 920
REM
47489
CL SEWER SERV 3m
WATER PIPELINE SERV 3m WIDE
FARM 922
REM
PTN 1
PTN 2
PTN 2
PTN 3
PTN 4
FARM 939
REM
FARM 938
FARM 937
922
CL ROW SERV
ROW SERV
L626
L625
L624
L623
L622
L621
L620
L619
L618
L617
L616
L615
L614
L613
L612
L611
L610
L609
L608
L607
L606
R633
R632
R631
R630
R629
R628
R627
R626
R625
R624
R623
R622
R621
R620
R619
R618
R617
R616
R615
X +3 658 000
Y -77 500
Y -77 000
Y -76 500
X +3 657 500
X +3 658 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R72
The figure shown represents the road reserve of a portion of National Route R72
Seksie 4
Section 4
Vel 20 van 33
Sheet 20 of 33
Plan P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L1	-31 142.16	3 677 064.09	R1	-31 191.03	3 677 051.26	
L2	-31 172.03	3 676 966.38	R2	-31 211.42	3 676 966.58	
L3	-31 228.82	3 676 843.16	R3	-31 219.13	3 676 936.69	
L4	-31 308.81	3 676 732.31	R4	-31 257.87	3 676 870.39	
L5	-31 380.75	3 676 666.99	R5	-31 270.01	3 676 849.63	
L6	-31 394.32	3 676 655.73	R6	-31 341.27	3 676 754.04	
L7	-31 461.34	3 676 604.77	R7	-31 408.15	3 676 684.03	
L8	-31 506.38	3 676 567.91	R8	-31 504.67	3 676 613.21	
L9	-31 554.62	3 676 538.10	R9	-31 625.48	3 676 555.27	
L10	-31 580.60	3 676 524.14	R10	-31 756.92	3 676 495.58	
L11	-31 646.62	3 676 488.53	R11	-32 058.77	3 676 365.29	
L12	-31 684.96	3 676 471.52	R12	-32 617.86	3 676 122.89	
L13	-31 775.47	3 676 431.76	R13	-33 133.05	3 675 899.84	
L14	-32 067.58	3 676 305.28	R14	-33 437.73	3 675 767.07	
L15	-32 634.14	3 676 059.80	R15	-33 760.75	3 675 627.44	
L16	-32 949.33	3 675 923.21	R16	-33 883.25	3 675 579.99	
L17	-33 463.73	3 675 700.08	R17	-33 966.24	3 675 551.40	
L18	-33 683.98	3 675 604.89	R18	-33 985.78	3 675 545.39	
L19	-33 776.27	3 675 565.47	R19	-34 095.18	3 675 523.33	
L20	-33 787.40	3 675 561.21	R20	-34 227.66	3 675 491.72	
L21	-33 841.98	3 675 540.29	R21	-34 378.32	3 675 452.42	
L22	-33 870.44	3 675 529.38	R22	-34 547.38	3 675 418.50	
L23	-33 961.36	3 675 498.60	R23	-34 587.43	3 675 401.55	
L24	-33 968.68	3 675 496.12	R24	-34 604.88	3 675 397.33	
L25	-33 997.70	3 675 487.42	R25	-34 653.08	3 675 374.49	
L26	-34 012.70	3 675 482.92	R26	-34 677.05	3 675 359.24	
L27	-34 053.40	3 675 471.55	R27	-34 717.26	3 675 335.00	
L28	-34 105.85	3 675 456.90	R28	-34 765.03	3 675 286.47	
L29	-34 199.08	3 675 424.99	R29	-34 814.11	3 675 213.34	
L30	-34 279.70	3 675 407.08	R30	-34 826.58	3 675 180.01	
L31	-34 539.49	3 675 351.97	R31	-34 831.63	3 675 166.52	
L32	-34 600.81	3 675 332.43	R32	-34 838.00	3 675 149.49	
L33	-34 651.33	3 675 304.07	R33	-34 857.04	3 675 057.13	
L34	-34 681.03	3 675 256.88	R34	-34 876.90	3 674 980.39	
L35	-34 739.08	3 675 219.19	R35	-34 909.81	3 674 910.08	
L36	-34 777.38	3 675 145.17	R36	-34 984.30	3 674 824.14	
L37	-34 790.18	3 675 080.31	R37	-35 029.85	3 674 792.59	
L38	-34 814.42	3 675 001.20	R38	-35 193.34	3 674 724.29	
L39	-34 847.50	3 674 895.35	R39	-35 439.87	3 674 631.26	
L40	-34 881.30	3 674 847.27	R40	-35 517.17	3 674 619.95	
L41	-34 907.19	3 674 810.44	R41	-35 581.26	3 674 624.13	
L42	-34 983.54	3 674 746.93	R42	-35 621.22	3 674 630.40	
L43	-35 032.73	3 674 726.66	R43	-35 687.30	3 674 660.54	
L44	-35 172.82	3 674 668.35	R44	-35 828.73	3 674 782.62	
L45	-35 200.14	3 674 657.69	R45	-36 055.29	3 674 991.50	
L46	-35 266.58	3 674 632.92	R46	-36 099.94	3 675 032.16	
L47	-35 360.01	3 674 597.61	R47	-36 163.99	3 675 087.96	
L48	-35 491.44	3 674 565.64	R48	-36 289.28	3 675 202.18	
L49	-35 586.52	3 674 568.95	R49	-36 345.70	3 675 275.00	
L50	-35 606.43	3 674 574.03	R50	-36 376.51	3 675 348.40	
L51	-35 618.76	3 674 578.19	R51	-36 384.37	3 675 389.17	

Vel Sheet 21	Van of 33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L52	-35 646.50	3 674 586.04	R52	-36 399.65	3 675 428.24
L53	-35 712.38	3 674 622.13	R53	-36 404.79	3 675 438.82
L54	-35 760.30	3 674 654.24	R54	-36 419.43	3 675 459.03
L55	-35 821.48	3 674 700.00	R55	-36 434.70	3 675 480.10
L56	-35 916.41	3 674 786.90	R56	-36 458.36	3 675 512.77
L57	-36 013.11	3 674 875.14	R57	-36 500.07	3 675 548.37
L58	-36 120.42	3 674 971.74	R58	-36 517.25	3 675 563.03
L59	-36 304.47	3 675 141.01	R59	-36 546.28	3 675 580.07
L60	-36 324.02	3 675 160.37	R60	-36 590.89	3 675 606.27
L61	-36 345.25	3 675 180.04	R61	-36 637.45	3 675 629.00
L62	-36 386.19	3 675 237.04	R62	-36 703.06	3 675 607.94
L63	-36 422.52	3 675 303.03	R63	-36 760.84	3 675 589.39
L64	-36 453.15	3 675 332.40	R64	-36 784.67	3 675 581.74
L65	-36 452.95	3 675 343.74	R65	-36 792.68	3 675 576.91
L66	-36 472.73	3 675 418.61	R66	-36 801.42	3 675 589.35
L67	-36 505.56	3 675 490.38	R67	-36 858.63	3 675 550.12
L68	-36 547.85	3 675 521.64	R68	-36 875.24	3 675 527.10
L69	-36 597.57	3 675 541.89	R69	-36 893.29	3 675 516.20
L70	-36 639.47	3 675 549.56	R70	-36 942.44	3 675 432.05
L71	-36 714.62	3 675 544.13	R71	-36 946.10	3 675 408.51
L72	-36 752.68	3 675 530.52	R72	-36 954.25	3 675 388.54
L73	-36 805.87	3 675 498.77	R73	-36 971.64	3 675 340.36
L74	-36 827.07	3 675 471.42	R74	-36 979.98	3 675 306.98
L75	-36 848.91	3 675 423.66	R75	-36 966.22	3 675 247.05
L76	-36 858.39	3 675 378.84	R76	-36 947.67	3 674 992.69
L77	-36 862.92	3 675 348.34	R77	-36 952.32	3 674 865.07
L78	-36 867.52	3 675 300.72	R78	-36 958.01	3 674 771.98
L79	-36 867.95	3 675 292.01	R79	-36 945.59	3 674 684.36
L80	-36 875.69	3 675 216.21	R80	-36 928.35	3 674 614.39
L81	-36 897.07	3 674 994.99	R81	-36 908.24	3 674 543.87
L82	-36 895.76	3 674 941.25	R82	-36 861.44	3 674 468.03
L83	-36 900.96	3 674 889.90	R83	-36 812.72	3 674 388.28
L84	-36 902.49	3 674 848.61	R84	-36 789.75	3 674 330.49
L85	-36 902.36	3 674 833.21	R85	-36 809.10	3 674 218.44
L86	-36 890.73	3 674 719.41	R86	-36 830.69	3 674 185.60
L87	-36 875.74	3 674 656.38	R87	-36 848.01	3 674 153.85
L88	-36 848.07	3 674 540.88	R88	-36 854.21	3 674 118.01
L89	-36 830.95	3 674 497.36	R89	-36 874.72	3 674 077.05
L90	-36 784.34	3 674 429.08	R90	-36 909.34	3 674 036.91
L91	-36 762.08	3 674 382.56	R91	-36 940.21	3 674 023.60
L92	-36 745.85	3 674 328.86	R92	-36 953.74	3 674 008.23
L93	-36 735.41	3 674 302.33	R93	-36 965.33	3 673 982.78
L94	-36 738.69	3 674 218.48	R94	-36 973.43	3 673 947.58
L95	-36 789.05	3 674 084.61	R95	-36 981.11	3 673 882.16
L96	-36 888.57	3 673 937.58	R96	-36 964.20	3 673 834.54
L97	-36 888.36	3 673 896.54	R97	-36 958.01	3 673 808.22
L98	-36 888.12	3 673 848.80	R98	-36 926.37	3 673 699.22
L99	-36 867.45	3 673 794.92	R99	-36 912.49	3 673 684.34
L100	-36 837.24	3 673 725.70	R100	-36 851.44	3 673 610.44
L101	-36 724.03	3 673 516.54	R101	-36 802.66	3 673 536.72
L102	-36 700.61	3 673 425.22	R102	-36 800.42	3 673 514.55

Vel Sheet	22	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 27°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L103	-36 691.63	3 673 401.77	R103	-36 737.15	3 673 422.59
L104	-36 649.71	3 673 320.46	R104	-36 693.53	3 673 316.74
L105	-36 601.30	3 673 226.56	R105	-36 651.06	3 673 213.67
L106	-36 538.88	3 673 185.71	R106	-36 629.48	3 673 176.45
L107	-36 474.94	3 673 143.88	R107	-36 603.09	3 673 135.47
L108	-36 472.20	3 673 132.12	R108	-36 571.17	3 673 085.90
L109	-36 456.62	3 673 086.80	R109	-36 541.16	3 673 051.28
L110	-36 366.09	3 673 081.87	R110	-36 449.00	3 673 034.48
L111	-36 272.43	3 673 076.73	R111	-36 389.29	3 673 018.50
L112	-36 134.46	3 673 070.72	R112	-36 360.67	3 673 024.85
L113	-36 111.17	3 673 071.30	R113	-36 319.32	3 673 034.02
L114	-36 078.05	3 673 069.92	R114	-36 158.66	3 673 026.83
L115	-36 034.29	3 673 066.22	R115	-36 047.78	3 673 006.75
L116	-35 998.80	3 673 060.77	R116	-35 985.07	3 672 989.07
L117	-35 979.17	3 673 052.89	R117	-35 925.95	3 672 905.37
L118	-35 952.17	3 673 040.23	R118	-35 905.05	3 672 816.87
L119	-35 930.58	3 673 024.06	R119	-35 945.26	3 672 750.06
L120	-35 910.15	3 673 003.47	R120	-35 998.21	3 672 707.66
L121	-35 889.77	3 672 978.07	R121	-36 067.07	3 672 694.61
L122	-35 872.33	3 672 946.51	R122	-36 116.07	3 672 672.95
L123	-35 860.29	3 672 919.10	R123	-36 144.34	3 672 654.95
L124	-35 854.45	3 672 899.97	R124	-36 333.96	3 672 509.71
L125	-35 851.40	3 672 876.56	R125	-36 370.42	3 672 485.93
L126	-35 832.26	3 672 841.00	R126	-36 405.52	3 672 475.09
L127	-35 849.46	3 672 789.54	R127	-36 443.38	3 672 463.74
L128	-35 870.69	3 672 747.68	R128	-36 494.52	3 672 456.23
L129	-35 934.45	3 672 678.16	R129	-36 522.75	3 672 457.85
L130	-35 959.26	3 672 659.84	R130	-36 699.03	3 672 504.78
L131	-36 047.74	3 672 610.42	R131	-36 763.35	3 672 509.84
L132	-36 116.17	3 672 568.12	R132	-36 831.02	3 672 505.54
L133	-36 223.26	3 672 513.19	R133	-36 893.70	3 672 482.60
L134	-36 333.02	3 672 449.63	R134	-37 017.90	3 672 428.51
L135	-36 410.44	3 672 428.36	R135	-37 222.54	3 672 276.81
L136	-36 474.04	3 672 420.91	R136	-37 241.27	3 672 258.17
L137	-36 547.81	3 672 423.19	R137	-37 324.15	3 672 198.82
L138	-36 778.60	3 672 468.91	R138	-37 417.25	3 672 129.53
L139	-36 814.19	3 672 468.49	R139	-37 459.50	3 672 095.48
L140	-36 880.84	3 672 448.75	R140	-37 502.39	3 672 067.75
L141	-36 978.03	3 672 393.26	R141	-37 769.50	3 671 749.74
L142	-37 218.35	3 672 211.41	R142	-37 813.70	3 671 715.52
L143	-37 453.25	3 672 032.45	R143	-37 904.32	3 671 716.96
L144	-37 520.40	3 671 930.77	R144	-37 941.16	3 671 726.64
L145	-37 613.70	3 671 821.70	R145	-37 967.47	3 671 748.12
L146	-37 670.11	3 671 746.04	R146	-38 052.21	3 671 778.97
L147	-37 701.42	3 671 657.89	R147	-38 093.14	3 671 780.49
L148	-37 755.72	3 671 616.16	R148	-38 100.99	3 671 794.88
L149	-37 824.99	3 671 579.98	R149	-38 197.29	3 671 797.25
L150	-37 993.31	3 671 686.32	R150	-38 269.42	3 671 761.45
L151	-38 054.36	3 671 705.08	R151	-38 301.84	3 671 743.77
L152	-38 126.05	3 671 716.10	R152	-38 352.71	3 671 704.55
L153	-38 164.72	3 671 721.06	R153	-38 443.59	3 671 630.18

Vel Sheet	23	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L154	-38 214.73	3 671 718.03	R154	-38 525.32	3 671 561.34
L155	-38 253.61	3 671 714.28	R155	-38 522.79	3 671 548.02
L156	-38 336.10	3 671 660.03	R156	-38 559.61	3 671 489.31
L157	-38 374.01	3 671 629.26	R157	-38 602.55	3 671 454.96
L158	-38 398.89	3 671 606.00	R158	-38 634.94	3 671 434.57
L159	-38 431.51	3 671 567.71	R159	-38 718.11	3 671 385.59
L160	-38 477.30	3 671 512.24	R160	-38 787.07	3 671 374.04
L161	-38 514.72	3 671 458.18	R161	-38 880.40	3 671 353.52
L162	-38 561.11	3 671 405.41	R162	-38 948.08	3 671 338.63
L163	-38 632.55	3 671 357.52	R163	-39 018.39	3 671 301.04
L164	-38 714.51	3 671 334.26	R164	-39 345.80	3 671 108.52
L165	-38 832.73	3 671 315.35	R165	-39 457.99	3 671 016.44
L166	-38 910.67	3 671 297.09	R166	-39 594.96	3 670 884.25
L167	-38 977.29	3 671 265.89	R167	-39 682.29	3 670 851.43
L168	-39 037.64	3 671 230.48	R168	-39 780.15	3 670 836.46
L169	-39 320.47	3 671 064.51	R169	-39 822.48	3 670 840.46
L170	-39 397.43	3 671 008.56	R170	-39 919.94	3 670 815.68
L171	-39 475.19	3 670 918.32	R171	-39 959.36	3 670 809.73
L172	-39 483.70	3 670 881.47	R172	-40 473.45	3 670 731.92
L173	-39 530.69	3 670 844.73	R173	-41 250.25	3 670 614.66
L174	-39 647.37	3 670 804.61	R174	-41 446.10	3 670 584.61
L175	-39 765.24	3 670 780.95	R175	-41 533.87	3 670 556.24
L176	-39 926.36	3 670 768.71	R176	-41 673.30	3 670 504.12
L177	-39 988.57	3 670 758.73	R177	-41 777.54	3 670 439.62
L178	-40 197.55	3 670 725.22	R178	-41 860.52	3 670 389.23
L179	-40 401.27	3 670 695.45	R179	-42 032.13	3 670 282.84
L180	-40 684.17	3 670 648.48	R180	-42 085.51	3 670 251.55
L181	-41 079.94	3 670 588.99	R181	-42 163.13	3 670 206.04
L182	-41 430.59	3 670 538.64	R182	-42 255.40	3 670 149.29
L183	-41 546.47	3 670 499.99	R183	-42 305.91	3 670 115.12
L184	-41 692.04	3 670 448.98	R184	-42 407.14	3 670 054.14
L185	-41 798.27	3 670 390.34	R185	-42 498.35	3 670 017.93
L186	-41 963.97	3 670 285.16	R186	-42 554.93	3 670 004.59
L187	-42 066.09	3 670 221.48	R187	-42 603.90	3 669 997.58
L188	-42 135.28	3 670 178.34	R188	-42 650.76	3 669 995.01
L189	-42 289.05	3 670 083.98	R189	-42 727.13	3 670 002.13
L190	-42 375.50	3 670 030.21	R190	-42 809.67	3 670 029.85
L191	-42 441.53	3 669 998.79	R191	-42 909.98	3 670 070.43
L192	-42 498.20	3 669 981.63	R192	-42 971.40	3 670 117.20
L193	-42 637.94	3 669 954.13	R193	-43 025.27	3 670 167.57
L194	-42 664.86	3 669 954.35	R194	-43 018.94	3 670 175.54
L195	-42 865.78	3 669 990.88	R195	-43 119.84	3 670 298.77
L196	-42 929.49	3 670 034.30	R196	-43 274.44	3 670 480.64
L197	-42 999.37	3 670 085.92	R197	-43 277.26	3 670 483.29
L198	-43 086.33	3 670 168.43	R198	-43 369.28	3 670 554.37
L199	-43 297.39	3 670 371.42	R199	-43 464.42	3 670 605.29
L200	-43 344.72	3 670 412.67	R200	-43 530.46	3 670 629.25
L201	-43 503.08	3 670 525.85	R201	-43 598.20	3 670 646.25
L202	-43 678.97	3 670 603.37	R202	-43 808.49	3 670 692.47
L203	-43 900.83	3 670 656.85	R203	-43 885.72	3 670 706.73
L204	-43 926.58	3 670 658.75	R204	-43 977.87	3 670 719.10

Vel Sheet	24	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L205	-44 123.42	3 670 664.28		R205	-44 187.84	3 670 731.92
L206	-44 345.67	3 670 652.47		R206	-44 226.43	3 670 729.21
L207	-44 781.12	3 670 617.71		R207	-44 239.94	3 670 727.84
L208	-44 933.61	3 670 596.35		R208	-44 647.83	3 670 665.91
L209	-45 032.75	3 670 581.52		R209	-45 085.29	3 670 634.03
L210	-45 120.16	3 670 571.08		R210	-45 223.71	3 670 639.02
L211	-45 216.25	3 670 579.26		R211	-45 324.96	3 670 653.14
L212	-45 306.49	3 670 590.92		R212	-45 475.88	3 670 682.57
L213	-45 462.43	3 670 614.32		R213	-45 624.83	3 670 734.61
L214	-45 517.30	3 670 625.05		R214	-45 749.48	3 670 793.47
L215	-45 648.64	3 670 673.33		R215	-45 852.12	3 670 852.67
L216	-45 736.43	3 670 723.56		R216	-45 923.69	3 670 902.65
L217	-45 855.64	3 670 794.09		R217	-45 938.29	3 670 913.84
L218	-45 977.76	3 670 880.43		R218	-45 993.45	3 670 956.15
L219	-46 295.26	3 671 143.30		R219	-46 195.06	3 671 123.93
L220	-46 410.07	3 671 238.36		R220	-46 299.67	3 671 211.37
L221	-46 784.75	3 671 548.44		R221	-46 563.34	3 671 431.75
L222	-46 871.38	3 671 604.22		R222	-46 699.43	3 671 549.74
L223	-46 906.20	3 671 623.16		R223	-46 791.63	3 671 616.98
L224	-46 927.37	3 671 612.40		R224	-46 940.61	3 671 668.06
L225	-47 047.84	3 671 617.20		R225	-47 045.55	3 671 668.08
L226	-47 063.48	3 671 615.06		R226	-47 147.42	3 671 643.81
L227	-47 146.22	3 671 588.62		R227	-47 321.33	3 671 567.93
L228	-47 380.95	3 671 481.29		R228	-47 342.54	3 671 557.92
L229	-47 771.48	3 671 302.71		R229	-47 535.50	3 671 466.91
L230	-47 843.50	3 671 269.78		R230	-47 823.01	3 671 334.41
L231	-48 141.51	3 671 133.45		R231	-47 930.44	3 671 284.90
L232	-48 385.90	3 671 021.65		R232	-48 267.71	3 671 127.62
L233	-48 955.96	3 670 761.19		R233	-48 437.92	3 671 048.24
L234	-49 036.78	3 670 781.39		R234	-48 656.97	3 670 949.52
L235	-49 019.89	3 670 819.49		R235	-48 751.43	3 670 920.64
L236	-49 014.70	3 670 867.79		R236	-48 848.48	3 670 905.52
L237	-49 021.52	3 670 881.63		R237	-48 945.10	3 670 904.48
L238	-49 090.17	3 670 897.08		R238	-49 040.79	3 670 916.98
L239	-49 129.64	3 670 908.30		R239	-49 146.69	3 670 947.76
L240	-49 185.90	3 670 930.70		R240	-49 197.77	3 670 971.39
L241	-49 235.51	3 670 955.75		R241	-49 237.62	3 670 989.82
L242	-49 281.67	3 670 979.06		R242	-49 400.56	3 671 096.23
L243	-49 445.42	3 671 087.14		R243	-49 550.57	3 671 199.12
L244	-49 599.44	3 671 182.57		R244	-49 716.18	3 671 304.55
L245	-49 681.40	3 671 235.20		R245	-49 893.34	3 671 415.04
L246	-49 724.19	3 671 265.12		R246	-50 011.33	3 671 513.96
L247	-49 910.08	3 671 390.71		R247	-50 098.47	3 671 623.41
L248	-49 966.15	3 671 431.74		R248	-50 134.30	3 671 666.43
L249	-50 007.50	3 671 467.65		R249	-50 184.12	3 671 707.48
L250	-50 131.93	3 671 599.77		R250	-50 225.51	3 671 730.83
L251	-50 156.38	3 671 629.56		R251	-50 253.27	3 671 753.55
L252	-50 217.15	3 671 688.78		R252	-50 391.79	3 671 780.12
L253	-50 246.80	3 671 701.39		R253	-50 415.24	3 671 775.43
L254	-50 258.12	3 671 700.50		R254	-50 425.63	3 671 780.25
L255	-50 314.86	3 671 713.04		R255	-50 494.68	3 671 770.78

Vel Sheet	25	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L256	-50 419.69	3 671 730.76	R256	-50 552.92	3 671 759.10	
L257	-50 473.14	3 671 732.37	R257	-50 628.55	3 671 740.72	
L258	-50 594.96	3 671 702.87	R258	-50 699.90	3 671 717.08	
L259	-50 743.19	3 671 663.70	R259	-50 807.21	3 671 688.09	
L260	-50 832.02	3 671 627.77	R260	-50 872.25	3 671 660.34	
L261	-50 915.45	3 671 596.68	R261	-50 941.04	3 671 650.12	
L262	-51 001.05	3 671 574.90	R262	-51 051.05	3 671 628.17	
L263	-51 036.22	3 671 576.65	R263	-51 120.40	3 671 630.40	
L264	-51 066.94	3 671 586.66	R264	-51 177.54	3 671 628.93	
L265	-51 089.54	3 671 590.82	R265	-51 275.14	3 671 622.21	
L266	-51 174.11	3 671 577.90	R266	-51 387.25	3 671 625.86	
L267	-51 256.17	3 671 577.77	R267	-51 485.40	3 671 634.86	
L268	-51 356.40	3 671 586.19	R268	-51 549.28	3 671 648.65	
L269	-51 468.38	3 671 601.20	R269	-51 648.28	3 671 672.39	
L270	-51 562.24	3 671 616.03	R270	-51 704.38	3 671 681.38	
L271	-51 659.19	3 671 637.23	R271	-51 797.38	3 671 707.69	
L272	-51 824.72	3 671 668.01	R272	-51 837.36	3 671 715.41	
L273	-51 890.28	3 671 669.95	R273	-51 880.29	3 671 710.65	
L274	-51 963.27	3 671 655.30	R274	-51 896.20	3 671 725.60	
L275	-52 030.03	3 671 625.38	R275	-51 919.15	3 671 721.98	
L276	-52 120.27	3 671 577.58	R276	-51 950.13	3 671 702.56	
L277	-52 209.94	3 671 535.58	R277	-52 003.79	3 671 686.23	
L278	-52 261.66	3 671 506.33	R278	-52 042.00	3 671 668.82	
L279	-52 443.41	3 671 411.84	R279	-52 094.00	3 671 641.11	
L280	-52 526.90	3 671 366.23	R280	-52 179.94	3 671 595.43	
L281	-52 675.61	3 671 308.87	R281	-52 270.04	3 671 553.49	
L282	-52 752.83	3 671 298.75	R282	-52 315.09	3 671 522.53	
L283	-52 787.45	3 671 300.06	R283	-52 351.62	3 671 502.91	
L284	-52 800.03	3 671 301.14	R284	-52 386.53	3 671 494.09	
L285	-52 875.49	3 671 305.16	R285	-52 430.45	3 671 468.80	
L286	-52 941.04	3 671 319.86	R286	-52 482.10	3 671 435.30	
L287	-52 952.46	3 671 322.50	R287	-52 543.66	3 671 405.11	
L288	-53 225.74	3 671 372.51	R288	-52 578.46	3 671 420.10	
L289	-53 268.12	3 671 374.99	R289	-52 599.74	3 671 419.87	
L290	-53 303.29	3 671 376.30	R290	-52 627.80	3 671 407.56	
L291	-53 341.54	3 671 377.51	R291	-52 656.74	3 671 374.28	
L292	-53 381.31	3 671 374.52	R292	-52 689.14	3 671 362.26	
L293	-53 435.97	3 671 366.36	R293	-52 773.78	3 671 356.40	
L294	-53 466.75	3 671 357.15	R294	-52 805.75	3 671 360.03	
L295	-53 518.25	3 671 340.74	R295	-52 808.77	3 671 358.98	
L296	-53 599.51	3 671 304.16	R296	-52 851.20	3 671 350.57	
L297	-53 645.79	3 671 277.99	R297	-52 870.37	3 671 352.75	
L298	-53 671.03	3 671 262.95	R298	-52 884.49	3 671 354.36	
L299	-53 707.64	3 671 237.51	R299	-52 901.60	3 671 355.90	
L300	-53 719.19	3 671 227.96	R300	-52 975.20	3 671 362.03	
L301	-53 766.77	3 671 179.90	R301	-53 113.38	3 671 389.06	
L302	-53 797.34	3 671 143.33	R302	-53 240.56	3 671 408.81	
L303	-53 858.62	3 671 069.36	R303	-53 262.33	3 671 411.36	
L304	-53 954.00	3 671 027.67	R304	-53 300.63	3 671 414.57	
L305	-54 056.91	3 671 013.58	R305	-53 333.10	3 671 414.36	
L306	-54 180.57	3 671 009.87	R306	-53 390.69	3 671 412.19	

Vel Sheet	26	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27º	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L307	-54 300.73	3 670 996.53	R307	-53 501.71	3 671 391.92	
L308	-54 402.35	3 670 997.27	R308	-53 613.29	3 671 345.65	
L309	-54 740.82	3 670 979.04	R309	-53 668.50	3 671 311.69	
L310	-54 838.32	3 670 958.84	R310	-53 696.26	3 671 295.37	
L311	-54 979.93	3 670 966.69	R311	-53 750.80	3 671 251.83	
L312	-55 066.55	3 670 959.85	R312	-53 774.53	3 671 228.38	
L313	-55 119.72	3 670 955.70	R313	-53 842.90	3 671 150.94	
L314	-55 278.58	3 670 952.09	R314	-53 876.30	3 671 123.46	
L315	-55 806.62	3 670 923.24	R315	-53 897.94	3 671 108.90	
L316	-55 857.07	3 670 917.05	R316	-53 989.09	3 671 079.04	
L317	-55 886.95	3 670 913.36	R317	-54 033.62	3 671 071.10	
L318	-55 965.42	3 670 894.50	R318	-54 124.97	3 671 062.12	
L319	-56 007.19	3 670 879.83	R319	-54 210.97	3 671 046.91	
L320	-56 043.30	3 670 867.13	R320	-54 253.14	3 671 041.63	
L321	-56 114.26	3 670 832.40	R321	-54 331.95	3 671 046.94	
L322	-56 326.44	3 670 709.54	R322	-54 351.87	3 671 043.66	
L323	-56 334.87	3 670 704.70	R323	-54 419.36	3 671 037.89	
L324	-56 546.73	3 670 581.68	R324	-54 466.32	3 671 040.24	
L325	-56 614.55	3 670 539.63	R325	-54 508.66	3 671 037.79	
L326	-56 705.11	3 670 490.65	R326	-54 541.01	3 671 032.21	
L327	-56 707.20	3 670 489.52	R327	-54 587.72	3 671 029.28	
L328	-56 751.26	3 670 463.86	R328	-54 650.04	3 671 022.25	
L329	-57 108.57	3 670 256.45	R329	-54 693.79	3 671 027.82	
L330	-57 272.16	3 670 161.58	R330	-54 762.23	3 671 014.38	
L331	-57 279.97	3 670 156.97	R331	-54 954.58	3 671 008.13	
L332	-57 367.93	3 670 109.31	R332	-55 014.19	3 671 012.02	
L333	-57 458.21	3 670 064.77	R333	-55 015.91	3 671 012.13	
L334	-57 550.30	3 670 026.03	R334	-55 057.27	3 671 011.17	
L335	-57 654.02	3 669 987.84	R335	-55 106.36	3 671 011.59	
L336	-57 830.69	3 669 929.28	R336	-55 145.30	3 671 008.97	
L337	-57 851.01	3 669 922.77	R337	-55 354.30	3 670 982.76	
L338	-57 885.51	3 669 911.63	R338	-55 429.18	3 670 978.78	
L339	-57 912.97	3 669 902.50	R339	-55 705.60	3 670 965.47	
L340	-57 929.50	3 669 896.97	R340	-55 841.33	3 670 964.44	
L341	-58 253.16	3 669 789.39	R341	-55 877.55	3 670 954.85	
L342	-58 427.55	3 669 736.16	R342	-55 939.18	3 670 938.53	
L343	-58 728.10	3 669 637.41	R343	-56 000.36	3 670 922.34	
L344	-59 074.34	3 669 522.77	R344	-56 118.35	3 670 874.40	
L345	-59 137.54	3 669 500.60	R345	-56 288.57	3 670 780.13	
L346	-59 188.05	3 669 473.85	R346	-56 372.28	3 670 726.87	
L347	-59 198.75	3 669 466.03	R347	-56 440.37	3 670 683.55	
L348	-59 233.35	3 669 440.72	R348	-56 519.36	3 670 640.67	
L349	-59 272.83	3 669 401.18	R349	-56 592.66	3 670 608.52	
L350	-59 306.04	3 669 356.30	R350	-56 654.77	3 670 577.33	
L351	-59 332.05	3 669 306.85	R351	-56 705.25	3 670 529.98	
L352	-59 351.54	3 669 253.05	R352	-56 788.73	3 670 481.48	
L353	-59 410.54	3 669 050.84	R353	-57 151.15	3 670 270.90	
L354	-59 417.72	3 668 958.28	R354	-57 271.37	3 670 201.05	
L355	-59 436.54	3 668 909.96	R355	-57 342.86	3 670 159.51	
L356	-59 449.26	3 668 841.20	R356	-57 458.71	3 670 155.88	
L357	-59 473.14	3 668 662.33	R357	-57 511.46	3 670 132.51	

Vel Sheet	27	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 27°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L358	-59 487.96	3 668 593.76	R358	-57 558.14	3 670 066.20
L359	-59 540.99	3 668 500.09	R359	-57 601.67	3 670 045.72
L360	-59 565.02	3 668 466.54	R360	-57 640.13	3 670 029.34
L361	-59 601.41	3 668 424.29	R361	-57 775.94	3 669 985.02
L362	-59 645.44	3 668 383.28	R362	-57 822.73	3 669 968.34
L363	-59 686.94	3 668 352.91	R363	-57 934.96	3 669 930.97
L364	-59 722.28	3 668 330.20	R364	-57 973.40	3 669 918.17
L365	-59 764.15	3 668 312.39	R365	-58 153.92	3 669 858.07
L366	-59 867.75	3 668 270.75	R366	-58 197.61	3 669 843.52
L367	-59 932.52	3 668 256.70	R367	-58 322.88	3 669 801.95
L368	-59 948.16	3 668 256.44	R368	-58 426.86	3 669 768.36
L369	-60 019.73	3 668 260.41	R369	-58 496.11	3 669 745.32
L370	-60 149.83	3 668 309.40	R370	-58 605.48	3 669 708.85
L371	-60 262.37	3 668 360.91	R371	-58 608.91	3 669 707.70
L372	-60 272.54	3 668 365.32	R372	-58 821.84	3 669 637.35
L373	-60 290.72	3 668 373.19	R373	-58 928.21	3 669 605.78
L374	-60 365.79	3 668 405.72	R374	-59 084.49	3 669 550.79
L375	-60 429.08	3 668 429.35	R375	-59 143.68	3 669 530.73
L376	-60 434.27	3 668 431.29	R376	-59 184.26	3 669 511.13
L377	-60 492.98	3 668 439.59	R377	-59 202.45	3 669 503.59
L378	-60 548.85	3 668 438.40	R378	-59 216.74	3 669 497.66
L379	-60 603.45	3 668 426.14	R379	-59 224.46	3 669 494.46
L380	-60 655.03	3 668 404.38	R380	-59 231.99	3 669 487.36
L381	-60 700.65	3 668 373.23	R381	-59 250.06	3 669 470.34
L382	-60 731.77	3 668 344.06	R382	-59 255.63	3 669 460.39
L383	-60 908.19	3 668 111.70	R383	-59 258.63	3 669 457.39
L384	-60 961.59	3 668 047.39	R384	-59 295.90	3 669 420.08
L385	-61 042.38	3 667 984.41	R385	-59 361.32	3 669 310.13
L386	-61 071.68	3 667 961.57	R386	-59 408.85	3 669 173.90
L387	-61 119.42	3 667 932.66	R387	-59 434.59	3 669 094.26
L388	-61 195.18	3 667 895.54	R388	-59 471.98	3 668 925.28
L389	-61 238.67	3 667 874.24	R389	-59 496.22	3 668 745.54
L390	-61 289.50	3 667 851.97	R390	-59 505.49	3 668 677.55
L391	-61 315.46	3 667 840.60	R391	-59 521.26	3 668 623.23
L392	-61 406.48	3 667 795.60	R392	-59 540.63	3 668 570.60
L393	-61 472.84	3 667 773.75	R393	-59 567.02	3 668 521.71
L394	-61 501.24	3 667 770.91	R394	-59 598.93	3 668 475.70
L395	-61 548.53	3 667 752.19	R395	-59 601.17	3 668 469.02
L396	-61 621.02	3 667 776.77	R396	-59 637.49	3 668 430.52
L397	-61 638.80	3 667 780.64	R397	-59 675.48	3 668 398.53
L398	-61 800.87	3 667 823.88	R398	-59 715.85	3 668 370.64
L399	-61 897.37	3 667 852.37	R399	-59 766.47	3 668 345.81
L400	-61 934.29	3 667 863.27	R400	-59 816.86	3 668 324.69
L401	-61 961.81	3 667 871.40	R401	-59 878.25	3 668 325.81
L402	-62 000.15	3 667 883.71	R402	-59 898.93	3 668 322.84
L403	-62 192.78	3 667 929.27	R403	-59 949.96	3 668 303.46
L404	-62 214.28	3 667 933.92	R404	-60 005.53	3 668 304.98
L405	-62 224.98	3 667 926.76	R405	-60 060.95	3 668 313.62
L406	-62 231.61	3 667 909.03	R406	-60 113.05	3 668 329.93
L407	-62 259.75	3 667 917.29	R407	-60 245.16	3 668 393.87
L408	-62 275.68	3 667 939.21	R408	-60 266.88	3 668 401.47

Vel Sheet	28	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 27°

LINKERKANT/LEFT HAND SIDE	Y	X	REGTERKANT/RIGHT HAND SIDE	Y	X
L409	-62 321.99	3 667 946.59	R409	-60 279.17	3 668 405.77
L410	-62 323.29	3 667 952.30	R410	-60 293.74	3 668 410.87
L411	-62 579.22	3 668 011.67	R411	-60 343.31	3 668 433.79
L412	-62 688.37	3 668 031.60	R412	-60 370.13	3 668 445.89
L413	-62 797.60	3 668 059.14	R413	-60 415.59	3 668 462.29
L414	-62 815.39	3 668 063.65	R414	-60 422.72	3 668 464.87
L415	-62 919.47	3 668 090.04	R415	-60 500.29	3 668 476.25
L416	-62 988.71	3 668 099.57	R416	-60 556.21	3 668 473.48
L417	-63 044.70	3 668 101.51	R417	-60 610.91	3 668 459.93
L418	-63 113.90	3 668 096.91	R418	-60 658.24	3 668 440.90
L419	-63 119.20	3 668 096.48	R419	-60 662.22	3 668 439.30
L420	-63 474.85	3 668 067.47	R420	-60 697.05	3 668 418.32
L421	-63 601.28	3 668 057.19	R421	-60 710.38	3 668 410.29
L422	-63 655.57	3 668 043.94	R422	-60 760.06	3 668 365.63
L423	-63 722.26	3 668 022.00	R423	-60 804.49	3 668 305.73
L424	-63 903.74	3 667 949.18	R424	-60 870.48	3 668 215.37
L425	-63 938.59	3 667 933.85	R425	-60 956.23	3 668 101.63
L426	-64 067.55	3 667 877.47	R426	-60 996.86	3 668 060.46
L427	-64 122.92	3 667 853.27	R427	-61 061.98	3 668 011.81
L428	-64 140.00	3 667 845.80	R428	-61 070.73	3 668 007.35
L429	-64 240.85	3 667 802.02	R429	-61 187.32	3 667 947.97
L430	-64 369.04	3 667 746.36	R430	-61 287.96	3 667 893.40
L431	-64 764.97	3 667 573.25	R431	-61 369.95	3 667 846.86
L432	-64 793.14	3 667 560.93	R432	-61 409.07	3 667 827.29
L433	-64 934.03	3 667 498.54	R433	-61 473.86	3 667 805.07
L434	-65 048.64	3 667 446.19	R434	-61 543.18	3 667 796.03
L435	-65 113.74	3 667 420.32	R435	-61 598.24	3 667 800.00
L436	-65 183.46	3 667 389.88	R436	-61 620.73	3 667 803.98
L437	-65 230.35	3 667 369.41	R437	-61 693.42	3 667 826.67
L438	-65 240.85	3 667 343.81	R438	-61 867.22	3 667 877.98
L439	-65 274.49	3 667 329.15	R439	-61 941.77	3 667 899.98
L440	-65 280.36	3 667 347.57	R440	-62 012.81	3 667 917.43
L441	-65 366.60	3 667 310.34	R441	-62 186.99	3 667 957.94
L442	-65 454.60	3 667 268.23	R442	-62 181.71	3 667 981.27
L443	-65 494.36	3 667 254.50	R443	-62 498.51	3 668 053.07
L444	-65 716.93	3 667 157.34	R444	-62 830.79	3 668 129.52
L445	-65 896.13	3 667 079.21	R445	-62 831.65	3 668 129.78
L446	-65 973.09	3 667 044.60	R446	-62 855.72	3 668 136.93
L447	-66 012.73	3 667 026.78	R447	-62 935.69	3 668 152.47
L448	-66 099.88	3 666 982.16	R448	-63 001.26	3 668 160.13
L449	-66 219.71	3 666 911.44	R449	-63 099.76	3 668 158.89
L450	-66 497.04	3 666 742.26	R450	-63 139.73	3 668 154.93
L451	-66 607.67	3 666 674.19	R451	-63 164.29	3 668 152.50
L452	-66 664.94	3 666 638.96	R452	-63 239.01	3 668 146.86
L453	-66 901.27	3 666 490.45	R453	-63 339.85	3 668 138.34
L454	-67 058.12	3 666 398.11	R454	-63 409.64	3 668 132.44
L455	-67 457.97	3 666 154.44	R455	-63 483.80	3 668 124.41
L456	-67 548.92	3 666 089.24	R456	-63 572.00	3 668 119.01
L457	-67 597.65	3 666 062.60	R457	-63 668.78	3 668 103.46
L458	-67 622.31	3 666 049.12	R458	-63 749.31	3 668 080.97
L459	-67 659.52	3 666 030.94	R459	-63 809.32	3 668 054.79

Vel Sheet	29	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L460	-67 702.13	3 665 999.98	R460	-64 085.40	3 667 934.31
L461	-67 738.78	3 665 960.52	R461	-64 137.01	3 667 911.79
L462	-67 774.34	3 665 915.13	R462	-64 361.64	3 667 813.77
L463	-67 802.86	3 665 848.51	R463	-64 800.97	3 667 622.53
L464	-67 811.14	3 665 818.89	R464	-64 970.29	3 667 548.83
L465	-67 815.28	3 665 804.11	R465	-65 115.49	3 667 485.17
L466	-67 816.21	3 665 745.33	R466	-65 298.72	3 667 405.23
L467	-67 816.25	3 665 742.84	R467	-65 972.90	3 667 111.19
L468	-67 814.32	3 665 722.57	R468	-66 009.32	3 667 093.73
L469	-67 811.37	3 665 691.26	R469	-66 099.36	3 667 050.56
L470	-67 804.06	3 665 659.10	R470	-66 222.95	3 666 980.02
L471	-67 801.13	3 665 652.52	R471	-66 537.88	3 666 787.33
L472	-67 800.46	3 665 650.02	R472	-66 660.16	3 666 712.53
L473	-67 789.97	3 665 610.95	R473	-67 026.88	3 666 488.21
L474	-67 739.85	3 665 502.31	R474	-67 653.44	3 666 104.65
L475	-67 714.17	3 665 439.62	R475	-67 661.30	3 666 099.84
L476	-67 707.80	3 665 414.26	R476	-67 736.14	3 666 048.60
L477	-67 686.57	3 665 329.71	R477	-67 757.65	3 666 008.85
L478	-67 675.63	3 665 220.65	R478	-67 769.02	3 665 987.84
L479	-67 692.25	3 665 103.87	R479	-67 774.86	3 665 977.04
L480	-67 705.09	3 665 043.80	R480	-67 811.84	3 665 916.26
L481	-67 729.89	3 664 980.38	R481	-67 837.91	3 665 851.37
L482	-67 737.01	3 664 966.91	R482	-67 849.55	3 665 795.06
L483	-67 782.54	3 664 880.73	R483	-67 854.41	3 665 766.93
L484	-67 810.14	3 664 841.60	R484	-67 857.82	3 665 747.17
L485	-67 819.14	3 664 831.78	R485	-67 854.84	3 665 633.87
L486	-67 881.03	3 664 764.29	R486	-67 821.00	3 665 539.64
L487	-67 898.02	3 664 749.80	R487	-67 770.66	3 665 423.98
L488	-67 931.68	3 664 721.10	R488	-67 753.90	3 665 363.77
L489	-67 945.59	3 664 710.80	R489	-67 752.56	3 665 351.34
L490	-68 002.61	3 664 674.54	R490	-67 737.34	3 665 209.35
L491	-68 063.60	3 664 640.75	R491	-67 758.02	3 665 074.49
L492	-68 084.40	3 664 629.22	R492	-67 781.50	3 664 998.24
L493	-68 154.88	3 664 590.17	R493	-67 801.34	3 664 922.80
L494	-68 177.84	3 664 577.44	R494	-67 874.37	3 664 857.74
L495	-68 256.84	3 664 533.45	R495	-67 907.41	3 664 819.00
L496	-68 272.65	3 664 524.64	R496	-67 949.11	3 664 781.09
L497	-68 329.09	3 664 493.21	R497	-67 986.23	3 664 749.91
L498	-68 363.88	3 664 473.83	R498	-68 094.24	3 664 692.05
L499	-68 378.66	3 664 465.60	R499	-68 135.48	3 664 669.11
L500	-68 444.24	3 664 423.22	R500	-68 184.74	3 664 641.82
L501	-68 463.76	3 664 412.10	R501	-68 272.07	3 664 593.35
L502	-68 590.51	3 664 349.64	R502	-68 284.29	3 664 586.52
L503	-68 636.78	3 664 328.37	R503	-68 315.41	3 664 569.28
L504	-68 677.88	3 664 312.66	R504	-68 322.64	3 664 565.27
L505	-68 771.44	3 664 281.41	R505	-68 379.07	3 664 534.01
L506	-69 028.47	3 664 201.29	R506	-68 496.83	3 664 468.85
L507	-69 106.87	3 664 170.66	R507	-68 558.22	3 664 454.56
L508	-69 117.83	3 664 166.60	R508	-68 564.70	3 664 453.32
L509	-69 194.40	3 664 138.26	R509	-68 618.07	3 664 411.61
L510	-69 260.97	3 664 110.08	R510	-68 670.94	3 664 379.51

Vel Sheet	30	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L511	-69 324.15	3 664 080.45	R511	-68 749.96	3 664 351.72	
L512	-69 392.94	3 664 038.72	R512	-69 048.35	3 664 258.51	
L513	-69 479.17	3 663 975.10	R513	-69 206.27	3 664 204.36	
L514	-69 655.73	3 663 829.77	R514	-69 294.98	3 664 164.35	
L515	-70 075.98	3 663 483.33	R515	-69 379.25	3 664 118.06	
L516	-70 188.90	3 663 392.95	R516	-69 427.58	3 664 086.10	
L517	-70 191.82	3 663 390.61	R517	-69 462.14	3 664 063.24	
L518	-70 321.34	3 663 300.85	R518	-69 604.80	3 663 949.57	
L519	-70 865.87	3 662 983.68	R519	-69 818.98	3 663 772.36	
L520	-70 998.26	3 662 906.41	R520	-70 119.76	3 663 524.49	
L521	-71 049.56	3 662 876.47	R521	-70 229.60	3 663 440.35	
L522	-71 134.85	3 662 826.70	R522	-70 288.46	3 663 395.27	
L523	-71 277.09	3 662 741.67	R523	-70 399.15	3 663 323.57	
L524	-71 292.56	3 662 732.43	R524	-70 562.68	3 663 229.49	
L525	-71 379.08	3 662 685.73	R525	-71 136.79	3 662 894.75	
L526	-71 399.05	3 662 674.95	R526	-71 188.01	3 662 864.89	
L527	-71 401.06	3 662 673.87	R527	-71 211.00	3 662 851.48	
L528	-71 461.12	3 662 622.66	R528	-71 381.79	3 662 753.37	
L529	-71 461.56	3 662 622.10	R529	-71 401.43	3 662 741.68	
L530	-71 489.79	3 662 586.24	R530	-71 408.01	3 662 737.76	
L531	-71 514.36	3 662 545.26	R531	-71 430.76	3 662 722.94	
L532	-71 544.18	3 662 445.51	R532	-71 453.92	3 662 706.85	
L533	-71 549.63	3 662 396.62	R533	-71 470.68	3 662 692.83	
L534	-71 542.36	3 662 339.32	R534	-71 521.81	3 662 641.97	
L535	-71 538.54	3 662 309.15	R535	-71 537.00	3 662 616.24	
L536	-71 497.82	3 662 231.38	R536	-71 556.52	3 662 583.18	
L537	-71 491.45	3 662 219.22	R537	-71 560.23	3 662 576.89	
L538	-71 472.56	3 662 193.73	R538	-71 586.66	3 662 529.63	
L539	-71 445.60	3 662 157.36	R539	-71 608.29	3 662 442.24	
L540	-71 287.52	3 662 002.40	R540	-71 606.27	3 662 340.92	
L541	-71 250.34	3 661 951.08	R541	-71 605.92	3 662 323.32	
L542	-71 210.07	3 661 867.90	R542	-71 602.76	3 662 313.49	
L543	-71 188.35	3 661 773.32	R543	-71 573.35	3 662 227.38	
L544	-71 188.96	3 661 669.21	R544	-71 564.88	3 662 205.23	
L545	-71 216.38	3 661 587.07	R545	-71 550.45	3 662 168.25	
L546	-71 242.53	3 661 534.91	R546	-71 450.26	3 662 066.80	
L547	-71 278.24	3 661 486.21	R547	-71 329.42	3 661 962.17	
L548	-71 367.59	3 661 404.82	R548	-71 270.83	3 661 861.95	
L549	-71 400.27	3 661 382.83	R549	-71 248.33	3 661 772.19	
L550	-71 479.71	3 661 358.43	R550	-71 253.03	3 661 689.75	
L551	-71 658.53	3 661 305.77	R551	-71 267.75	3 661 632.26	
L552	-71 761.67	3 661 267.05	R552	-71 288.86	3 661 587.14	
L553	-71 781.91	3 661 232.80	R553	-71 342.47	3 661 509.42	
L554	-71 856.10	3 661 172.37	R554	-71 406.75	3 661 455.49	
L555	-71 916.26	3 661 081.04	R555	-71 461.06	3 661 426.40	
L556	-71 936.54	3 661 034.91	R556	-71 494.96	3 661 414.40	
L557	-72 077.15	3 660 643.14	R557	-71 654.99	3 661 368.61	
L558	-72 091.84	3 660 602.97	R558	-71 708.13	3 661 349.55	
L559	-72 111.08	3 660 554.04	R559	-71 736.43	3 661 339.74	
L560	-72 130.76	3 660 503.99	R560	-71 820.44	3 661 285.63	
L561	-72 195.25	3 660 403.97	R561	-71 825.55	3 661 281.67	

Vel Sheet	31	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L562	-72 233.73	3 660 360.15	R562	-71 853.16	3 661 260.34
L563	-72 321.63	3 660 290.08	R563	-71 913.31	3 661 201.94
L564	-72 335.49	3 660 279.03	R564	-71 964.30	3 661 120.05
L565	-72 364.93	3 660 257.27	R565	-71 989.06	3 661 057.13
L566	-72 381.23	3 660 250.58	R566	-72 021.18	3 660 975.48
L567	-72 491.07	3 660 224.44	R567	-72 060.38	3 660 870.09
L568	-72 596.76	3 660 212.24	R568	-72 066.07	3 660 854.81
L569	-72 647.38	3 660 211.71	R569	-72 067.95	3 660 849.99
L570	-72 719.21	3 660 211.21	R570	-72 073.08	3 660 836.84
L571	-72 752.43	3 660 210.93	R571	-72 099.09	3 660 757.29
L572	-72 768.29	3 660 210.79	R572	-72 147.68	3 660 624.93
L573	-72 903.45	3 660 190.77	R573	-72 184.42	3 660 531.50
L574	-72 962.16	3 660 177.56	R574	-72 213.64	3 660 485.85
L575	-73 003.61	3 660 157.65	R575	-72 226.55	3 660 466.20
L576	-73 041.79	3 660 133.23	R576	-72 259.65	3 660 422.52
L577	-73 075.14	3 660 111.91	R577	-72 298.69	3 660 384.53
L578	-73 147.64	3 660 073.14	R578	-72 326.73	3 660 362.28
L579	-73 187.44	3 660 040.21	R579	-72 365.76	3 660 339.18
L580	-73 224.48	3 660 014.72	R580	-72 399.66	3 660 319.13
L581	-73 300.40	3 659 977.49	R581	-72 426.90	3 660 308.15
L582	-73 307.72	3 659 972.44	R582	-72 457.53	3 660 295.79
L583	-73 324.19	3 659 960.54	R583	-72 572.47	3 660 273.46
L584	-73 411.15	3 659 898.61	R584	-72 625.35	3 660 272.50
L585	-73 478.80	3 659 864.49	R585	-72 803.81	3 660 268.71
L586	-73 517.89	3 659 839.26	R586	-72 816.94	3 660 268.42
L587	-73 598.28	3 659 787.36	R587	-72 832.98	3 660 265.63
L588	-73 680.03	3 659 733.68	R588	-72 919.43	3 660 250.58
L589	-73 764.68	3 659 692.03	R589	-73 039.77	3 660 211.62
L590	-73 765.65	3 659 691.57	R590	-73 053.21	3 660 203.52
L591	-73 917.77	3 659 619.56	R591	-73 340.13	3 660 022.43
L592	-74 148.56	3 659 508.57	R592	-73 347.02	3 660 018.07
L593	-74 330.16	3 659 422.74	R593	-73 368.78	3 660 004.28
L594	-74 542.70	3 659 321.26	R594	-73 509.48	3 659 915.14
L595	-74 755.24	3 659 219.79	R595	-73 512.50	3 659 913.34
L596	-74 967.76	3 659 118.32	R596	-73 541.44	3 659 896.07
L597	-75 180.38	3 659 017.02	R597	-73 546.97	3 659 892.78
L598	-75 249.01	3 658 984.34	R598	-73 619.28	3 659 843.64
L599	-75 386.01	3 658 919.11	R599	-73 693.58	3 659 799.79
L600	-75 521.87	3 658 854.43	R600	-73 788.33	3 659 749.16
L601	-75 558.71	3 658 836.88	R601	-73 998.51	3 659 643.72
L602	-75 579.63	3 658 827.06	R602	-74 034.78	3 659 625.08
L603	-76 036.75	3 658 609.39	R603	-74 030.75	3 659 630.65
L604	-76 050.74	3 658 602.54	R604	-74 075.56	3 659 609.35
L605	-76 073.13	3 658 591.58	R605	-74 359.07	3 659 474.57
L606	-76 391.46	3 658 440.08	R606	-74 570.92	3 659 372.04
L607	-76 416.31	3 658 428.51	R607	-74 737.47	3 659 294.47
L608	-76 512.95	3 658 379.05	R608	-74 926.26	3 659 204.43
L609	-76 641.32	3 658 313.43	R609	-75 200.89	3 659 073.39
L610	-76 696.02	3 658 284.76	R610	-75 209.44	3 659 069.31
L611	-76 747.40	3 658 257.83	R611	-75 217.97	3 659 065.24
L612	-76 846.28	3 658 200.44	R612	-75 587.83	3 658 889.29

Vel Sheet	32	Van of	33	P1209/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 27°

LINKERKANT/LEFT HAND SIDE	Y	X
L613	-76 864.35	3 658 191.96
L614	-76 966.06	3 658 144.56
L615	-77 107.30	3 658 071.83
L616	-77 200.94	3 658 015.76
L617	-77 217.14	3 658 001.56
L618	-77 282.82	3 657 944.02
L619	-77 446.96	3 657 767.91
L620	-77 460.26	3 657 744.70
L621	-77 555.56	3 657 581.74
L622	-77 569.37	3 657 560.80
L623	-77 652.90	3 657 434.13
L624	-77 692.80	3 657 374.52
L625	-77 739.65	3 657 304.57
L626	-77 812.91	3 657 195.12

REGTERKANT/RIGHT HAND SIDE	Y	X
R613	-76 069.90	3 658 660.27
R614	-76 084.61	3 658 653.21
R615	-76 148.42	3 658 622.63
R616	-76 281.43	3 658 558.91
R617	-76 395.65	3 658 504.17
R618	-76 541.95	3 658 432.77
R619	-76 730.74	3 658 334.61
R620	-76 808.69	3 658 293.88
R621	-76 876.55	3 658 258.66
R622	-76 894.20	3 658 249.35
R623	-77 251.23	3 658 063.88
R624	-77 246.23	3 658 054.73
R625	-77 368.42	3 657 972.14
R626	-77 497.40	3 657 825.47
R627	-77 586.79	3 657 682.21
R628	-77 591.95	3 657 673.43
R629	-77 691.28	3 657 504.86
R630	-77 725.19	3 657 448.20
R631	-77 767.91	3 657 376.81
R632	-77 780.10	3 657 356.44
R633	-77 812.70	3 657 306.79
R634	-77 890.49	3 657 201.18

Vel Sheet	33	Van of	33	P1209/20

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**