

Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 723 19 September / September 2025 No. 53382

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845

9 771682 584003 53382

AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
	GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Transport, Department of/ Vervoer, Departement van			
6651	South African National Roads Agency SOC Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration Amendment of National Road R36 Section 5 (R527 Intersection – R529 Intersection)	53382	3
6651	Suid-Afrikaanse Nasionale Padagentskap MSB Beperk en Nasionale Paaie Wet, 1998 (Wet No. 7 van 1998): Verklaring Wysiging van Nasionale Pad R36 Seksie 5 (R527 Interseksie – R529 Interseksie)	53382	4

DEPARTMENT OF TRANSPORT

NO. 6651 **19 September 2025**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R36 SECTION 5

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph M(III) of the Schedule, being the descriptive declaration of the route from the intersection with Provincial Road P116 Section 1, also known as Route R527 up to the intersection with Provincial Road P181 Section 1, also known as Route R529, with the accompanying sheets 1 to 11 of Plan No. P1215/20.

(National Road R36 Section 5: R527 Intersection – R529 Intersection)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 6651 **19 September 2025**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R36 SEKSIE 5


WYSIGING VAN VERKLARING No. 538 VAN 2014.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf M(III) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die interseksie met Provinsiale Pad P116 Seksie 1, ook bekend as R527 tot by die interseksie met Provinsiale Pad P181 Seksie 1, ook bekend as R529, met bygaande velle 1 tot 11 van Plan No. P1215/20.


(Nasionale Pad R36 Seksie 5: R527 Interseksie – R529 Interseksie)


MINISTER VAN VERVOER



THE OAKS 198-KT
PTN 1
REM
REM PTN 2
PTN 18
PTN 17
PTN 16
OLIFANTS RIVER
EDINBURGH 217-KT
REM PTN 18
PTN 21
PTN 28
PTN 27
PTN 7
PTN 10
REM PTN 9
PTN 5
PTN 8
PTN 19
R527
R36/4
WESTERN BOUNDRY PL SERV 6.00M WIDE
WPL SERV 6.30m WIDE
WESTERN BOUNDRY OF PL SERV 6.30m WIDE
PL SERV 6.30m WIDE
EASTERN BOUNDARY OF PL SERV 1.57m WIDE
THE OAKS EXT.1
THE OAKS EXT.2
THE OAKS 198-KT
PTN 8
PTN 19
1071
1073
1092
1050
1058
1057
1038
1049
1034
1011
1032
1033
1089
1069
647
494
493
496
495
497
498
499
500
501
1316
1320
1319
1321
1317
1318
1308
1307
1306
CL EPI SERV 23.50m WIDE BOTH SIDES
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R36 Seksie 5
The figure shown represents the road reserve of a portion of National Route Section
Vel Sheet 1 van of 11
Plan P1215/20



THE OAKS 198-KT
REM
THE ELMS 199-KT
PTN 1
REM
PTN 19
PTN 6
PTN 3
PTN 4
PTN 5
REM
THE ELMS 199-KT
PTN 1
REM
PTN 6
LONDON 194-KT
REM
REM PTN 38
PTN 350
HARMONY 140-KT
REM PTN 38
THE ELMS 199-KT
PTN 1
PTN 6
PTN 3
REM
REM
PTN 97
FINALE 200-KT
REM
Y +34 500
Y +35 000
Y +35 500
Y +36 000
Y +36 500
Y +37 000
Y +37 500
X +2 693 500
X +2 692 500
X +2 692 000
X +2 691 500
X +2 690 500
X +2 690 000
X +2 689 500
X +2 689 000
L38
L39
L40
L41
L42
L43
L44
L45
L46
L47
L48
L49
L50
L51
L52
L53
L54
L55
R47
R48
R49
R50
R51
R52
R53
R54
R55
R56
R57
R58
R59
R60
R61
R62
R63
R64
R65
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie 5
of National Route Section
Vel 2 van 11
Sheet of
Plan P1215/20



LONDON 194-KT
REM
HARMONY 140-KT
REM PTN 38
LONDON 194-KT
PTN 2
BULWER 176-KT
REM
HARMONY 140-KT
REM PTN 38
BULWER 176-KT
REM
HARMONY 140-KT
REM PTN 38
REM PTN 84
PTN 4
PTN 350
PTN 351
PTN 352
PTN 353
REM PTN 101
L56
L57
L581
L59
L60
L61
L62
L63
L64
L65
L66
R66
R67
R68
R69
R70
R71
R72
R73
R74
Y +38 000
Y +38 500
Y +39 500
Y +40 000
Y +41 000
Y +41 500
Y +42 000
X +2 687 500
X +2 686 000
X +2 686 500
X +2 685 500
X +2 684 000
X +2 684 500
X +2 683 000
X +2 683 500
6
7
8
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie 5
of National Route Section
Vel 3 van 11
Sheet
Plan P1215/20


9
10
11
BULWER 176-KT
REM
HARMONY 140-KT
REM PTN 101
BULWER 176-KT
REM
BISMARCK 174-KT
REM PTN 6
HARMONY 140-KT
PTN 95
BISMARCK 174-KT
REM PTN 6
HARMONY 140-KT
PTN 95
PTN 353
PTN 353
REM PTN 101
PTN 3
PTN 354
REM PTN 91
REM PTN 101
PTN 17
PTN 355
REM PTN 6
REM
REM
PTN 18
REM
PTN 17
PTN 355
Y +44 000
Y +43 500
Y +43 000
Y +45 500
Y +45 000
Y +46 000
Y +46 500
Y +47 500
Y +47 000
X +2 680 500
X +2 681 000
X +2 681 500
X +2 679 500
X +2 679 000
X +2 678 000
X +2 677 500
L67
L68
L69
L70
L71
L72
L73
L74
L75
L76
L77
R75
R76
R77
R78
R79
R80
R81
R82
R83
R84
R85
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie 5
of National Route Section
Vel 4 van 11
Sheet of
Plan P1215/20


12
13
14
BISMARCK 174-KT
REM
PTN 18
PTN 355
HARMONY 140-KT
PTN 95
ALSACE 74-KT
REM
REM PTN 94
PTN 356
REM PTN 17
PTN 357
REM PTN 2
PTN 4
PTN 18
PTN 355
PTN 95
L78
L79
L80
L81
L82
R86
R87
R88
L83
R89
Y +48 500
Y +49 000
Y +50 500
Y +51 000
Y +52 000
Y +53 000
X 2 676 500
X 2 676 000
X 2 675 500
X 2 675 000
X 2 674 500
X 2 674 000
X 2 673 500
X 2 673 000
X 2 672 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie 5
of National Route Section
Vel 5 van 11
Sheet of
Plan P1215/20


15
16
17
ALSACE 74-KT
REM
LOFDAL 42-KT
PTN 21
HARMONY 140-KT
REM PTN 17
PTN 357
PTN 358
REM PTN 129
PTN 20
LOFDAL 42-KT
PTN 21
HARMONY 140-KT
REM PTN 129
PTN 359
REM PTN 234
PTN 360
REM PTN 109
LOFDAL 42-KT
PTN 20
HARMONY 140-KT
REM PTN 108
PTN 361
REM PTN 16
PTN 38
PTN 57
REM PTN 55
24-KT
SERV AREA
SERV AREA
L84
R90
L85
R91
L86
R92
R93
R94
L87
R95
L88
R96
L89
R97
R98
Y +54 000
Y +54 500
Y +55 000
Y +55 500
Y +56 000
Y +56 500
Y +57 500
Y +58 000
Y +58 500
X 2 672 000
X 2 671 500
X 2 671 000
X 2 670 000
X 2 669 500
X 2 669 000
X 2 668 500
X 2 668 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie 5
of National Route Section
Vel 6 van 11
Sheet of
Plan P1215/20


LOFDAL 42-KT
REM PTN 16
PTN 38
REM PTN 15
PTN 39
PTN 6
LUXEMBURG 24-KT
REM PTN 9
PTN 25
REM PTN 55
PTN 57
PRETORIA 25-KT
REM PTN 2
PTN 58
LUXEMBURG 24-KT
REM PTN 4
PTN 53
GRANUAILE 23-KT
LOFDAL 42-KT
REM PTN 14
PTN 40
PTN 14
PTN 49
PTN 25
REM PTN 15
PTN 39
PTN 6
MID OF SELATI RIVER
PRETORIA 25-KT
PTN 3
REM
REM PTN 1
GRANUAILE 23-KT
REM
REM PTN 2
PTN 2
LUXEMBURG 24-KT
PTN 53
18
19
20
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route
Seksie
Section
R36
5
Vel
Sheet
7
van
of
11
Plan
P1215/20


21
22
DUSSELDORP 22-KT
PTN 6
PTN 16
PTN 21
REM PTN 4
PTN 20
REM PTN 18
PTN 10
MID OF MABEETSI RIVER
PTN 3
REM PTN 1
REM
GRANUAILE 23-KT
PTN 6
PTN 19
REM PTN 16
R36/5
PTN 16
PTN 21
REM PTN 4
R529
L111
R122
L110
R121
L109
R120
L108
R119
R118
L113
L112
R126
R125
R124
R123
Y +64 000
Y +63 500
Y +64 500
Y +65 000
X +2 659 500
X +2 660 000
X +2 660 500
X +2 657 000
X +2 658 000
X +2 658 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R36 Seksie 5
of National Route Section
Vel 8 van 11
Sheet of
Plan P1215/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 31°		Y	X
L1	33 353.76	2 698 259.05	R1	33 319.71	2 698 245.10
L2	33 495.07	2 698 039.66	R2	33 464.55	2 698 020.18
L3	33 710.63	2 697 707.86	R3	33 678.84	2 697 687.42
L4	33 865.96	2 697 466.67	R4	33 693.11	2 697 665.50
L5	33 950.30	2 697 335.98	R5	33 837.77	2 697 445.68
L6	34 045.28	2 697 188.58	R6	33 917.57	2 697 316.24
L7	34 089.05	2 697 084.66	R7	34 032.83	2 697 128.66
L8	34 122.70	2 696 931.89	R8	34 054.79	2 697 073.61
L9	34 010.04	2 696 437.11	R9	34 069.11	2 697 016.11
L10	33 939.40	2 696 126.91	R10	34 078.04	2 696 897.58
L11	33 917.39	2 696 040.78	R11	33 904.08	2 696 157.71
L12	33 890.69	2 695 926.02	R12	33 905.32	2 696 156.63
L13	33 881.47	2 695 886.37	R13	33 844.91	2 695 896.93
L14	33 886.34	2 695 841.09	R14	33 820.11	2 695 856.50
L15	33 881.81	2 695 821.61	R15	33 819.13	2 695 856.72
L16	33 857.00	2 695 781.18	R16	33 814.60	2 695 837.24
L17	33 831.00	2 695 669.36	R17	33 815.58	2 695 837.02
L18	33 801.89	2 695 544.21	R18	33 819.99	2 695 789.79
L19	33 762.24	2 695 373.76	R19	33 815.75	2 695 771.54
L20	33 761.11	2 695 368.89	R20	33 808.41	2 695 772.71
L21	33 756.31	2 695 348.26	R21	33 777.35	2 695 655.37
L22	33 746.00	2 695 303.95	R22	33 760.69	2 695 592.42
L23	33 736.01	2 695 261.00	R23	33 754.20	2 695 555.70
L24	33 746.28	2 695 240.21	R24	33 744.24	2 695 499.37
L25	33 740.51	2 695 215.39	R25	33 732.34	2 695 432.04
L26	33 723.44	2 695 206.95	R26	33 724.85	2 695 389.69
L27	33 714.61	2 695 168.96	R27	33 726.80	2 695 389.13
L28	33 610.89	2 694 725.96	R28	33 719.97	2 695 359.76
L29	33 590.89	2 694 637.06	R29	33 714.55	2 695 336.45
L30	33 563.76	2 694 505.06	R30	33 707.41	2 695 305.79
L31	33 551.88	2 694 405.77	R31	33 703.82	2 695 290.31
L32	33 547.30	2 694 305.87	R32	33 686.03	2 695 279.92
L33	33 552.17	2 694 205.99	R33	33 680.35	2 695 255.53
L34	33 565.34	2 694 106.86	R34	33 691.35	2 695 236.70
L35	33 586.85	2 694 009.20	R35	33 679.38	2 695 185.26
L36	33 617.74	2 693 915.51	R36	33 676.37	2 695 172.44
L37	33 632.91	2 693 869.49	R37	33 658.60	2 695 096.68
L38	33 705.52	2 693 714.94	R38	33 561.32	2 694 681.95
L39	33 909.55	2 693 308.05	R39	33 526.22	2 694 511.15
L40	34 022.91	2 693 080.73	R40	33 513.99	2 694 408.90
L41	34 058.20	2 693 026.00	R41	33 509.26	2 694 305.82
L42	34 177.43	2 692 902.35	R42	33 514.29	2 694 202.56
L43	34 641.79	2 692 647.65	R43	33 524.03	2 694 129.22
L44	34 804.98	2 692 526.55	R44	33 527.88	2 694 100.26
L45	34 950.31	2 692 381.22	R45	33 548.30	2 694 007.56
L46	35 094.19	2 692 155.34	R46	33 601.59	2 693 841.59
L47	36 160.01	2 689 479.88	R47	33 861.32	2 693 326.27
L48	36 291.51	2 689 153.86	R48	33 973.70	2 693 101.84
L49	36 355.56	2 689 020.11	R49	34 017.34	2 693 011.74
L50	36 439.16	2 688 885.48	R50	34 141.52	2 692 874.41
L51	36 532.72	2 688 764.72	R51	34 549.66	2 692 656.99

Vel Sheet	9	Van of	11	P1215/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 31°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L52	36 664.11	2 688 630.82		R52	34 689.75	2 692 566.93
L53	37 048.33	2 688 306.99		R53	34 900.02	2 692 377.21
L54	37 228.78	2 688 149.43		R54	34 992.42	2 692 245.94
L55	37 338.08	2 688 034.09		R55	35 055.04	2 692 135.75
L56	38 656.85	2 686 555.03		R56	35 087.83	2 692 064.49
L57	38 746.18	2 686 432.74		R57	36 129.18	2 689 459.66
L58	38 795.82	2 686 351.53		R58	36 218.74	2 689 235.30
L59	38 828.68	2 686 314.76		R59	36 257.71	2 689 139.95
L60	38 821.32	2 686 308.19		R60	36 324.96	2 689 000.45
L61	39 159.43	2 685 705.16		R61	36 457.02	2 688 792.02
L62	39 225.26	2 685 606.52		R62	36 615.55	2 688 622.25
L63	39 340.50	2 685 472.94		R63	37 097.41	2 688 219.01
L64	40 339.57	2 684 596.96		R64	37 206.04	2 688 121.19
L65	40 502.97	2 684 441.04		R65	37 274.22	2 688 049.02
L66	42 070.27	2 682 807.85		R66	38 626.27	2 686 533.78
L67	44 639.26	2 680 127.20		R67	38 716.38	2 686 410.10
L68	44 787.58	2 679 999.78		R68	38 793.60	2 686 283.43
L69	44 876.32	2 679 937.57		R69	39 128.64	2 685 686.87
L70	45 058.46	2 679 819.21		R70	39 227.91	2 685 543.58
L71	45 175.55	2 679 738.49		R71	39 319.53	2 685 445.44
L72	45 322.72	2 679 636.52		R72	40 357.91	2 684 533.71
L73	45 437.53	2 679 516.17		R73	40 470.54	2 684 427.69
L74	45 720.98	2 679 108.20		R74	42 041.84	2 682 786.83
L75	45 814.62	2 678 999.57		R75	44 606.66	2 680 109.37
L76	46 591.35	2 678 263.71		R76	44 727.68	2 679 998.64
L77	47 027.30	2 677 854.29		R77	44 788.95	2 679 950.99
L78	49 734.58	2 675 300.66		R78	44 844.92	2 679 912.78
L79	49 793.32	2 675 240.77		R79	45 116.20	2 679 734.99
L80	49 985.64	2 675 042.55		R80	45 307.90	2 679 594.80
L81	50 118.38	2 674 901.51		R81	45 408.97	2 679 490.76
L82	50 186.76	2 674 840.47		R82	45 640.69	2 679 154.99
L83	51 403.24	2 673 856.03		R83	45 710.84	2 679 057.66
L84	54 488.82	2 671 273.80		R84	45 758.26	2 679 003.84
L85	55 979.73	2 669 834.86		R85	45 947.69	2 678 820.23
L86	56 438.91	2 669 391.69		R86	49 765.85	2 675 222.76
L87	56 543.05	2 669 291.17		R87	50 080.93	2 674 884.56
L88	57 215.68	2 668 641.93		R88	50 157.85	2 674 818.12
L89	58 593.82	2 667 311.78		R89	51 366.11	2 673 840.88
L90	58 929.46	2 667 029.99		R90	54 469.20	2 671 242.59
L91	59 860.88	2 666 138.02		R91	55 963.97	2 669 802.22
L92	60 109.30	2 665 896.97		R92	56 307.32	2 669 470.39
L93	60 170.74	2 665 839.87		R93	56 380.25	2 669 374.76
L94	60 319.39	2 665 716.81		R94	56 419.50	2 669 353.45
L95	60 704.13	2 665 408.12		R95	56 494.46	2 669 287.82
L96	60 789.08	2 665 339.96		R96	57 200.81	2 668 609.61
L97	60 912.43	2 665 241.00		R97	58 576.41	2 667 280.61
L98	60 989.08	2 665 160.74		R98	58 636.64	2 667 225.69
L99	61 100.88	2 665 022.68		R99	58 894.08	2 667 012.95
L100	61 318.65	2 664 730.00		R100	59 214.57	2 666 712.49
L101	61 388.39	2 664 637.08		R101	59 833.60	2 666 114.86
L102	61 476.57	2 664 528.49		R102	60 176.16	2 665 784.14

Vel Sheet	10	Van of	11	P1215/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE	Y	X
L103	62 281.12	2 663 751.48
L104	62 555.67	2 663 486.39
L105	62 551.13	2 663 479.08
L106	62 612.95	2 663 401.75
L107	62 691.58	2 663 248.50
L108	63 461.49	2 661 224.36
L109	63 712.15	2 660 408.99
L110	63 743.57	2 660 306.25
L111	64 019.70	2 659 409.40
L112	64 580.50	2 657 591.31
L113	64 645.81	2 657 457.88

REGTERKANT/RIGHT HAND SIDE	Y	X
R103	60 709.91	2 665 362.89
R104	60 750.75	2 665 330.67
R105	60 887.35	2 665 213.88
R106	60 963.46	2 665 134.40
R107	61 038.79	2 665 044.22
R108	61 294.73	2 664 704.11
R109	61 387.83	2 664 579.03
R110	61 526.37	2 664 431.65
R111	62 257.34	2 663 726.69
R112	62 457.74	2 663 533.43
R113	62 530.71	2 663 446.30
R114	62 570.13	2 663 398.87
R115	62 643.66	2 663 262.87
R116	62 688.40	2 663 155.82
R117	62 808.00	2 662 843.23
R118	63 377.19	2 661 355.58
R119	63 428.85	2 661 207.06
R120	63 677.32	2 660 397.28
R121	63 707.25	2 660 299.72
R122	63 965.76	2 659 459.51
R123	64 522.07	2 657 640.01
R124	64 588.19	2 657 473.21
R125	64 562.46	2 657 437.37
R126	64 581.81	2 657 412.22

Vel Sheet	11	Van of	11	P1215/20

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**