Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 723 19 September / September 2025 No. 53388

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845

9 771682 584003 53388

AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
	GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Transport, Department of/ Vervoer, Departement van			
6657	South African National Roads Agency SOC Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration Amendment of National Road R511 Section 2 (Gauteng / North West Provincial Border – Brits)	53388	3
6657	Suid-Afrikaanse Nasionale Padagentskap MSB Beperk en Nasionale Paaie Wet, 1998 (Wet No. 7 van 1998): Verklaring Wysiging van Nasionale Pad R511 Seksie 2 (Gauteng / Noordwes Provinsiale Grens – Brits)	53388	4

DEPARTMENT OF TRANSPORT

NO. 6657 **19 September 2025**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R511 SECTION 2

AMENDMENT OF DECLARATION No. 784 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph O(I), O(II) and O(III) of the Schedule, being the descriptive declaration of the route from the Gauteng / North West Provincial Border up to Brits, with the accompanying sheets 1 to 16 of Plan No. P1218/20.

In the town of Brits the R511 Section 2 enters the town from the South and then follows the street known as Hendrik Verwoerd Avenue up to the intersection with the street known as Van Velden Street, at the time of declaration.

(National Road R511 Section 2: Gauteng / North West Provincial Border - Brits)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 6657 **19 September 2025**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R511 SEKSIE 2


WYSIGING VAN VERKLARING No. 784 VAN 2012.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf O(I) , O(II) en O(III) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die Gauteng / Noordwes Provinsiale Grens tot by Brits, met bygaande velle 1 tot 16 van Plan No. P1218/20.


In die dorp van Brits kom die R511 Seksie 2 die dorp binne vanuit die Suide en volg dan die straat bekend as Hendrik Verwoerdweg to by die interseksie met die straat bekend as Van Velden Straat, tydens datum van verklaring.


(Nasionale Pad R511 Seksie 2: Gauteng / Noordwes Provinsiale Grens – Brits)


MINISTER VAN VERVOER



WELGEGUND 491-JQ
WELDABA 567-JQ
RIETFONTEIN 485-JQ
GLORIA PARK AH
REM PTN 2
PTN 116
PTN 88
REM PTN 41
PTN 117
PTN 3
REM PTN 39
PTN 118
PTN 120
PTN 27
REM PTN 35
PTN 123
REM PTN 34
PTN 124
PTN 125
REM PTN 191
REM PTN 189
PTN 188
REM PTN 37
PTN 122
PTN 121
REM PTN 26
REM PTN 39
PTN 119
SERVICE ROAD
PROVINCIAL RD
SERINGA WEG
SERV AREA
SERV
CL EPL SERV 7M WIDE
CL OF EPL SERV
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section
Vel 1 van 16
Sheet 1 of 16
Plan P1218/20



WELGEGUND 491-JQ
RIETFONTEIN 485-JQ
XANADU EXT. 12
XANADU EXT. 3
EXT. 2
PTN 63
REM PTN 191
REM PTN 133
PTN 530
PTN 528
PTN 531
REM PTN 245
REM PTN 162
PTN 529
PTN 527
REM PTN 134
REM PTN 190
PTN 526
REM PTN 499
PTN 525
PTN 497
PTN 125
PTN 121
REM PTN 26
REM PTN 34
PTN 124
PTN 223
PTN 224
PTN 533
PTN 244
PTN 251
REM PTN 133
PTN 530
REM PTN 246
PTN 532
PTN 63
REM PTN 245
KUBLA KHAN DR
CL OF EPL SERV
ROW SERV
SERV
ST 409
ST 410
ST 411
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
Vel 2 van 16
Sheet 2 of 16
Plan P1218/20


IFAFI
IFAFI EXT.1
IFAFI EXT.6
SYFNTEIN 483-JQ
MEERHOF EXT.2
RIETFONTEIN 485-JQ
XANADU EXT.11
XANADU EXT.12
XANADU EXT.2
483-JQ PTN 7 IFAFI EXT.7
457-JQ
483-JQ
CHARLWEG
SVEN ST
VILMEY ST
MADELEINEWEG
REM PTN 6
REM PTN 10
REM PTN 315
REM PTN 399
REM PTN 8
REM PTN 5
REM PTN 3
REM PTN 43
PTN 533
PTN 223
PTN 535
PTN 534
PTN 299
CL OF EPL SERV
SEWER SERV
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte van Nasionale Roete 2
represents the road reserve of a portion of National Route 2
R511
Seksie Section
Vel Sheet 3 van of 16
Plan P1218/20


MELODIE AH
MELODIE EXT. 11
BEETHOVENWEG
BACH RD
387
1743
SERV
L71
L72
L73
L74
L70
L69
1/H64
R/H64
1/H63
R/H63
R84
R85
H197
H196
604
605
606
PL SERV
OU WAPAD ST
MELODIE EXT. 22
H95
H127
H96
PTN 5
PTN 6
5/ 607
4/ 607
1/607
2/607
3/ 607
6/607
R/607
SERV
HARMONIE 486-JQ
PTN 2
HARMONIE 486-JQ PTN 1
IFAFI 457-JQ
REM
IFAFI EXT. 1
441
450
444
442
443
ST
634
PTN 2
PTN 7
PTN 8
L66
L67
L68
R82
R83
PL SERV
2/H98
ROW SERV
1/H98
MELODIE EXT. 1
REM H98
R/ H99
4/ H99
3/H99
2/H99
1/H99
PTN 5
Y -90 250
Y -90 500
Y -90 750
X 848 150
X 848 000
X 847 250
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section
Vel 4 van 16
Sheet of
Plan P1218/20
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown


MELODIE EXT. 50
MELODIE EXT. 31
MELODIE AH
SYFNTEIN 483-JQ
HARMONIE 486-JQ
EXT. 46 483-JQ
REM H61
BEETHOVEN RD
ZOE ST
ELOFF
ROW SERV
REM PTN 8
REM PTN 13
PTN 88
PTN 24
REM PTN 72
PTN 96
PTN 95
PTN 94
PTN 93
PTN 92
PTN 91
PTN 90
PTN 89
REM PTN 4
REM PTN 6
REM PTN 65
PTN 66
REM PTN 33
REM PTN 30
REM PTN 42
REM PTN 16
PTN 120
REM PTN 119
REM H21
REM H60
REM H30
PTN 38
PTN 37
REM PTN 8
CL OF EPL SERV
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte
The figure shown represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section
Vel 5 van 16
Sheet 5 of 16
Plan P1218/20


9
MELODIE AH
SYFERFONTEIN 483
UITVAL 484-JQ
REM PTN 2
SYFONTEIN 483-JQ
PTN 4
ZILKAATSNEK 439-JQ
REM PTN 2
PTN 19
PTN 19
REM PTN 105
REM PTN 127
PTN 238
REM PTN 127
PTN 30
SERV
PTN 237
REM PTN 2
PTN 7
PTN 5
REM
PTN 1
ROW SERV
REM PTN 72
PTN 6
PTN 96
CL OF EPL SERV
CL OF EPL SERV
REM
PTN 45
REM PTN 6
H17
Y -89 750
Y -90 000
Y -90 250
X +2 844 250
X +2 844 500
X +2 844 750
L105 L106 L107 L108 L109 L110 L111 L112 L113 L114 L115 L116 L117 L118 L119 L120 L121 L122 L123 L124 L125 L126 L127 L128 L129 L130 L131 L132 L133
R105 R106 R107 R108 R109 R110 R111 R112 R113 R114 R115 R116 R117 R118 R119 R120 R121 R122 R123 R124 R125 R126 R127 R128 R129 R130
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section
Vel 6 van 16
Sheet of
Plan P1218/20




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R511
The figure shown represents the road reserve of a portion of National Route R511

Seksie 2
Section 2

Vel 7 van 16
Sheet 7 of 16

Plan P1218/20




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section

Vel 8 van 16
Sheet of
Plan P1218/20




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section

Vel 9 van 16
Sheet of

Plan P1218/20


BRITS EXT. 98
1/5624 5624
6010
EXT. 240
KROKODILDRIFT 446-JQ
PTN 90
PTN 349
REM PTN 604
PTN 654
REM PTN 20
MID. OF CREEK
PTN 655
PTN 350
446-JQ
1951
1950
1942
1949
1943
PIET PRETORIUS ST
1958
KROKODILDRIFT AVE
BRITS EXT. 14
15 13 10 7 4 1
18
21
PENDORING ST
3201
3326
3324 ST
REM PTN 268
PTN 653
PTN 652
PTN 651
PTN 451
PTN 434
PTN 260
EXT 120
4859
6002
6001
REM PTN 259
KROKODILDRIFT 446-JQ
REM PTN 34
ROW PTN 659
PTN 658
REM PTN 72
PTN 234
SERV PTN 657
REM PTN 239
3380
6013
VORWERK ST
EXT. 86
3381
PTN 656
HENDRIK VERWOERD AVE
BRITS EXT. 13
3127
1813
1746
1745
PTN 336
9
8
10
6011
6014
KROKODILDRIFT 446-JQ
BRITS EXT. 14
1952
1927
1957
MAPLE AVE
R/ 3835
1/ 3835
BRITS EXT. 98 6010
5624
1/5624
PTN 350
1951
SERV
-81 250
-81 000
-80 500
-80 000
2838 500
2838 000
2839 500
2839 000
2840 500
2840 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section
Vel 10 van 16
Sheet 10 of 16
Plan P1218/20


BRITS EXT. 91
ZWARTKOPJES 427-JQ
KROKODILDRIFT 446-JQ
BRITS EXT. 13
BRITS EXT. 42
BRITS EXT. 39
BRITS TOWNSHIP
BRITS EXT. 72
BRITS EXT. 69
EXT. 18
ZWARTKOPJES 427-JQ
HENDRIK VERWOERD AVE
MAINTENANCE RD
DIENSPAD
BARNARD ST
DE BOER ST
VAN DEVENTER ST
HARRINGTON ST
LUDORF ST
VAN VELDEN ST
PIENAAR ST
RAILWAY ST
HENDRIK VERWOERD LANE
STORAGE DAM
WATER FURROW
R511/3
R512/3
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R511 Seksie 2
of National Route Section
Vel Sheet 11 van of 16
Plan P1218/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L1	-95 467.77	2 851 908.98		R1	-95 461.92	2 851 874.21
L2	-95 376.25	2 851 878.16		R2	-94 968.06	2 851 719.47
L3	-95 236.32	2 851 835.10		R3	-94 859.27	2 851 675.49
L4	-95 028.91	2 851 775.89		R4	-94 837.31	2 851 663.77
L5	-94 963.18	2 851 764.94		R5	-94 760.73	2 851 614.37
L6	-94 903.21	2 851 738.85		R6	-94 685.05	2 851 556.75
L7	-94 866.11	2 851 717.58		R7	-94 641.72	2 851 518.24
L8	-94 848.34	2 851 707.40		R8	-94 577.85	2 851 454.80
L9	-94 764.21	2 851 665.22		R9	-94 481.22	2 851 392.76
L10	-94 758.05	2 851 658.84		R10	-94 453.41	2 851 363.78
L11	-94 741.27	2 851 641.44		R11	-94 438.77	2 851 341.48
L12	-94 485.15	2 851 438.64		R12	-94 432.38	2 851 336.73
L13	-94 378.94	2 851 360.83		R13	-94 380.33	2 851 310.79
L14	-94 194.17	2 851 263.62		R14	-94 279.31	2 851 223.71
L15	-94 143.58	2 851 250.71		R15	-94 261.27	2 851 212.92
L16	-94 092.66	2 851 239.83		R16	-94 216.78	2 851 209.18
L17	-93 978.87	2 851 222.06		R17	-94 191.29	2 851 205.18
L18	-93 863.92	2 851 213.50		R18	-94 136.97	2 851 186.54
L19	-93 748.64	2 851 213.87		R19	-94 119.26	2 851 188.43
L20	-93 429.42	2 851 131.21		R20	-94 101.87	2 851 188.46
L21	-93 261.20	2 851 087.54		R21	-94 077.02	2 851 185.00
L22	-93 102.96	2 851 046.45		R22	-94 061.53	2 851 187.05
L23	-93 060.75	2 851 032.74		R23	-94 044.11	2 851 185.23
L24	-92 918.20	2 850 988.13		R24	-93 998.91	2 851 177.60
L25	-92 843.23	2 850 979.30		R25	-93 980.53	2 851 175.73
L26	-92 843.60	2 850 972.97		R26	-93 968.51	2 851 168.27
L27	-92 758.89	2 850 919.78		R27	-93 947.75	2 851 151.04
L28	-92 657.57	2 850 860.21		R28	-93 928.89	2 851 143.69
L29	-92 405.60	2 850 653.79		R29	-93 851.84	2 851 120.76
L30	-92 273.04	2 850 532.20		R30	-93 829.10	2 851 115.96
L31	-92 232.85	2 850 495.33		R31	-93 799.72	2 851 113.17
L32	-91 984.02	2 850 266.50		R32	-93 774.69	2 851 113.20
L33	-91 829.36	2 850 143.76		R33	-93 762.67	2 851 116.35
L34	-91 699.54	2 849 999.52		R34	-93 736.78	2 851 113.77
L35	-91 645.07	2 849 935.29		R35	-93 510.01	2 851 073.31
L36	-91 646.80	2 849 906.41		R36	-93 272.31	2 851 014.49
L37	-91 537.25	2 849 733.05		R37	-93 039.97	2 850 953.82
L38	-91 503.01	2 849 704.47		R38	-93 012.69	2 850 954.36
L39	-91 462.10	2 849 734.36		R39	-92 904.16	2 850 921.40
L40	-91 431.07	2 849 699.67		R40	-92 834.71	2 850 891.26
L41	-91 478.76	2 849 656.39		R41	-92 806.31	2 850 875.96
L42	-91 475.34	2 849 605.41		R42	-92 768.06	2 850 855.35
L43	-91 382.98	2 849 348.26		R43	-92 704.70	2 850 813.93
L44	-91 355.82	2 849 349.30		R44	-92 662.53	2 850 781.96
L45	-91 347.37	2 849 242.32		R45	-92 584.92	2 850 720.39
L46	-91 338.99	2 849 136.27		R46	-92 498.66	2 850 643.51
L47	-91 335.73	2 849 095.11		R47	-92 441.71	2 850 584.03
L48	-91 317.77	2 849 058.10		R48	-92 408.17	2 850 554.73
L49	-91 303.25	2 849 057.58		R49	-92 377.52	2 850 532.98
L50	-91 278.70	2 849 053.67		R50	-92 359.59	2 850 520.25
L51	-91 285.59	2 849 024.12		R51	-92 306.21	2 850 473.49

Vel Sheet	12	Van of	16	P1218/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L52	-91 300.51	2 849 024.37		R52	-92 142.08	2 850 346.67
L53	-91 314.89	2 849 021.72		R53	-92 030.81	2 850 253.44
L54	-91 327.06	2 848 985.36		R54	-92 002.15	2 850 233.95
L55	-91 305.06	2 848 707.00		R55	-91 908.24	2 850 149.44
L56	-91 296.44	2 848 707.76		R56	-91 727.08	2 849 899.32
L57	-91 295.42	2 848 702.56		R57	-91 710.42	2 849 879.82
L58	-91 271.39	2 848 657.32		R58	-91 595.92	2 849 698.65
L59	-91 232.41	2 848 583.98		R59	-91 584.10	2 849 636.62
L60	-91 230.47	2 848 580.32		R60	-91 560.27	2 849 581.24
L61	-91 147.93	2 848 501.23		R61	-91 524.72	2 849 532.33
L62	-91 122.71	2 848 477.07		R62	-91 457.99	2 849 364.23
L63	-91 095.97	2 848 460.95		R63	-91 408.10	2 849 127.51
L64	-91 017.80	2 848 414.19		R64	-91 405.42	2 849 114.79
L65	-91 016.15	2 848 393.48		R65	-91 409.52	2 849 062.22
L66	-90 935.84	2 848 345.55		R66	-91 417.35	2 849 050.73
L67	-90 804.13	2 848 268.00		R67	-91 416.20	2 849 018.61
L68	-90 784.49	2 848 268.93		R68	-91 407.92	2 849 008.88
L69	-90 125.91	2 847 875.69		R69	-91 399.53	2 848 963.82
L70	-90 091.62	2 847 855.22		R70	-91 391.67	2 848 894.57
L71	-89 953.73	2 847 772.88		R71	-91 370.06	2 848 702.68
L72	-89 981.59	2 847 723.64		R72	-91 367.39	2 848 667.43
L73	-90 022.39	2 847 748.00		R73	-91 349.11	2 848 651.88
L74	-90 090.08	2 847 649.07		R74	-91 330.18	2 848 635.87
L75	-90 157.77	2 847 550.14		R75	-91 301.07	2 848 597.54
L76	-90 223.25	2 847 454.44		R76	-91 294.94	2 848 579.02
L77	-90 277.00	2 847 365.94		R77	-91 292.62	2 848 549.73
L78	-90 286.78	2 847 345.70		R78	-91 287.03	2 848 539.72
L79	-90 289.33	2 847 341.41		R79	-91 227.98	2 848 471.91
L80	-90 326.45	2 847 264.59		R80	-91 223.02	2 848 466.21
L81	-90 365.75	2 847 152.36		R81	-91 090.79	2 848 395.32
L82	-90 368.38	2 847 144.43		R82	-90 957.63	2 848 309.43
L83	-90 371.48	2 847 132.26		R83	-90 877.63	2 848 258.49
L84	-90 392.21	2 847 049.77		R84	-90 059.12	2 847 770.18
L85	-90 408.43	2 846 938.43		R85	-90 057.66	2 847 763.49
L86	-90 410.93	2 846 878.42		R86	-90 243.22	2 847 492.76
L87	-90 411.18	2 846 872.35		R87	-90 280.63	2 847 438.17
L88	-90 412.17	2 846 848.58		R88	-90 310.80	2 847 384.08
L89	-90 413.30	2 846 821.35		R89	-90 368.00	2 847 266.58
L90	-90 412.95	2 846 749.39		R90	-90 394.97	2 847 186.21
L91	-90 411.59	2 846 468.71		R91	-90 400.79	2 847 170.15
L92	-90 410.76	2 846 385.13		R92	-90 409.98	2 847 133.77
L93	-90 409.94	2 846 301.56		R93	-90 429.18	2 847 057.77
L94	-90 409.11	2 846 217.98		R94	-90 446.07	2 846 941.97
L95	-90 408.11	2 846 117.12		R95	-90 453.01	2 846 824.20
L96	-90 407.91	2 846 089.71		R96	-90 445.90	2 846 379.95
L97	-90 407.19	2 846 002.39		R97	-90 446.56	2 846 206.81
L98	-90 406.83	2 845 958.46		R98	-90 445.61	2 846 088.88
L99	-90 405.87	2 845 842.46		R99	-90 444.78	2 845 960.46
L100	-90 404.18	2 845 675.45		R100	-90 443.78	2 845 825.62
L101	-90 394.40	2 845 648.14		R101	-90 442.07	2 845 585.17
L102	-90 393.75	2 845 638.71		R102	-90 442.73	2 845 436.74

Vel Sheet	13	Van of	16	P1218/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 27°		Y	X
L103	-90 390.91	2 845 598.03	R103	-90 449.73	2 845 381.20
L104	-90 403.07	2 845 572.60	R104	-90 470.23	2 845 296.08
L105	-90 401.72	2 845 447.35	R105	-90 525.65	2 845 150.69
L106	-90 405.30	2 845 427.65	R106	-90 574.72	2 845 070.96
L107	-90 428.62	2 845 299.76	R107	-90 615.24	2 845 048.18
L108	-90 445.66	2 845 236.11	R108	-90 684.97	2 845 036.56
L109	-90 469.32	2 845 173.99	R109	-90 687.16	2 845 020.49
L110	-90 500.46	2 845 108.98	R110	-90 689.94	2 845 000.30
L111	-90 519.52	2 845 072.97	R111	-90 640.63	2 844 984.35
L112	-90 529.15	2 845 042.46	R112	-90 593.14	2 844 963.58
L113	-90 527.99	2 845 012.82	R113	-90 547.95	2 844 938.18
L114	-90 524.23	2 845 000.91	R114	-90 523.09	2 844 921.18
L115	-90 517.25	2 844 980.32	R115	-90 478.62	2 844 882.80
L116	-90 498.16	2 844 954.65	R116	-90 440.10	2 844 838.44
L117	-90 450.37	2 844 911.12	R117	-90 408.34	2 844 789.02
L118	-90 408.09	2 844 862.43	R118	-90 383.99	2 844 735.57
L119	-90 373.23	2 844 808.18	R119	-90 367.55	2 844 679.17
L120	-90 346.49	2 844 749.49	R120	-90 359.35	2 844 621.00
L121	-90 328.44	2 844 687.58	R121	-90 351.82	2 844 517.08
L122	-90 319.44	2 844 623.72	R122	-90 343.02	2 844 442.76
L123	-90 313.49	2 844 537.58	R123	-90 334.94	2 844 407.91
L124	-90 311.92	2 844 519.81	R124	-90 326.12	2 844 369.89
L125	-90 303.93	2 844 455.36	R125	-90 313.69	2 844 307.97
L126	-90 298.60	2 844 426.14	R126	-90 298.91	2 844 266.64
L127	-90 271.52	2 844 329.85	R127	-90 223.00	2 844 144.26
L128	-90 252.65	2 844 283.13	R128	-90 209.33	2 844 129.27
L129	-90 229.83	2 844 238.11	R129	-90 172.68	2 844 080.64
L130	-90 153.68	2 844 144.72	R130	-90 155.93	2 844 063.93
L131	-90 141.18	2 844 124.71	R131	-90 078.81	2 843 992.83
L132	-90 107.55	2 844 081.35	R132	-90 034.40	2 843 960.13
L133	-90 065.61	2 844 031.69	R133	-90 017.00	2 843 948.64
L134	-90 035.80	2 844 006.29	R134	-89 965.08	2 843 914.05
L135	-89 803.67	2 843 860.00	R135	-89 926.48	2 843 873.38
L136	-89 686.51	2 843 781.14	R136	-89 901.06	2 843 857.23
L137	-89 092.05	2 843 408.69	R137	-89 856.52	2 843 846.91
L138	-89 078.01	2 843 395.30	R138	-89 704.10	2 843 752.53
L139	-88 974.67	2 843 332.31	R139	-88 709.04	2 843 128.29
L140	-88 957.06	2 843 324.08	R140	-88 679.99	2 843 093.15
L141	-87 851.14	2 842 630.48	R141	-88 721.28	2 843 049.03
L142	-87 764.87	2 842 576.37	R142	-88 701.84	2 843 036.95
L143	-87 732.98	2 842 572.89	R143	-88 693.20	2 843 031.61
L144	-87 701.49	2 842 576.23	R144	-88 570.68	2 843 042.02
L145	-87 683.27	2 842 588.09	R145	-88 302.19	2 842 875.51
L146	-87 674.97	2 842 575.33	R146	-87 918.62	2 842 633.81
L147	-87 666.34	2 842 562.09	R147	-87 813.13	2 842 567.60
L148	-87 688.36	2 842 547.77	R148	-87 744.28	2 842 524.22
L149	-87 669.95	2 842 518.49	R149	-87 389.59	2 842 301.80
L150	-87 433.86	2 842 369.93	R150	-87 164.22	2 842 158.40
L151	-87 164.75	2 842 200.60	R151	-86 795.43	2 841 927.16
L152	-86 896.33	2 842 031.70	R152	-86 576.45	2 841 780.63
L153	-86 759.38	2 841 945.52	R153	-86 427.04	2 841 688.98

Vel Sheet	14	Van of	16	P1218/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 27°		Y	X
L154	-86 675.75	2 841 892.90	R154	-86 325.62	2 841 626.98
L155	-86 561.58	2 841 821.06	R155	-85 836.55	2 841 308.59
L156	-86 555.15	2 841 821.76	R156	-85 742.13	2 841 251.16
L157	-86 410.23	2 841 727.47	R157	-85 735.21	2 841 247.76
L158	-86 266.21	2 841 632.67	R158	-85 662.16	2 841 202.38
L159	-85 854.17	2 841 368.26	R159	-85 586.03	2 841 154.25
L160	-85 707.52	2 841 273.51	R160	-85 505.75	2 841 103.91
L161	-85 570.55	2 841 182.71	R161	-85 424.83	2 841 052.82
L162	-85 521.76	2 841 152.09	R162	-85 380.83	2 841 026.55
L163	-85 324.38	2 841 033.29	R163	-85 356.03	2 841 014.26
L164	-85 291.34	2 841 014.62	R164	-85 251.54	2 840 938.64
L165	-85 209.09	2 840 972.16	R165	-85 226.89	2 840 920.83
L166	-85 190.46	2 840 955.50	R166	-85 161.82	2 840 876.07
L167	-85 149.55	2 840 935.86	R167	-84 494.59	2 840 467.88
L168	-85 140.86	2 840 926.41	R168	-84 313.56	2 840 353.57
L169	-84 470.50	2 840 491.98	R169	-84 220.41	2 840 294.76
L170	-84 352.12	2 840 416.72	R170	-84 127.21	2 840 235.92
L171	-84 350.10	2 840 418.66	R171	-83 986.84	2 840 146.13
L172	-84 307.76	2 840 392.50	R172	-83 236.40	2 839 673.22
L173	-84 082.87	2 840 247.82	R173	-82 969.52	2 839 506.36
L174	-84 014.29	2 840 205.30	R174	-82 378.71	2 839 133.96
L175	-83 948.92	2 840 159.84	R175	-82 363.02	2 839 121.30
L176	-83 530.85	2 839 896.39	R176	-82 276.15	2 839 071.41
L177	-83 442.51	2 839 840.72	R177	-82 177.27	2 839 024.67
L178	-83 060.07	2 839 599.81	R178	-82 085.21	2 838 989.59
L179	-82 991.44	2 839 556.13	R179	-82 038.96	2 838 973.93
L180	-82 381.52	2 839 167.96	R180	-81 938.10	2 838 938.21
L181	-82 300.54	2 839 128.55	R181	-81 858.09	2 838 908.91
L182	-82 259.10	2 839 106.08	R182	-81 704.27	2 838 814.26
L183	-82 176.58	2 839 067.44	R183	-81 639.84	2 838 766.34
L184	-82 091.99	2 839 033.89	R184	-81 648.08	2 838 734.14
L185	-82 046.22	2 839 019.43	R185	-81 618.93	2 838 712.83
L186	-82 026.19	2 839 013.11	R186	-81 600.40	2 838 737.00
L187	-82 007.13	2 839 006.37	R187	-81 596.70	2 838 741.83
L188	-81 823.19	2 838 937.92	R188	-81 561.46	2 838 744.85
L189	-81 673.19	2 838 874.75	R189	-81 492.88	2 838 697.49
L190	-81 644.88	2 838 864.11	R190	-81 431.61	2 838 654.92
L191	-81 619.53	2 838 846.97	R191	-81 064.95	2 838 399.93
L192	-81 594.80	2 838 843.47	R192	-80 954.07	2 838 322.90
L193	-81 556.50	2 838 874.82	R193	-80 899.51	2 838 284.82
L194	-81 530.79	2 838 856.60	R194	-80 878.07	2 838 269.93
L195	-81 542.98	2 838 810.39	R195	-80 503.20	2 838 009.67
L196	-81 531.41	2 838 787.39	R196	-80 501.90	2 837 999.37
L197	-81 232.87	2 838 575.40	R197	-80 505.92	2 837 993.58
L198	-81 033.93	2 838 437.42	R198	-80 487.87	2 837 981.04
L199	-80 934.63	2 838 368.54	R199	-80 466.60	2 837 984.27
L200	-80 876.10	2 838 327.95	R200	-80 410.98	2 837 938.36
L201	-80 717.86	2 838 218.85	R201	-80 185.32	2 837 782.40
L202	-80 487.48	2 838 057.90	R202	-80 112.79	2 837 732.27
L203	-80 465.32	2 838 061.92	R203	-79 969.05	2 837 632.92
L204	-80 444.02	2 838 047.01	R204	-79 896.56	2 837 582.82

Vel Sheet	15	Van of	16	P1218/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L205	-80 440.78	2 838 025.22		R205	-79 627.20	2 837 396.64
L206	-80 423.99	2 838 013.47		R206	-79 554.62	2 837 346.48
L207	-80 165.13	2 837 831.58		R207	-79 433.59	2 837 262.83
L208	-80 138.94	2 837 844.29		R208	-79 373.74	2 837 218.70
L209	-80 119.17	2 837 843.30		R209	-79 369.76	2 837 214.89
L210	-80 121.16	2 837 803.26		R210	-79 296.90	2 837 168.31
L211	-80 110.47	2 837 795.54		R211	-79 247.00	2 837 138.23
L212	-80 037.37	2 837 745.62		R212	-79 168.23	2 837 055.60
L213	-80 031.85	2 837 741.85		R213	-79 152.96	2 837 004.91
L214	-79 984.97	2 837 713.69		R214	-79 155.84	2 837 001.50
L215	-79 938.52	2 837 678.63		R215	-79 141.11	2 836 980.18
L216	-79 865.29	2 837 629.60		R216	-79 112.81	2 836 975.85
L217	-79 745.47	2 837 549.14		R217	-79 035.07	2 836 864.45
L218	-79 632.48	2 837 471.48		R218	-78 957.67	2 836 714.70
L219	-79 618.74	2 837 461.62		R219	-78 886.19	2 836 576.08
L220	-79 611.84	2 837 453.60				
L221	-79 529.80	2 837 393.56				
L222	-79 368.91	2 837 282.76				
L223	-79 231.60	2 837 188.16				
L224	-79 214.49	2 837 172.08				
L225	-79 213.06	2 837 173.56				
L226	-79 104.05	2 837 075.84				
L227	-79 091.72	2 837 077.38				
L228	-79 067.70	2 837 057.08				
L229	-79 079.72	2 837 042.86				
L230	-79 065.10	2 837 002.19				
L231	-78 990.11	2 836 880.29				
L232	-78 937.15	2 836 777.72				
L233	-78 928.21	2 836 760.41				
L234	-78 849.89	2 836 608.72				

Vel Sheet	16	Van of	16	P1218/20

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**