

Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 723 30 September / September 2025 No. 53447

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
	GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS		
Transport, Department of/ Vervoer, Departement van			
6689	South African National Roads Agency SOC Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration Amendment of National Road R67 Section 4 (Seymour – Whittlesea)	53447	3
6689	Suid-Afrikaanse Nasionale Padagentskap MSB Beperk en Nasionale Paaie Wet, 1998 (Wet No. 7 van 1998): Verklaring Wysiging van Nasionale Pad R67 Seksie 4 (Seymour – Whittlesea)	53447	4

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 6689 **30 September 2025**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R67 SECTION 4

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph F(III) of the Schedule, being the descriptive declaration of the route from Seymour up to Whittlesea, with the accompanying sheets 1 to 25 of Plan No. P1217/20.

(National Road R67 Section 4: Seymour – Whittlesea)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 6689 **30 September 2025**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R67 SEKSIE 4


WYSIGING VAN VERKLARING No. 305 VAN 2012.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf F(III) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Seymour tot by Whittlesea, met bygaande velle 1 tot 25 van Plan No. P1217/20.


(Nasionale Pad R67 Seksie 4: Seymour – Whittlesea)


MINISTER VAN VERVOER



FARM 225
EYRE FARM 234
UMBI 231
REM
FARM 233
PLEASANT VIEW 228
REM
FARM 223
FARM 221
WILLOWS 235
EYNE RIVER
CATHCARTVALE
PTN 1 165
261
262
263
FARM 260
259
258
FARM 257
FARM 257
FARM 256
GRAGANOUR 272
MIDDLE OF ELANDS RIVER
FARM 111
ELANDS RIVER 268
REM
FARM 267
PTN 1
REM
ELANDS FONTEIN 270
FARM 271
PTN 1
REM
R67/3
REM
PTN 1
REM
PTN 2
PTN 3
PTN 4
PTN 5
PTN 6
PTN 7
PTN 8
PTN 9
REM
PTN 1
REM
PTN 4
REM
PTN 1
REM
PTN 1
REM
PTN 1



N2
LILY VALLEY 120
ROCKY GLEN 121
WHITTLETON 122
MONTANE 123
ITGEDACHT 124
FARM 137
FARM 136
FARM 232
FARM 225
FARM 223
234
233
226
FARM 227
UMBI 231
WILLOWS 235
EYNE RIVER
REM
REM PTN 1
PTN 1
PTN 2
PTN 3
PTN 9
X +3 599 000
X +3 600 500
X +3 601 000
Y +18 000
Y +18 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 2 van 25
Sheet of
Plan P1217/20



3
GLENLYON 117
JOHNSTONE'S FORREST 113
REM
LILY VALLEY 120
REM
REM PTN 3
REM PTN 2
PTN 5
PTN 1
BENHOLM 114
REM PTN 2
REM
ROCKY GLEN 121
REM
X +3 597 000
X +3 597 500
X +3 598 000
Y +16 500
Y +17 000
Y +17 500
Y +18 500
L99
L98
L97
L96
L95
L94
L93
L92
L91
L90
L89
L88
L87
L86
L85
L84
L83
L82
L81
L80
L79
L78
L77
L76
L75
L74
L73
L72
L71
L70
L69
L68
L67
L66
L65
L64
L63
R95
R94
R93
R92
R91
R90
R89
R88
R87
R86
R85
R84
R83
R82
R81
R80
R79
R78
R77
R76
R75
R74
R73
R72
R71
R70
R69
R68
R67
R66
R65
R64
R63
R62
R61
R60
R59
R58
R57
R56
R55
R54
R53
R52
R51
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 3 van 25
Sheet of
Plan P1217/20



BENHOLM 114
GLENCOE 185
REM PTN 3
REM PTN 4
PTN 5
PTN 6
PTN 7
PTN 8
PTN 9
PTN 10
PTN 11
REM PTN 2
REM PTN 2
MIDDLE OF STREAM
X +3 596 000
X +3 596 500
X +3 597 000
Y +14 500
Y +15 000
Y +15 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte
The figure shown represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 4 van 25
Sheet of
Plan P1217/20



BENHOLM 114
GLENFINLAS 101
GLENCOE 185
STRATHEYRE 152
PTN 1
PTN 2
REM PTN 3
REM
Y +15 500
X +3 593 500
X +3 592 000
X +3 594 000
Y +15 000
Y +13 500
Y +14 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 5 van 25
Sheet of
Plan P1217/20



STRATHEYRE 152
CLOSEBURN 104
ELLERSLIE 105
FAIRFORD 90
CLOSEBURN 104 PTN 2
MIDDLE OF ESK RIVER
PTN 1
PTN 2
REM
Y +12 500
Y +12 000
Y +11 500
X +3 589 500
X +3 589 000
X +3 588 500
X +3 588 000
X +3 590 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 6 van 25
Sheet of
Plan P1217/20



9
10
FAIRFORD 90
REM PTN 2
PTN 3
REM
REM PTN 2
PTN 8
PTN 9
PTN 6
PTN 1
CHILTON 53
REM
PTN 3
RAVENSHAW 89
REM
MIDDLE OF KLIPPLAAT RIVER
X +3 586 000
X +3 586 500
X +3 584 000
X +3 585 000
Y +6 000
Y +6 500
Y +7 000
Y +7 500
Y +8 000
Y +8 500
Y +9 000
Y +9 500
Y +10 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 7 van 25
Sheet of
Plan P1217/20



11
R356
R355
R354
R353
R352
R351
R350
R349
R348
R347
R346
R345
R344
R343
R342
R341
R340
L323
L322
L321
L320
L319
L318
L317
L316
L315
L314
L313
L312
L311
L310
L309
L308
CHILTON 53
REM
PTN 3
REM
PTN 1
X +3 582 500
X +3 582 750
X +3 583 000
Y +7 500
Y +7 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 8 van 25
Sheet of
Plan P1217/20



12
HARTEBEESTFONTEIN 49
REM PTN 2
MIDDLE OF KROM RIVER
PTN 4
REM PTN 2
CHILTON 53
REM
PTN 3
REM
MIDDLE OF KLIPPLAAT RIVER
REYBUCK RIDGE 54
REM
Y +9 000
Y +8 500
Y +8 000
X +3 580 500
X +3 581 000
X +3 581 500
X +3 582 000
L324 L325 L326 L327 L328 L329 L330 L331 L332 L333 L334 L335 L336 L337 L338 L339 L340 L341 L342 L343 L344 L345 L346 L347 L348 L349 L350 L351 L352 L353 L354 L355
R356 R357 R358 R359 R360 R361 R362 R363 R364 R365 R366 R367 R368 R369 R370 R371 R372 R373 R374 R375 R376 R377 R378 R379 R380 R381 R382 R383 R384 R385
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 9 van 25
Sheet of
Plan P1217/20


13
14
HARTEBEESTFONTEIN 49
ORNITHORHYNCHUS PARADOXUS A 51
CHILTON 53
ORNITHORHYNCHUS PARADOXUS 50
MIDDLE OF KLIPPLAAT RIVER
MIDDLE OF KROM RIVER
REM PTN 1
REM
REM PTN 2
PTN 2
PTN 3
PTN 4
PTN 5
Y +9 500
Y +9 000
Y +10 000
Y +11 000
Y +11 500
X +3 579 500
X +3 580 000
X +3 577 000
X +3 576 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R67
The figure shown represents the road reserve of a portion of National Route
Seksie 4
Section
Vel 10 von 25
Sheet of
Plan P1217/20


15
16
ORNITHORHYNCHUS PARADOXUS A 51
LANGE DRAAI 42
WATERDOWN 43
REM
REM PTN 1
REM PTN 3
REM PTN 4
PTN 2
PTN 4
PTN 5
PTN 6
PTN 7
PTN 8
PTN 9
PTN 10
Y +11 500
Y +12 000
Y +12 500
Y +13 000
X +3 573 000
X +3 574 500
X +3 575 500
X +3 576 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 11 van 25
Sheet of
Plan P1217/20


WATERDOWN 43
LANGE DRAAI 42
SHILOH MISSION STATION 408
GALLAWATER 409
REM PTN 4
PTN 10
PTN 11
PTN 12
PTN 9
REM PTN 1
PTN 2
PTN 4
PTN 7
PTN 8
REM
MIDDLE OF KLIPPLAAT RIVER
CL OF PIPELINE SERV 2.42m WIDE
WATER FURROW SERV
Y +13 500
Y +13 000
X +3 570 000
X +3 571 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 12 van 25
Sheet of
Plan P1217/20


18
19
SHILOH MISSION STATION 408
REM PTN 1
PTN 4
PTN 2
REM
PTN 3
PTN 1
GALLAWATER 409
REM
MIDDLE OF KLIPPLAAT RIVER
CL OF PIPELINE SERV 2.42m WIDE
SHILOH MISSION STATION 408
REM PTN 1
PTN 4
PTN 3
DARTFORD 407
PTN 1
L474 L475 L476 L477 L478 L479 L480 L481 L482 L483 L484 L485 L486 L487 L488 L489 L490 L491 L492 L493 L494 L495 L496 L497 L498 L499 L500 L501 L502 L503 L504 L505 L506 L507
R512 R513 R514 R515 R516 R517 R518 R519 R520 R521 R522 R523 R524 R525 R526 R527 R528 R529 R530 R531 R532 R533 R534 R535 R536 R537 R538 R539 R540 R541 R542 R543 R544 R545 R546 R547
Y +13 500
Y +13 000
Y +14 500
Y +14 000
Y +15 000
X +3 569 000
X +3 567 500
X +3 566 000
X +3 565 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte
The figure shown represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 13 van 25
Sheet of
Plan P1217/20


20
21
SHILOH COMMONAGE
STATE LAND
SHILOH MISSION
STATION 408
DARTFORD REM
407
REM
PTN 5
REM
PTN 1
PTN 4
PTN 3
REM PTN 1
STATE LAND
MIDDLE OF
KLIPPLAAT
RIVER
MIDDLE OF
OX KRAAL RIVER
WHITTLESEA
LANGFIELD RD
BOWKER ST
CALDERWOOD ST
SHEPSTONE ST
R67/5
17580
Y +16 000
Y +15 500
Y +16 500
X +3 564 000
X +3 565 000
X +3 562 000
X +3 561 500
X +3 564 500
X +3 562 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R67 Seksie 4
of National Route Section
Vel 14 van 25
Sheet of
Plan P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L1	21 534.28	3 602 093.23		R1	21 490.22	3 602 103.02
L2	21 519.36	3 602 091.80		R2	21 382.81	3 602 011.70
L3	21 323.12	3 601 925.46		R3	21 101.31	3 601 782.75
L4	21 128.15	3 601 771.00		R4	20 544.68	3 601 340.20
L5	20 881.96	3 601 575.96		R5	20 472.67	3 601 296.71
L6	20 860.34	3 601 556.66		R6	20 404.05	3 601 228.39
L7	20 656.55	3 601 396.16		R7	20 148.81	3 601 025.46
L8	20 566.38	3 601 321.22		R8	19 939.05	3 600 858.32
L9	20 498.71	3 601 260.50		R9	19 837.65	3 600 787.51
L10	20 378.79	3 601 173.55		R10	19 779.85	3 600 752.16
L11	20 172.48	3 601 008.66		R11	19 768.74	3 600 745.37
L12	19 916.18	3 600 803.82		R12	19 692.84	3 600 727.12
L13	19 866.80	3 600 766.63		R13	19 646.90	3 600 718.94
L14	19 832.23	3 600 743.65		R14	19 574.46	3 600 712.90
L15	19 741.81	3 600 702.12		R15	19 358.89	3 600 719.25
L16	19 701.67	3 600 694.80		R16	19 301.50	3 600 715.77
L17	19 647.75	3 600 684.96		R17	19 232.44	3 600 685.81
L18	19 568.07	3 600 682.40		R18	19 202.59	3 600 666.54
L19	19 359.65	3 600 689.24		R19	19 149.08	3 600 616.62
L20	19 306.17	3 600 682.47		R20	19 106.88	3 600 548.80
L21	19 250.37	3 600 663.82		R21	19 095.74	3 600 469.69
L22	19 210.42	3 600 636.31		R22	19 094.20	3 600 340.32
L23	19 169.06	3 600 592.34		R23	19 093.34	3 600 267.26
L24	19 137.13	3 600 525.15		R24	19 047.97	3 600 191.15
L25	19 129.78	3 600 495.03		R25	18 976.96	3 600 149.34
L26	19 127.15	3 600 442.00		R26	18 729.59	3 600 119.29
L27	19 135.18	3 600 382.01		R27	18 685.05	3 600 099.88
L28	19 133.89	3 600 356.62		R28	18 634.18	3 600 059.86
L29	19 130.76	3 600 295.05		R29	18 606.96	3 600 021.33
L30	19 117.81	3 600 244.48		R30	18 591.84	3 599 988.75
L31	19 092.48	3 600 198.43		R31	18 579.26	3 599 920.81
L32	19 056.56	3 600 160.57		R32	18 581.97	3 599 863.68
L33	19 014.99	3 600 132.51		R33	18 582.31	3 599 856.43
L34	18 962.94	3 600 115.72		R34	18 605.31	3 599 769.64
L35	18 824.28	3 600 102.05		R35	18 611.02	3 599 683.81
L36	18 791.28	3 600 094.87		R36	18 607.21	3 599 626.37
L37	18 721.81	3 600 084.78		R37	18 574.31	3 599 540.19
L38	18 679.79	3 600 063.03		R38	18 552.83	3 599 468.09
L39	18 657.86	3 600 033.82		R39	18 492.99	3 599 308.51
L40	18 607.44	3 599 933.21		R40	18 475.09	3 599 254.82
L41	18 615.07	3 599 868.06		R41	18 464.00	3 599 206.47
L42	18 618.27	3 599 840.74		R42	18 463.48	3 599 159.90
L43	18 628.57	3 599 800.76		R43	18 473.48	3 599 088.27
L44	18 650.28	3 599 741.70		R44	18 504.92	3 598 997.05
L45	18 650.83	3 599 703.93		R45	18 523.47	3 598 952.20
L46	18 643.88	3 599 645.85		R46	18 605.92	3 598 795.25
L47	18 610.10	3 599 541.75		R47	18 658.09	3 598 717.80
L48	18 563.04	3 599 396.74		R48	18 682.98	3 598 659.84
L49	18 533.27	3 599 334.39		R49	18 687.57	3 598 591.62
L50	18 522.07	3 599 302.63		R50	18 668.68	3 598 538.62
L51	18 505.29	3 599 255.06		R51	18 635.44	3 598 492.88

Vel Sheet	15	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L52	18 497.77	3 599 219.26		R52	18 562.88	3 598 422.46
L53	18 495.84	3 599 146.06		R53	18 514.63	3 598 387.09
L54	18 501.60	3 599 100.42		R54	18 419.40	3 598 258.94
L55	18 521.71	3 599 036.66		R55	18 402.99	3 598 248.63
L56	18 545.32	3 598 992.41		R56	18 366.50	3 598 176.77
L57	18 599.09	3 598 891.62		R57	18 275.82	3 598 034.07
L58	18 721.56	3 598 683.93		R58	18 214.60	3 597 986.25
L59	18 733.97	3 598 658.43		R59	18 173.51	3 597 968.60
L60	18 732.36	3 598 608.47		R60	18 102.73	3 597 981.55
L61	18 724.36	3 598 557.71		R61	18 072.16	3 598 000.43
L62	18 691.88	3 598 508.47		R62	18 059.67	3 598 015.35
L63	18 657.80	3 598 471.12		R63	17 987.76	3 598 057.15
L64	18 562.96	3 598 378.41		R64	17 907.67	3 598 085.98
L65	18 496.25	3 598 294.56		R65	17 852.51	3 598 082.19
L66	18 304.80	3 598 013.46		R66	17 816.21	3 598 070.42
L67	18 269.76	3 597 974.87		R67	17 789.90	3 598 052.51
L68	18 224.29	3 597 947.01		R68	17 782.12	3 598 039.96
L69	18 168.65	3 597 931.48		R69	17 750.71	3 598 023.20
L70	18 119.69	3 597 938.22		R70	17 691.13	3 598 000.58
L71	18 082.47	3 597 951.40		R71	17 657.76	3 597 972.81
L72	18 048.94	3 597 970.70		R72	17 620.80	3 597 960.60
L73	17 974.51	3 598 021.91		R73	17 609.43	3 597 956.84
L74	17 927.04	3 598 040.50		R74	17 565.60	3 597 928.14
L75	17 873.93	3 598 041.91		R75	17 514.41	3 597 902.12
L76	17 791.15	3 598 004.86		R76	17 479.46	3 597 896.26
L77	17 753.09	3 597 980.07		R77	17 423.93	3 597 858.92
L78	17 715.52	3 597 969.36		R78	17 413.46	3 597 819.16
L79	17 620.66	3 597 914.81		R79	17 384.66	3 597 782.17
L80	17 616.68	3 597 912.52		R80	17 321.53	3 597 672.61
L81	17 577.85	3 597 901.25		R81	17 282.53	3 597 620.54
L82	17 504.91	3 597 857.57		R82	17 233.96	3 597 602.96
L83	17 465.36	3 597 828.59		R83	17 173.50	3 597 599.49
L84	17 423.69	3 597 783.98		R84	17 123.42	3 597 614.33
L85	17 337.36	3 597 642.66		R85	17 072.78	3 597 655.48
L86	17 301.16	3 597 594.56		R86	17 024.34	3 597 684.65
L87	17 260.93	3 597 567.69		R87	16 945.90	3 597 707.76
L88	17 222.48	3 597 551.91		R88	16 896.75	3 597 717.65
L89	17 171.68	3 597 551.28		R89	16 878.59	3 597 717.31
L90	17 097.03	3 597 580.13		R90	16 843.76	3 597 681.96
L91	17 015.04	3 597 644.22		R91	16 786.60	3 597 657.14
L92	16 974.32	3 597 666.13		R92	16 758.33	3 597 633.64
L93	16 939.91	3 597 650.70		R93	16 720.78	3 597 593.61
L94	16 856.66	3 597 653.10		R94	16 681.19	3 597 570.75
L95	16 792.28	3 597 588.17		R95	16 635.58	3 597 570.01
L96	16 751.90	3 597 563.96		R96	16 320.01	3 597 654.56
L97	16 710.35	3 597 545.97		R97	16 162.15	3 597 664.11
L98	16 650.51	3 597 533.83		R98	16 063.49	3 597 666.38
L99	16 375.53	3 597 603.63		R99	16 027.49	3 597 672.27
L100	16 222.52	3 597 625.60		R100	15 993.67	3 597 684.24
L101	16 035.29	3 597 629.83		R101	15 963.85	3 597 703.39
L102	15 973.83	3 597 655.22		R102	15 868.17	3 597 780.78

Vel Sheet	16	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27º	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L103	15 890.76	3 597 703.86	R103	15 850.66	3 597 798.49
L104	15 866.00	3 597 706.74	R104	15 826.07	3 597 797.96
L105	15 828.09	3 597 723.27	R105	15 812.65	3 597 786.61
L106	15 802.45	3 597 749.88	R106	15 745.65	3 597 775.62
L107	15 651.10	3 597 712.51	R107	15 727.27	3 597 772.61
L108	15 614.84	3 597 712.87	R108	15 701.43	3 597 764.23
L109	15 551.32	3 597 720.43	R109	15 629.58	3 597 754.18
L110	15 453.26	3 597 703.40	R110	15 575.31	3 597 753.90
L111	15 380.49	3 597 705.42	R111	15 539.98	3 597 759.65
L112	15 356.97	3 597 650.20	R112	15 489.38	3 597 774.46
L113	15 325.60	3 597 626.03	R113	15 434.83	3 597 775.89
L114	15 322.98	3 597 602.69	R114	15 383.14	3 597 746.98
L115	15 323.35	3 597 590.48	R115	15 342.32	3 597 747.25
L116	15 334.93	3 597 553.42	R116	15 327.08	3 597 740.26
L117	15 394.82	3 597 505.50	R117	15 323.85	3 597 704.78
L118	15 414.81	3 597 445.69	R118	15 271.32	3 597 627.65
L119	15 526.79	3 597 418.77	R119	15 267.53	3 597 624.39
L120	15 592.35	3 597 392.14	R120	15 240.17	3 597 592.08
L121	15 623.73	3 597 342.92	R121	15 242.45	3 597 554.92
L122	15 661.36	3 597 302.38	R122	15 265.15	3 597 475.49
L123	15 678.91	3 597 201.14	R123	15 401.75	3 597 395.24
L124	15 676.59	3 597 150.56	R124	15 427.45	3 597 387.11
L125	15 659.16	3 597 095.70	R125	15 472.29	3 597 377.57
L126	15 550.08	3 596 938.14	R126	15 517.72	3 597 376.08
L127	15 563.66	3 596 901.78	R127	15 566.35	3 597 353.13
L128	15 540.33	3 596 865.87	R128	15 601.02	3 597 320.21
L129	15 568.65	3 596 798.96	R129	15 601.87	3 597 297.10
L130	15 572.39	3 596 761.47	R130	15 602.07	3 597 290.38
L131	15 604.54	3 596 695.42	R131	15 617.84	3 597 280.89
L132	15 647.07	3 596 661.38	R132	15 647.46	3 597 159.62
L133	15 648.64	3 596 646.52	R133	15 633.85	3 597 113.03
L134	15 703.28	3 596 546.23	R134	15 554.07	3 597 009.40
L135	15 722.27	3 596 520.82	R135	15 534.27	3 596 980.39
L136	15 730.29	3 596 493.19	R136	15 512.23	3 596 922.60
L137	15 729.03	3 596 449.99	R137	15 506.57	3 596 923.23
L138	15 745.61	3 596 386.50	R138	15 493.06	3 596 864.13
L139	15 736.26	3 596 359.55	R139	15 492.70	3 596 856.62
L140	15 696.60	3 596 292.13	R140	15 499.79	3 596 852.78
L141	15 700.22	3 596 236.46	R141	15 501.81	3 596 814.38
L142	15 694.57	3 596 181.26	R142	15 496.11	3 596 801.95
L143	15 717.93	3 596 133.12	R143	15 497.83	3 596 794.33
L144	15 729.80	3 596 071.46	R144	15 509.04	3 596 783.98
L145	15 646.16	3 595 708.84	R145	15 524.05	3 596 743.36
L146	15 641.02	3 595 602.98	R146	15 540.44	3 596 720.80
L147	15 636.68	3 595 572.57	R147	15 587.19	3 596 673.87
L148	15 626.28	3 595 543.68	R148	15 583.83	3 596 666.62
L149	15 651.35	3 595 529.76	R149	15 586.11	3 596 660.75
L150	15 646.53	3 595 514.43	R150	15 592.58	3 596 658.09
L151	15 608.75	3 595 507.14	R151	15 597.45	3 596 646.01
L152	15 557.17	3 595 450.05	R152	15 615.03	3 596 630.24
L153	15 491.16	3 595 422.70	R153	15 639.04	3 596 597.12

Vel Sheet	17	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L154	15 447.69	3 595 408.12		R154	15 669.63	3 596 545.05
L155	15 421.06	3 595 399.20		R155	15 678.38	3 596 506.78
L156	15 375.07	3 595 345.21		R156	15 688.26	3 596 479.50
L157	15 351.92	3 595 292.34		R157	15 697.22	3 596 442.48
L158	15 370.77	3 595 267.18		R158	15 695.78	3 596 413.82
L159	15 370.10	3 595 256.94		R159	15 672.28	3 596 365.81
L160	15 357.47	3 595 231.03		R160	15 645.44	3 596 291.52
L161	15 363.78	3 595 217.29		R161	15 637.38	3 596 230.58
L162	15 393.88	3 595 204.57		R162	15 651.83	3 596 203.44
L163	15 436.43	3 595 220.15		R163	15 661.90	3 596 128.36
L164	15 459.83	3 595 192.40		R164	15 674.64	3 596 082.39
L165	15 471.03	3 595 157.99		R165	15 675.46	3 596 014.70
L166	15 540.46	3 595 073.61		R166	15 655.90	3 595 933.08
L167	15 581.59	3 595 041.85		R167	15 636.99	3 595 845.72
L168	15 616.71	3 594 981.01		R168	15 628.07	3 595 799.97
L169	15 625.95	3 594 947.41		R169	15 621.16	3 595 729.36
L170	15 624.58	3 594 899.73		R170	15 607.06	3 595 580.94
L171	15 601.36	3 594 822.84		R171	15 591.57	3 595 549.08
L172	15 600.66	3 594 777.47		R172	15 545.03	3 595 503.70
L173	15 582.46	3 594 732.27		R173	15 519.29	3 595 477.40
L174	15 498.58	3 594 628.01		R174	15 469.12	3 595 464.73
L175	15 475.89	3 594 589.18		R175	15 414.51	3 595 446.09
L176	15 388.11	3 594 290.87		R176	15 383.15	3 595 421.16
L177	15 340.49	3 594 161.69		R177	15 345.28	3 595 377.47
L178	15 281.60	3 593 980.90		R178	15 313.98	3 595 357.61
L179	15 263.97	3 593 949.67		R179	15 293.44	3 595 331.54
L180	15 168.87	3 593 639.01		R180	15 320.63	3 595 275.42
L181	15 132.94	3 593 549.33		R181	15 317.80	3 595 212.11
L182	15 095.01	3 593 474.59		R182	15 324.18	3 595 196.02
L183	15 056.29	3 593 408.58		R183	15 348.40	3 595 170.91
L184	15 089.77	3 593 383.81		R184	15 362.99	3 595 118.26
L185	15 088.95	3 593 370.73		R185	15 437.40	3 595 090.96
L186	15 010.57	3 593 315.50		R186	15 473.27	3 595 070.75
L187	14 978.30	3 593 310.50		R187	15 495.28	3 595 066.62
L188	14 948.18	3 593 277.36		R188	15 521.64	3 595 038.12
L189	14 787.23	3 593 119.01		R189	15 548.94	3 595 019.00
L190	14 264.41	3 592 575.36		R190	15 558.58	3 594 991.67
L191	14 200.01	3 592 511.61		R191	15 559.37	3 594 928.16
L192	14 088.47	3 592 383.58		R192	15 570.05	3 594 895.17
L193	14 063.86	3 592 355.32		R193	15 548.98	3 594 863.07
L194	13 994.08	3 592 285.27		R194	15 468.92	3 594 863.09
L195	13 918.66	3 592 221.58		R195	15 460.68	3 594 771.25
L196	13 832.82	3 592 155.27		R196	15 378.93	3 594 557.77
L197	13 787.31	3 592 112.48		R197	15 336.71	3 594 353.63
L198	13 732.37	3 592 077.00		R198	15 337.29	3 594 299.50
L199	13 727.25	3 592 056.44		R199	15 297.95	3 594 186.82
L200	13 697.36	3 592 050.45		R200	15 288.52	3 594 142.49
L201	13 685.08	3 592 042.63		R201	15 223.00	3 593 991.97
L202	13 387.20	3 591 852.94		R202	15 222.84	3 593 965.49
L203	13 212.32	3 591 744.99		R203	15 206.10	3 593 915.41
L204	13 145.51	3 591 696.62		R204	15 168.64	3 593 819.50

Vel Sheet	18	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
WG 27°	Y	X		Y	X
L205	12 991.74	3 591 598.69	R205	15 145.67	3 593 737.75
L206	12 881.30	3 591 523.04	R206	15 138.23	3 593 695.55
L207	12 782.92	3 591 462.70	R207	15 091.39	3 593 553.32
L208	12 726.75	3 591 424.82	R208	15 064.04	3 593 500.58
L209	12 560.43	3 591 312.65	R209	15 026.33	3 593 446.84
L210	12 468.83	3 591 261.62	R210	14 998.71	3 593 394.61
L211	12 368.96	3 591 184.23	R211	14 959.60	3 593 355.39
L212	12 300.72	3 591 115.25	R212	14 818.90	3 593 187.00
L213	12 224.43	3 591 025.78	R213	14 611.67	3 592 977.14
L214	12 160.69	3 590 933.32	R214	14 230.81	3 592 583.81
L215	12 124.43	3 590 868.85	R215	14 187.20	3 592 535.73
L216	12 098.16	3 590 811.31	R216	14 102.64	3 592 470.88
L217	12 049.37	3 590 679.73	R217	14 067.63	3 592 437.45
L218	12 021.68	3 590 579.65	R218	14 030.70	3 592 402.19
L219	11 973.41	3 590 357.22	R219	13 996.23	3 592 349.17
L220	11 934.16	3 590 139.20	R220	13 960.68	3 592 305.30
L221	11 930.03	3 590 073.56	R221	13 884.48	3 592 229.66
L222	11 938.19	3 590 019.30	R222	13 823.72	3 592 179.65
L223	11 959.77	3 589 958.67	R223	13 780.81	3 592 153.16
L224	11 991.02	3 589 864.32	R224	13 722.36	3 592 112.79
L225	12 018.29	3 589 816.10	R225	13 707.91	3 592 116.96
L226	12 043.93	3 589 757.48	R226	13 693.21	3 592 106.74
L227	12 060.00	3 589 674.04	R227	13 690.22	3 592 097.05
L228	12 060.97	3 589 620.82	R228	13 676.80	3 592 087.53
L229	12 051.32	3 589 567.74	R229	13 544.28	3 591 993.50
L230	12 033.12	3 589 479.29	R230	13 372.73	3 591 878.35
L231	11 989.17	3 589 410.51	R231	13 289.54	3 591 836.13
L232	11 939.98	3 589 356.62	R232	13 256.70	3 591 803.82
L233	11 853.99	3 589 285.39	R233	13 142.18	3 591 738.70
L234	11 605.61	3 589 056.66	R234	13 046.11	3 591 675.39
L235	11 500.42	3 588 942.54	R235	12 983.95	3 591 627.45
L236	11 435.09	3 588 842.21	R236	12 706.76	3 591 447.38
L237	11 410.26	3 588 789.70	R237	12 490.28	3 591 306.75
L238	11 353.71	3 588 635.54	R238	12 442.07	3 591 278.53
L239	11 330.64	3 588 598.37	R239	12 347.62	3 591 198.50
L240	11 293.63	3 588 515.64	R240	12 298.45	3 591 151.63
L241	11 158.95	3 588 455.00	R241	12 180.36	3 591 031.56
L242	10 778.76	3 588 327.09	R242	12 136.42	3 590 976.02
L243	10 710.96	3 588 297.25	R243	12 094.76	3 590 871.63
L244	10 636.73	3 588 236.64	R244	12 065.73	3 590 814.14
L245	10 611.98	3 588 199.81	R245	12 015.66	3 590 689.29
L246	10 580.41	3 588 124.35	R246	12 000.80	3 590 616.14
L247	10 558.94	3 588 048.98	R247	11 979.20	3 590 529.27
L248	10 547.39	3 587 932.88	R248	11 966.35	3 590 452.23
L249	10 573.38	3 587 760.95	R249	11 903.91	3 590 140.55
L250	10 572.80	3 587 706.23	R250	11 896.81	3 590 093.09
L251	10 565.69	3 587 645.47	R251	11 898.55	3 590 046.44
L252	10 548.63	3 587 591.12	R252	11 908.72	3 589 977.31
L253	10 528.25	3 587 551.13	R253	11 924.06	3 589 935.52
L254	10 524.51	3 587 545.12	R254	11 942.95	3 589 893.91
L255	10 504.09	3 587 512.29	R255	12 004.23	3 589 774.04

Vel Sheet	19	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
WG 27°	Y	X		Y	X
L256	10 460.48	3 587 458.75	R256	12 027.35	3 589 703.76
L257	10 379.03	3 587 366.11	R257	12 033.01	3 589 621.20
L258	10 313.65	3 587 282.89	R258	12 012.14	3 589 527.65
L259	10 224.42	3 587 180.84	R259	11 980.47	3 589 460.70
L260	10 179.82	3 587 108.10	R260	11 947.45	3 589 413.84
L261	10 153.74	3 587 081.80	R261	11 716.77	3 589 198.71
L262	10 087.74	3 587 029.93	R262	11 652.47	3 589 145.12
L263	10 016.46	3 586 940.56	R263	11 533.25	3 589 030.10
L264	9 945.85	3 586 859.48	R264	11 490.75	3 588 983.12
L265	9 916.71	3 586 799.68	R265	11 451.51	3 588 931.47
L266	9 897.48	3 586 726.18	R266	11 405.15	3 588 852.51
L267	9 885.22	3 586 511.23	R267	11 320.45	3 588 666.57
L268	9 873.59	3 586 451.87	R268	11 283.37	3 588 605.60
L269	9 872.20	3 586 444.83	R269	11 250.30	3 588 561.47
L270	9 794.74	3 586 340.14	R270	11 212.65	3 588 525.96
L271	9 767.69	3 586 310.56	R271	11 154.60	3 588 488.86
L272	9 649.62	3 586 221.16	R272	11 077.87	3 588 457.95
L273	9 614.35	3 586 180.74	R273	10 939.94	3 588 411.16
L274	9 566.33	3 586 085.08	R274	10 852.67	3 588 388.33
L275	9 516.18	3 585 995.36	R275	10 735.56	3 588 347.03
L276	9 516.89	3 585 972.16	R276	10 673.87	3 588 307.43
L277	9 496.34	3 585 879.40	R277	10 617.95	3 588 255.30
L278	9 465.60	3 585 838.30	R278	10 568.49	3 588 192.66
L279	9 472.15	3 585 741.90	R279	10 539.84	3 588 169.05
L280	9 416.13	3 585 691.06	R280	10 519.13	3 588 053.11
L281	9 386.72	3 585 692.91	R281	10 511.00	3 587 995.26
L282	9 349.86	3 585 654.37	R282	10 512.21	3 587 957.97
L283	9 343.12	3 585 647.31	R283	10 543.11	3 587 744.34
L284	9 237.77	3 585 559.79	R284	10 540.47	3 587 665.82
L285	9 203.20	3 585 525.55	R285	10 519.52	3 587 599.86
L286	9 102.64	3 585 435.25	R286	10 501.37	3 587 566.94
L287	9 071.39	3 585 402.93	R287	10 485.35	3 587 537.89
L288	9 041.40	3 585 367.79	R288	10 362.34	3 587 384.64
L289	9 010.67	3 585 321.28	R289	10 323.89	3 587 341.11
L290	8 997.06	3 585 255.93	R290	10 223.43	3 587 229.61
L291	8 930.07	3 585 039.83	R291	10 128.16	3 587 136.60
L292	8 899.73	3 584 904.34	R292	10 079.64	3 587 061.22
L293	8 881.11	3 584 839.82	R293	9 982.91	3 586 959.13
L294	8 850.56	3 584 775.63	R294	9 933.04	3 586 889.71
L295	8 807.97	3 584 703.57	R295	9 893.09	3 586 815.65
L296	8 750.90	3 584 613.64	R296	9 876.10	3 586 755.83
L297	8 684.22	3 584 526.88	R297	9 866.94	3 586 715.24
L298	8 636.18	3 584 471.13	R298	9 863.84	3 586 599.92
L299	8 583.17	3 584 418.39	R299	9 846.92	3 586 491.04
L300	8 355.27	3 584 245.52	R300	9 828.33	3 586 448.59
L301	8 304.35	3 584 209.40	R301	9 822.13	3 586 436.05
L302	7 771.70	3 583 831.52	R302	9 809.54	3 586 410.55
L303	7 744.64	3 583 794.49	R303	9 766.02	3 586 355.33
L304	7 721.07	3 583 777.55	R304	9 709.64	3 586 304.01
L305	7 677.46	3 583 764.59	R305	9 642.22	3 586 255.72
L306	7 506.83	3 583 642.06	R306	9 595.44	3 586 226.80

Vel Sheet	20	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L307	7 462.14	3 583 605.69		R307	9 556.15	3 586 178.69
L308	7 273.27	3 583 468.50		R308	9 526.03	3 586 125.73
L309	7 204.72	3 583 383.68		R309	9 488.28	3 585 997.64
L310	7 162.20	3 583 313.88		R310	9 470.12	3 585 972.96
L311	7 147.94	3 583 320.90		R311	9 450.08	3 585 927.78
L312	7 117.53	3 583 266.20		R312	9 445.54	3 585 912.94
L313	7 098.07	3 583 207.75		R313	9 389.70	3 585 789.81
L314	7 086.71	3 583 154.23		R314	9 389.21	3 585 762.24
L315	7 079.10	3 583 100.24		R315	9 324.60	3 585 685.60
L316	7 076.82	3 583 045.25		R316	9 320.58	3 585 680.83
L317	7 076.59	3 582 990.26		R317	9 233.98	3 585 589.99
L318	7 084.63	3 582 936.19		R318	9 079.60	3 585 454.65
L319	7 105.00	3 582 867.94		R319	9 036.10	3 585 410.48
L320	7 133.71	3 582 803.66		R320	8 987.82	3 585 336.35
L321	7 155.95	3 582 765.44		R321	8 951.84	3 585 296.79
L322	7 185.78	3 582 723.57		R322	8 941.34	3 585 274.01
L323	7 220.90	3 582 682.47		R323	8 922.98	3 585 138.10
L324	7 580.04	3 582 344.33		R324	8 906.88	3 585 058.83
L325	7 653.51	3 582 282.72		R325	8 889.42	3 584 993.69
L326	7 738.02	3 582 193.87		R326	8 805.61	3 584 764.23
L327	7 833.37	3 582 109.25		R327	8 780.48	3 584 712.03
L328	7 965.57	3 581 983.00		R328	8 720.86	3 584 614.98
L329	8 008.43	3 581 949.56		R329	8 651.93	3 584 535.04
L330	8 056.10	3 581 922.19		R330	8 524.41	3 584 411.70
L331	8 107.27	3 581 901.99		R331	8 332.36	3 584 265.42
L332	8 160.04	3 581 887.78		R332	8 272.81	3 584 222.75
L333	8 214.60	3 581 880.35		R333	7 841.94	3 583 913.98
L334	8 406.68	3 581 875.42		R334	7 771.26	3 583 868.27
L335	8 540.87	3 581 848.26		R335	7 711.86	3 583 819.93
L336	8 592.11	3 581 830.52		R336	7 493.37	3 583 662.72
L337	8 610.94	3 581 819.41		R337	7 451.15	3 583 636.03
L338	8 650.50	3 581 770.78		R338	7 424.98	3 583 617.94
L339	8 685.71	3 581 718.11		R339	7 370.50	3 583 593.36
L340	8 722.88	3 581 650.57		R340	7 345.59	3 583 575.35
L341	8 738.81	3 581 608.77		R341	7 319.33	3 583 537.88
L342	8 754.18	3 581 556.24		R342	7 185.72	3 583 441.79
L343	8 760.38	3 581 509.08		R343	7 136.98	3 583 400.11
L344	8 755.40	3 581 415.73		R344	7 127.39	3 583 385.85
L345	8 745.98	3 581 322.00		R345	7 119.22	3 583 341.60
L346	8 748.73	3 581 255.43		R346	7 069.37	3 583 222.95
L347	8 763.51	3 581 185.24		R347	7 052.57	3 583 162.09
L348	8 787.93	3 581 116.39		R348	7 044.79	3 583 098.57
L349	8 808.01	3 581 009.13		R349	7 044.85	3 583 035.13
L350	8 811.22	3 580 958.65		R350	7 052.66	3 582 971.35
L351	8 809.06	3 580 906.43		R351	7 060.20	3 582 919.02
L352	8 775.02	3 580 658.23		R352	7 082.25	3 582 847.20
L353	8 776.75	3 580 598.54		R353	7 115.58	3 582 771.69
L354	8 799.99	3 580 517.86		R354	7 184.82	3 582 674.80
L355	8 824.12	3 580 465.72		R355	7 249.10	3 582 621.35
L356	9 061.44	3 580 009.15		R356	7 521.30	3 582 364.16
L357	9 082.77	3 579 985.68		R357	7 626.63	3 582 247.45

Vel Sheet	21	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L358	9 100.83	3 579 951.56		R358	7 724.05	3 582 171.01
L359	9 106.61	3 579 955.61		R359	7 847.17	3 582 056.13
L360	9 115.53	3 579 923.72		R360	7 957.07	3 581 946.57
L361	9 128.90	3 579 890.69		R361	8 018.71	3 581 906.97
L362	9 155.66	3 579 747.07		R362	8 086.29	3 581 879.29
L363	9 163.12	3 579 592.02		R363	8 147.42	3 581 861.84
L364	9 162.05	3 579 454.77		R364	8 192.45	3 581 854.11
L365	9 179.57	3 578 749.73		R365	8 246.06	3 581 849.14
L366	9 206.63	3 578 705.39		R366	8 395.54	3 581 847.18
L367	9 217.50	3 578 620.31		R367	8 452.18	3 581 841.33
L368	9 215.58	3 578 502.30		R368	8 502.87	3 581 814.44
L369	9 226.65	3 578 475.56		R369	8 573.07	3 581 758.65
L370	9 484.48	3 578 118.49		R370	8 643.03	3 581 711.44
L371	9 515.48	3 578 075.55		R371	8 688.72	3 581 656.42
L372	9 563.30	3 578 040.41		R372	8 694.70	3 581 641.82
L373	9 625.78	3 577 973.97		R373	8 709.27	3 581 606.27
L374	9 662.12	3 577 951.41		R374	8 721.54	3 581 543.74
L375	10 176.14	3 577 769.79		R375	8 716.37	3 581 425.31
L376	10 225.22	3 577 758.60		R376	8 718.82	3 581 270.59
L377	10 359.67	3 577 708.99		R377	8 722.97	3 581 226.49
L378	10 432.66	3 577 671.89		R378	8 759.09	3 581 102.44
L379	10 512.81	3 577 614.94		R379	8 767.63	3 581 048.27
L380	10 587.58	3 577 525.54		R380	8 777.00	3 580 939.25
L381	10 614.52	3 577 468.54		R381	8 734.25	3 580 706.17
L382	10 645.82	3 577 386.49		R382	8 740.80	3 580 571.23
L383	10 697.17	3 577 305.62		R383	8 736.96	3 580 545.33
L384	10 713.24	3 577 272.10		R384	8 746.75	3 580 510.75
L385	10 719.85	3 577 224.29		R385	8 831.73	3 580 386.44
L386	10 747.95	3 577 121.52		R386	8 889.43	3 580 274.55
L387	10 823.34	3 576 921.92		R387	8 916.12	3 580 227.78
L388	10 849.47	3 576 864.26		R388	8 940.63	3 580 165.19
L389	10 890.35	3 576 734.83		R389	9 021.00	3 580 031.65
L390	10 917.31	3 576 686.18		R390	9 052.75	3 579 964.35
L391	10 967.66	3 576 610.23		R391	9 070.58	3 579 931.69
L392	11 056.06	3 576 493.02		R392	9 077.26	3 579 897.88
L393	11 121.77	3 576 421.13		R393	9 114.35	3 579 816.82
L394	11 236.02	3 576 311.30		R394	9 130.38	3 579 697.96
L395	11 361.25	3 576 160.09		R395	9 143.03	3 579 152.09
L396	11 382.43	3 576 119.97		R396	9 150.50	3 578 704.88
L397	11 420.14	3 576 059.51		R397	9 149.04	3 578 595.60
L398	11 452.01	3 575 997.89		R398	9 158.45	3 578 542.14
L399	11 484.22	3 575 894.13		R399	9 221.30	3 578 402.84
L400	11 539.10	3 575 666.82		R400	9 241.25	3 578 372.39
L401	11 560.43	3 575 578.49		R401	9 273.19	3 578 342.50
L402	11 586.45	3 575 493.75		R402	9 348.81	3 578 251.33
L403	11 611.28	3 575 426.58		R403	9 408.65	3 578 161.77
L404	11 662.47	3 575 327.60		R404	9 454.95	3 578 105.69
L405	11 745.62	3 575 182.46		R405	9 490.12	3 578 063.08
L406	11 767.08	3 575 127.07		R406	9 511.63	3 578 022.50
L407	11 804.81	3 574 926.41		R407	9 525.73	3 578 005.09
L408	11 820.40	3 574 870.41		R408	9 605.49	3 577 953.58

Vel Sheet 22	Van of 25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L409	11 816.98	3 574 817.73		R409	9 671.03	3 577 917.57
L410	11 832.34	3 574 762.07		R410	10 361.24	3 577 678.83
L411	11 822.33	3 574 675.06		R411	10 410.02	3 577 654.61
L412	11 833.29	3 574 555.17		R412	10 462.20	3 577 617.53
L413	11 829.96	3 574 535.41		R413	10 501.97	3 577 580.10
L414	11 862.21	3 574 374.02		R414	10 583.67	3 577 460.56
L415	11 929.04	3 574 227.58		R415	10 631.90	3 577 352.28
L416	12 015.56	3 574 137.63		R416	10 650.48	3 577 266.38
L417	12 055.33	3 574 126.02		R417	10 666.90	3 577 223.61
L418	12 074.12	3 574 109.76		R418	10 707.45	3 577 145.01
L419	12 084.70	3 574 087.50		R419	10 813.65	3 576 866.38
L420	12 129.50	3 574 044.37		R420	10 860.55	3 576 729.43
L421	12 155.92	3 573 996.60		R421	10 901.84	3 576 637.12
L422	12 251.43	3 573 823.90		R422	10 935.95	3 576 583.29
L423	12 469.10	3 573 404.51		R423	10 970.64	3 576 541.77
L424	12 513.90	3 573 318.18		R424	11 050.52	3 576 462.06
L425	12 605.82	3 573 125.39		R425	11 184.76	3 576 293.54
L426	12 655.70	3 573 033.45		R426	11 273.87	3 576 192.48
L427	12 683.18	3 572 966.33		R427	11 292.83	3 576 178.33
L428	12 732.97	3 572 866.60		R428	11 350.39	3 576 119.22
L429	12 766.46	3 572 832.44		R429	11 386.04	3 576 040.45
L430	12 814.11	3 572 723.90		R430	11 411.89	3 575 998.56
L431	12 819.79	3 572 710.98		R431	11 433.42	3 575 948.10
L432	12 881.02	3 572 557.89		R432	11 460.96	3 575 861.83
L433	12 890.15	3 572 522.38		R433	11 516.54	3 575 637.06
L434	12 916.72	3 572 455.77		R434	11 529.43	3 575 584.95
L435	13 126.21	3 572 039.02		R435	11 570.99	3 575 450.19
L436	13 299.92	3 571 790.41		R436	11 629.42	3 575 296.97
L437	13 308.67	3 571 777.89		R437	11 640.35	3 575 268.32
L438	13 362.87	3 571 719.80		R438	11 700.17	3 575 148.79
L439	13 459.93	3 571 639.84		R439	11 729.65	3 575 064.95
L440	13 609.28	3 571 537.77		R440	11 742.84	3 575 017.68
L441	13 643.05	3 571 507.35		R441	11 764.34	3 574 857.18
L442	13 723.91	3 571 410.39		R442	11 753.35	3 574 773.66
L443	13 753.95	3 571 352.93		R443	11 750.97	3 574 735.25
L444	13 781.96	3 571 266.36		R444	11 768.88	3 574 696.92
L445	13 800.05	3 571 167.53		R445	11 777.00	3 574 662.07
L446	13 797.40	3 571 102.01		R446	11 780.98	3 574 582.12
L447	13 796.73	3 571 085.60		R447	11 810.74	3 574 438.96
L448	13 792.73	3 571 058.28		R448	11 816.90	3 574 379.46
L449	13 779.66	3 570 993.06		R449	11 829.82	3 574 326.10
L450	13 756.60	3 570 924.07		R450	11 900.03	3 574 198.54
L451	13 722.58	3 570 847.16		R451	11 929.44	3 574 163.83
L452	13 658.62	3 570 768.92		R452	12 004.93	3 574 111.65
L453	13 591.04	3 570 706.73		R453	12 072.42	3 574 050.50
L454	13 555.61	3 570 666.38		R454	12 113.00	3 574 000.74
L455	13 533.83	3 570 654.18		R455	12 171.65	3 573 883.92
L456	13 512.19	3 570 639.76		R456	12 259.75	3 573 725.54
L457	13 509.70	3 570 645.00		R457	12 278.99	3 573 680.72
L458	13 495.20	3 570 632.57		R458	12 305.00	3 573 639.31
L459	13 473.14	3 570 620.22		R459	12 406.80	3 573 445.17

Vel Sheet	23	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X	
L460	13 398.03	3 570 615.03	R460	12 409.79	3 573 430.02	
L461	13 313.73	3 570 580.46	R461	12 418.01	3 573 388.41	
L462	13 212.89	3 570 563.88	R462	12 439.90	3 573 344.75	
L463	13 131.99	3 570 534.65	R463	12 478.14	3 573 285.52	
L464	13 056.24	3 570 488.49	R464	12 524.08	3 573 228.77	
L465	13 007.82	3 570 444.69	R465	12 559.45	3 573 156.48	
L466	12 968.49	3 570 396.92	R466	12 594.47	3 573 060.96	
L467	12 930.05	3 570 333.85	R467	12 608.72	3 573 032.19	
L468	12 908.55	3 570 273.92	R468	12 612.03	3 573 026.79	
L469	12 894.76	3 570 211.55	R469	12 671.58	3 572 929.77	
L470	12 890.42	3 570 148.82	R470	12 749.33	3 572 721.30	
L471	12 893.61	3 570 084.60	R471	12 754.44	3 572 707.61	
L472	12 959.48	3 569 588.79	R472	12 804.27	3 572 631.79	
L473	12 986.42	3 569 435.80	R473	12 927.43	3 572 360.94	
L474	12 998.90	3 569 303.88	R474	13 012.21	3 572 198.29	
L475	13 016.01	3 569 204.71	R475	13 063.80	3 572 090.30	
L476	13 016.32	3 569 171.91	R476	13 129.89	3 571 967.76	
L477	13 063.60	3 568 821.49	R477	13 208.17	3 571 856.17	
L478	13 077.87	3 568 751.94	R478	13 214.31	3 571 846.33	
L479	13 100.66	3 568 689.65	R479	13 246.34	3 571 795.04	
L480	13 126.32	3 568 642.36	R480	13 268.75	3 571 742.06	
L481	13 174.18	3 568 579.67	R481	13 341.14	3 571 687.82	
L482	13 670.86	3 568 046.03	R482	13 374.36	3 571 656.02	
L483	13 717.32	3 567 982.92	R483	13 542.21	3 571 546.41	
L484	13 741.69	3 567 933.58	R484	13 646.26	3 571 458.93	
L485	13 759.42	3 567 883.23	R485	13 691.49	3 571 398.61	
L486	13 772.84	3 567 824.95	R486	13 744.57	3 571 285.86	
L487	13 780.03	3 567 759.07	R487	13 765.94	3 571 192.39	
L488	13 781.12	3 567 720.02	R488	13 768.75	3 571 098.94	
L489	13 778.62	3 567 669.98	R489	13 766.81	3 571 084.86	
L490	13 771.87	3 567 643.93	R490	13 760.00	3 571 035.45	
L491	13 595.56	3 567 183.14	R491	13 744.72	3 570 973.45	
L492	13 573.34	3 567 106.45	R492	13 722.05	3 570 913.67	
L493	13 561.61	3 567 021.20	R493	13 690.21	3 570 859.09	
L494	13 562.35	3 566 948.02	R494	13 654.62	3 570 807.86	
L495	13 574.02	3 566 869.55	R495	13 580.94	3 570 740.39	
L496	13 597.33	3 566 793.10	R496	13 534.25	3 570 714.39	
L497	13 624.45	3 566 732.86	R497	13 490.91	3 570 691.77	
L498	13 663.54	3 566 669.43	R498	13 459.52	3 570 672.78	
L499	13 730.83	3 566 592.02	R499	13 435.10	3 570 659.18	
L500	13 781.06	3 566 550.06	R500	13 385.50	3 570 637.94	
L501	13 857.72	3 566 501.77	R501	13 286.84	3 570 623.13	
L502	13 915.03	3 566 474.32	R502	13 098.65	3 570 556.00	
L503	13 961.41	3 566 447.41	R503	13 051.89	3 570 528.22	
L504	15 386.91	3 565 706.17	R504	12 995.00	3 570 477.32	
L505	15 437.64	3 565 671.07	R505	12 951.63	3 570 428.12	
L506	15 470.87	3 565 644.64	R506	12 902.45	3 570 353.16	
L507	15 535.80	3 565 583.53	R507	12 849.40	3 570 302.99	
L508	15 577.12	3 565 536.14	R508	12 836.24	3 570 259.47	
L509	15 609.48	3 565 492.62	R509	12 844.84	3 570 186.74	
L510	15 660.22	3 565 408.98	R510	12 861.99	3 570 124.67	

Vel Sheet	24	Van of	25	P1217/20

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE

WG 27°

	Y	X
L511	15 663.88	3 565 401.01
L512	15 690.11	3 565 343.90
L513	15 701.96	3 565 326.97
L514	15 713.28	3 565 296.74
L515	15 713.34	3 565 280.20
L516	15 725.76	3 565 234.45
L517	15 737.73	3 565 176.83
L518	15 744.75	3 565 119.93
L519	15 754.53	3 564 766.64
L520	15 766.21	3 564 345.32
L521	15 768.83	3 564 311.13
L522	15 772.97	3 564 006.92
L523	15 777.50	3 563 938.13
L524	15 788.27	3 563 503.73
L525	15 795.73	3 563 433.64
L526	15 808.86	3 563 373.95
L527	15 837.39	3 563 293.67
L528	16 387.18	3 562 039.29
L529	16 419.48	3 562 003.36
L530	16 431.66	3 561 975.88
L531	16 436.07	3 561 929.47
L532	16 469.48	3 561 829.39
L533	16 479.80	3 561 781.04
L534	16 483.04	3 561 714.38
L535	16 490.19	3 561 678.40
L536	16 493.13	3 561 593.27
L537	16 493.45	3 561 583.94

REGTERKANT/RIGHT HAND SIDE

	Y	X
R562	15 749.04	3 563 797.76
R563	15 753.65	3 563 782.67
R564	15 756.28	3 563 502.44
R565	15 768.62	3 563 382.34
R566	15 806.66	3 563 285.65
R567	16 333.69	3 562 080.73
R568	16 347.68	3 562 039.55
R569	16 375.40	3 561 986.53
R570	16 424.87	3 561 869.60
R571	16 438.21	3 561 829.54
R572	16 450.16	3 561 776.21
R573	16 463.57	3 561 578.44
R574	16 464.39	3 561 566.46

REGTERKANT/RIGHT HAND SIDE

	Y	X
R511	12 932.75	3 569 603.01
R512	12 962.35	3 569 362.72
R513	13 046.28	3 568 764.96
R514	13 063.77	3 568 706.03
R515	13 103.64	3 568 629.08
R516	13 125.14	3 568 594.81
R517	13 628.22	3 568 057.01
R518	13 683.41	3 567 986.28
R519	13 715.86	3 567 922.86
R520	13 740.75	3 567 844.24
R521	13 748.33	3 567 806.29
R522	13 747.05	3 567 758.32
R523	13 730.00	3 567 624.55
R524	13 712.11	3 567 562.61
R525	13 576.52	3 567 203.45
R526	13 566.07	3 567 174.34
R527	13 547.68	3 567 115.76
R528	13 538.64	3 567 053.46
R529	13 534.58	3 567 007.87
R530	13 535.69	3 566 947.21
R531	13 543.09	3 566 882.61
R532	13 555.71	3 566 823.48
R533	13 613.26	3 566 670.25
R534	13 633.25	3 566 638.51
R535	13 651.55	3 566 619.27
R536	13 805.21	3 566 500.50
R537	13 843.22	3 566 479.64
R538	14 827.62	3 565 968.80
R539	14 830.10	3 565 956.23
R540	14 833.65	3 565 954.37
R541	14 845.35	3 565 959.59
R542	15 324.20	3 565 711.10
R543	15 366.46	3 565 687.06
R544	15 385.00	3 565 673.32
R545	15 416.15	3 565 653.20
R546	15 472.01	3 565 607.38
R547	15 522.49	3 565 558.04
R548	15 562.63	3 565 510.25
R549	15 589.76	3 565 471.33
R550	15 638.07	3 565 391.45
R551	15 642.74	3 565 381.39
R552	15 663.10	3 565 337.52
R553	15 691.18	3 565 257.34
R554	15 706.49	3 565 194.05
R555	15 711.55	3 565 150.46
R556	15 725.77	3 564 769.23
R557	15 727.85	3 564 744.73
R558	15 728.85	3 564 732.93
R559	15 743.95	3 564 170.21
R560	15 745.48	3 564 093.77
R561	15 740.97	3 564 008.67

Vel Sheet	25	Van of	25	P1217/20

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**