Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 728 2 February Februarie 2026 No. 54068

ISSN 1682-5845

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS			
Transport, Department of / Vervoer, Departement van			
7074	South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration amendment of National Road R58 Section 7: R410 Junction – Engcobo	54068	3
7074	Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998): Verklaring wysiging van Nasionale Pad R58 Seksie 7: R410 Aansluiting – Engcobo	54068	4

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 7074 **2 February 2026**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R58 SECTION 7

AMENDMENT OF DECLARATION No. 2358 OF 2022.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 2358 of 2022 by substituting paragraph E of the Schedule, with the accompanying sheets 1 to 18 of Plan No. P1255/25

In the town of Engcobo the R58 Section 7 enters the town from the north and follows the street known as Cala Road, at the time of declaration, up to its intersection with National Road R61 Section 6.

(National Road R58 Section 7: R410 Junction – Engcobo)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 7074 **2 Februarie 2026**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R58 SEKSIE 7


WYSIGING VAN VERKLARING No. 2358 VAN 2022.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 2358 van 2022 deur paragraaf E van die Skedule te vervang, met bygaande velle 1 tot 18 van Plan No. P1255/25.


In die dorp Engcobo kom die R58 Seksie 7 die dorp binne vanuit die noorde en volg dan die straat bekend as Calaweg, tydens datum van verklaring, tot by die interseksie met National Pad R61 Seksie 6.


(Nasionale Pad R58 Seksie 7: R410 Aanlsuiting – Engcobo)


MINISTER VAN VERVOER



LEMOEN VLEY 475
REM PTN 7
CRINAN 479
PTN 8
PTN 7
DRAAI FONTEIN 1120
PTN 6
PTN 9
REM PTN 5
SCHOONGEZICHT 1119
REM
PTN 1
PTN 2
DRAAI FONTEIN 1120
REM PTN 5
R58/7
R410/3
Y -74 000
Y -74 500
Y -75 000
Y -75 500
Y -76 000
X +3 479 000
X +3 479 500
X +3 480 500
X +3 481 000
X +3 481 500
X +3 482 000
X +3 482 500
X +3 483 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Vel 1 van 18
Sheet of
Plan P1255/25



ZUUIR MELK FONTEIN 1124
REM
SCHOONGEZICHT 1119
PTN 2
BEESTE KRAAL 1123
PTN 3
GELDT MAAKERS KLOOF 1126
PTN 2
AARDAPPELS RUST 1125
PTN 2
ZUUIR MELK FONTEIN 1124
PTN 3
PTN 1
REM
Y -77 000
Y -76 500
Y -78 500
Y -78 000
X +3 485 000
X +3 484 000
X +3 483 500
X +3 486 500
X +3 487 000
X +3 486 000
X +3 485 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete
The figure shown represents the road reserve of a portion of National Route
Seksie 7
Section
R58
Vel 2 van 18
Sheet
Plan P1255/25



KEVITS HOEK 1148
REM
ARDLUSSA 1154
REM
PTN 2
PTN 1
FARM 1200
PTN 3
GELDT MAAKERS KLOOF 1126
PTN 2
ROAD SERV 7.8m WIDE
ESIKOBENI 1155
REM
PTN 1
ZADUNGENI ALLOTMENT AREA
KEVITS HOEK 1148
REM
PTN 2
ARDLUSSA 1154
REM
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Vel Sheet 3 van of 18
Plan P1255/25



GIERIGAAR KASTEEL 1156
PTN 1
ZADUNGENI ALLOTMENT AREA
ESIKOBENI 1155
REM
ONRUST 1157
PTN 1
GIERIGAAR KASTEEL 1156
PTN 1
ZADUNGENI ALLOTMENT AREA
Y -83 000
Y -82 500
Y -82 000
Y -84 500
Y -84 000
Y -85 000
X +3 491 500
X +3 493 000
X +3 492 500
X +3 492 000
X +3 490 500
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Vel 4 van 18
Sheet of
Plan P1255/25


ZADUNGENI
ALLOTMENT AREA
QUTUBENI
ALLOTMENT AREA
ZADUNGENI
ALLOTMENT AREA
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Vel 5 van 18
Sheet of
Plan P1255/25


11
12
QUTUBENI ALLOTMENT AREA
ZADUNGENI ALLOTMENT AREA
QUTUBENI ALLOTMENT AREA
ZADUNGENI ALLOTMENT AREA
Y -90 000
Y -89 500
Y -89 000
Y -92 000
Y -91 500
Y -91 000
Y -90 500
X +3 498 000
X +3 497 500
X +3 497 000
X +3 498 500
X +3 499 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Vel 6 van 18
Sheet of
Plan P1255/25


KANYE ALLOTMENT AREA
QUTUBENI ALLOTMENT AREA
ZADUNGENI ALLOTMENT AREA
Y -94 000
Y -93 500
Y -93 000
X +3 600 000
X +3 500 500
X +3 500 000
X +3 499 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Vel 7 van 18
Sheet of
Plan P1255/25


14
15
ENGCOBO
2
ENGCOBO MAIN
FOREST 11
PTN 1
REM 1
REM
REM
ZADUNGENI
ALLOTMENT AREA
ENGCOBO
REM 1
2
Y -94 000
Y -93 500
Y -94 500
Y -95 000
X +3 501 500
X +3 502 000
X +3 503 000
X +3 504 000
X +3 504 500
X +3 505 000
X +3 505 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Vel 8 van 18
Sheet of
Plan P1255/25


ENGCOBO EXT. 9
ENGCOBO EXT. 5
ENGCOBO REM 1
CLARKIA 93
LEASEHOLD AREA
HIGH ST
UMTATA RD
R61/6
WARNER ST
WOLBY ST
CALA RD
TANFORD RD
ROW SERV
REM 2354
2355
2357
4469
4472
4473
4453
4484
R/153 (306)
136
131
161
162
155
154
167
164
90
319
320
101
103
105
107
109
111
113
122
124
125
126
127
123
130
129
128
135
134
144
145
143
152
L432
L433
L434
L435
L436
L437
R465
R466
R467
R468
R469
R470
R471
R472
R473
Y -95 000
Y -94 750
X +3 506 000
X +3 506 250
X +3 506 500
X +3 506 750
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte
The figure shown represents the road reserve of a portion
van Nasionale Roete R58 Seksie 7
of National Route Section
Vel 9 van 18
Sheet of
Plan P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
WG 27°	Y	X		Y	X
L1	-73 886.49	3 478 834.47	R1	-73 844.60	3 478 848.48
L2	-73 930.11	3 478 937.59	R2	-73 861.38	3 478 865.96
L3	-73 971.83	3 479 036.20	R3	-73 940.35	3 479 040.20
L4	-74 069.69	3 479 240.08	R4	-74 112.67	3 479 420.77
L5	-74 090.45	3 479 293.67	R5	-74 119.99	3 479 473.90
L6	-74 128.29	3 479 375.28	R6	-74 114.87	3 479 528.19
L7	-74 144.72	3 479 449.02	R7	-74 061.36	3 479 643.52
L8	-74 146.34	3 479 491.99	R8	-74 039.77	3 479 707.04
L9	-74 140.60	3 479 533.06	R9	-74 032.45	3 479 752.29
L10	-74 129.04	3 479 574.02	R10	-74 030.71	3 479 794.26
L11	-74 088.96	3 479 666.58	R11	-74 034.64	3 479 835.63
L12	-74 065.19	3 479 741.04	R12	-74 043.93	3 479 876.22
L13	-74 062.61	3 479 775.52	R13	-74 090.11	3 480 004.39
L14	-74 063.97	3 479 832.24	R14	-74 351.38	3 480 730.19
L15	-74 075.07	3 479 883.95	R15	-74 479.03	3 481 084.71
L16	-74 091.21	3 479 937.10	R16	-74 512.12	3 481 159.60
L17	-74 533.85	3 481 146.22	R17	-74 600.13	3 481 408.64
L18	-74 572.62	3 481 223.44	R18	-74 645.35	3 481 470.16
L19	-74 592.69	3 481 273.82	R19	-74 700.21	3 481 531.50
L20	-74 625.44	3 481 356.05	R20	-74 764.37	3 481 584.10
L21	-74 681.75	3 481 443.72	R21	-74 832.66	3 481 623.87
L22	-74 730.93	3 481 506.51	R22	-74 875.30	3 481 644.43
L23	-74 806.76	3 481 569.78	R23	-74 950.16	3 481 668.01
L24	-74 887.19	3 481 615.88	R24	-75 018.16	3 481 700.42
L25	-74 996.65	3 481 657.38	R25	-75 082.32	3 481 743.85
L26	-75 067.26	3 481 698.18	R26	-75 144.25	3 481 800.95
L27	-75 104.76	3 481 725.48	R27	-75 191.24	3 481 865.72
L28	-75 161.02	3 481 779.52	R28	-75 501.71	3 482 369.66
L29	-75 208.77	3 481 844.22	R29	-75 532.65	3 482 424.73
L30	-75 345.93	3 482 063.91	R30	-75 572.44	3 482 509.66
L31	-75 383.45	3 482 117.61	R31	-75 598.17	3 482 582.86
L32	-75 468.56	3 482 263.19	R32	-75 676.41	3 482 849.23
L33	-75 554.45	3 482 407.66	R33	-75 700.01	3 482 932.41
L34	-75 580.56	3 482 462.63	R34	-75 716.22	3 482 982.83
L35	-75 608.99	3 482 532.68	R35	-75 743.11	3 483 044.48
L36	-75 737.97	3 482 962.88	R36	-75 785.90	3 483 114.67
L37	-75 764.21	3 483 026.09	R37	-75 833.82	3 483 174.11
L38	-75 806.63	3 483 094.26	R38	-75 889.87	3 483 224.76
L39	-75 857.22	3 483 155.93	R39	-75 906.56	3 483 236.44
L40	-75 916.32	3 483 208.40	R40	-75 947.79	3 483 264.45
L41	-76 091.63	3 483 322.02	R41	-75 990.50	3 483 296.39
L42	-76 128.20	3 483 359.02	R42	-76 021.91	3 483 313.93
L43	-76 153.09	3 483 375.27	R43	-76 072.61	3 483 352.15
L44	-76 197.67	3 483 439.48	R44	-76 099.19	3 483 375.97
L45	-76 223.32	3 483 494.87	R45	-76 144.85	3 483 431.39
L46	-76 254.70	3 483 625.36	R46	-76 179.20	3 483 494.22
L47	-76 313.47	3 483 913.57	R47	-76 192.74	3 483 527.04
L48	-76 325.62	3 483 950.87	R48	-76 203.42	3 483 540.83
L49	-76 348.46	3 483 995.85	R49	-76 209.38	3 483 570.84
L50	-76 446.71	3 484 114.14	R50	-76 253.56	3 483 763.93
L51	-76 509.01	3 484 202.48	R51	-76 261.74	3 483 823.98

Vel Sheet	10	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L52	-76 533.38	3 484 248.24		R52	-76 277.68	3 483 907.01
L53	-76 562.82	3 484 316.39		R53	-76 290.69	3 483 950.82
L54	-76 586.77	3 484 442.88		R54	-76 306.52	3 483 993.70
L55	-76 599.15	3 484 483.58		R55	-76 334.26	3 484 031.24
L56	-76 629.08	3 484 537.77		R56	-76 358.30	3 484 065.11
L57	-76 652.75	3 484 569.48		R57	-76 382.12	3 484 088.86
L58	-76 686.32	3 484 606.85		R58	-76 467.70	3 484 197.90
L59	-76 707.94	3 484 625.80		R59	-76 484.14	3 484 231.68
L60	-76 758.09	3 484 661.01		R60	-76 480.79	3 484 262.41
L61	-76 802.72	3 484 679.41		R61	-76 501.89	3 484 277.57
L62	-76 880.44	3 484 699.92		R62	-76 516.41	3 484 296.60
L63	-76 934.75	3 484 701.23		R63	-76 536.93	3 484 361.38
L64	-77 009.13	3 484 684.91		R64	-76 558.37	3 484 463.34
L65	-77 257.06	3 484 591.65		R65	-76 577.29	3 484 509.86
L66	-77 319.20	3 484 578.86		R66	-76 603.64	3 484 562.78
L67	-77 371.69	3 484 579.10		R67	-76 644.97	3 484 619.42
L68	-77 425.98	3 484 594.44		R68	-76 755.54	3 484 700.72
L69	-77 476.90	3 484 620.99		R69	-76 799.65	3 484 723.46
L70	-77 520.06	3 484 651.20		R70	-76 851.84	3 484 729.44
L71	-77 543.73	3 484 680.09		R71	-76 938.28	3 484 730.99
L72	-77 574.45	3 484 724.68		R72	-77 013.51	3 484 716.09
L73	-77 601.63	3 484 771.00		R73	-77 062.45	3 484 698.78
L74	-77 631.93	3 484 971.93		R74	-77 176.57	3 484 657.62
L75	-77 635.33	3 484 994.47		R75	-77 223.33	3 484 639.20
L76	-77 642.86	3 485 031.63		R76	-77 280.82	3 484 622.86
L77	-77 659.83	3 485 162.35		R77	-77 297.45	3 484 641.82
L78	-77 695.08	3 485 385.89		R78	-77 383.61	3 484 617.85
L79	-77 719.50	3 485 553.59		R79	-77 450.65	3 484 644.55
L80	-77 748.20	3 485 693.63		R80	-77 499.51	3 484 678.51
L81	-77 786.15	3 485 804.69		R81	-77 537.31	3 484 724.28
L82	-77 808.58	3 485 854.15		R82	-77 568.05	3 484 789.44
L83	-77 825.77	3 485 903.42		R83	-77 598.99	3 484 974.16
L84	-77 942.74	3 486 163.35		R84	-77 609.24	3 485 038.01
L85	-77 976.83	3 486 228.98		R85	-77 676.45	3 485 456.59
L86	-78 069.90	3 486 365.80		R86	-77 673.64	3 485 532.29
L87	-78 123.22	3 486 433.39		R87	-77 687.64	3 485 573.75
L88	-78 184.49	3 486 521.64		R88	-77 696.72	3 485 607.12
L89	-78 312.38	3 486 688.24		R89	-77 704.49	3 485 653.41
L90	-78 323.74	3 486 712.26		R90	-77 707.84	3 485 685.44
L91	-78 337.09	3 486 740.51		R91	-77 720.29	3 485 717.80
L92	-78 347.74	3 486 793.92		R92	-77 740.17	3 485 768.25
L93	-78 346.28	3 486 842.60		R93	-77 759.46	3 485 826.78
L94	-78 331.57	3 486 895.40		R94	-77 776.10	3 485 880.31
L95	-78 310.63	3 486 935.54		R95	-77 798.27	3 485 920.45
L96	-78 299.75	3 486 980.98		R96	-77 866.30	3 486 061.50
L97	-78 298.29	3 487 014.76		R97	-77 885.68	3 486 119.52
L98	-78 305.58	3 487 046.30		R98	-77 954.45	3 486 255.63
L99	-78 319.70	3 487 082.76		R99	-77 980.87	3 486 295.86
L100	-78 375.94	3 487 160.88		R100	-78 015.97	3 486 344.00
L101	-78 402.65	3 487 206.79		R101	-78 055.51	3 486 402.40
L102	-78 422.21	3 487 248.92		R102	-78 087.23	3 486 435.93

Vel Sheet	11	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L103	-78 428.28	3 487 280.62		R103	-78 160.83	3 486 532.55
L104	-78 429.98	3 487 313.50		R104	-78 182.43	3 486 565.95
L105	-78 427.44	3 487 343.79		R105	-78 269.76	3 486 681.97
L106	-78 421.94	3 487 380.62		R106	-78 304.79	3 486 735.64
L107	-78 412.51	3 487 416.64		R107	-78 317.06	3 486 792.50
L108	-78 354.37	3 487 498.33		R108	-78 316.59	3 486 847.30
L109	-78 336.69	3 487 540.74		R109	-78 303.11	3 486 886.72
L110	-78 340.96	3 487 589.04		R110	-78 283.88	3 486 923.21
L111	-78 351.74	3 487 614.79		R111	-78 277.87	3 486 948.14
L112	-78 387.91	3 487 652.98		R112	-78 270.56	3 486 996.05
L113	-78 485.90	3 487 715.19		R113	-78 265.84	3 487 039.76
L114	-78 528.25	3 487 750.27		R114	-78 278.74	3 487 080.56
L115	-78 572.04	3 487 801.69		R115	-78 306.97	3 487 120.60
L116	-78 752.58	3 488 142.28		R116	-78 369.50	3 487 211.58
L117	-78 763.61	3 488 174.81		R117	-78 390.34	3 487 261.64
L118	-78 771.58	3 488 213.38		R118	-78 393.93	3 487 326.56
L119	-78 772.94	3 488 254.13		R119	-78 375.98	3 487 370.88
L120	-78 762.35	3 488 342.59		R120	-78 315.59	3 487 496.27
L121	-78 764.39	3 488 381.54		R121	-78 298.84	3 487 538.01
L122	-78 769.52	3 488 413.84		R122	-78 304.15	3 487 600.95
L123	-78 776.05	3 488 437.04		R123	-78 309.83	3 487 617.82
L124	-78 868.30	3 488 765.03		R124	-78 340.50	3 487 664.84
L125	-78 872.36	3 488 821.19		R125	-78 381.27	3 487 697.72
L126	-78 869.62	3 488 855.47		R126	-78 458.45	3 487 734.08
L127	-78 864.12	3 488 884.89		R127	-78 524.34	3 487 801.10
L128	-78 856.03	3 488 912.68		R128	-78 561.43	3 487 844.03
L129	-78 845.28	3 488 939.26		R129	-78 595.26	3 487 908.64
L130	-78 824.68	3 488 976.80		R130	-78 606.10	3 487 949.34
L131	-78 775.59	3 489 039.16		R131	-78 646.54	3 487 999.26
L132	-78 761.02	3 489 060.84		R132	-78 668.56	3 488 047.56
L133	-78 747.88	3 489 090.90		R133	-78 706.38	3 488 124.69
L134	-78 739.85	3 489 131.34		R134	-78 729.81	3 488 181.25
L135	-78 739.91	3 489 157.68		R135	-78 740.71	3 488 285.33
L136	-78 744.47	3 489 183.59		R136	-78 740.17	3 488 301.31
L137	-78 754.34	3 489 209.46		R137	-78 725.30	3 488 319.79
L138	-78 773.60	3 489 242.20		R138	-78 721.38	3 488 348.30
L139	-78 797.26	3 489 268.51		R139	-78 721.28	3 488 369.11
L140	-78 887.02	3 489 348.16		R140	-78 728.12	3 488 411.81
L141	-78 928.45	3 489 391.81		R141	-78 753.82	3 488 463.34
L142	-78 956.14	3 489 430.09		R142	-78 828.81	3 488 723.49
L143	-78 978.06	3 489 468.59		R143	-78 833.40	3 488 821.25
L144	-78 994.72	3 489 509.55		R144	-78 822.85	3 488 871.85
L145	-79 043.99	3 489 662.64		R145	-78 822.77	3 488 918.09
L146	-79 073.92	3 489 743.64		R146	-78 806.49	3 488 947.11
L147	-79 107.80	3 489 820.06		R147	-78 776.41	3 488 992.94
L148	-79 138.41	3 489 879.64		R148	-78 750.80	3 489 024.70
L149	-79 190.52	3 489 964.62		R149	-78 712.65	3 489 094.36
L150	-79 250.92	3 490 047.51		R150	-78 708.53	3 489 125.31
L151	-79 316.92	3 490 124.37		R151	-78 712.33	3 489 165.67
L152	-79 359.99	3 490 169.39		R152	-78 719.65	3 489 203.50
L153	-79 434.90	3 490 236.00		R153	-78 740.27	3 489 246.09

Vel Sheet	12	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 27°		Y	X
L154	-79 539.49	3 490 313.89	R154	-78 775.83	3 489 285.91
L155	-79 589.53	3 490 348.99	R155	-78 876.84	3 489 375.57
L156	-80 501.55	3 490 988.62	R156	-78 923.80	3 489 446.78
L157	-80 550.32	3 491 016.67	R157	-78 960.29	3 489 502.04
L158	-80 604.73	3 491 034.85	R158	-79 034.75	3 489 717.82
L159	-80 667.64	3 491 041.66	R159	-79 061.10	3 489 784.26
L160	-80 713.01	3 491 039.15	R160	-79 100.86	3 489 866.51
L161	-80 778.06	3 491 022.59	R161	-79 163.89	3 489 972.16
L162	-80 831.71	3 490 995.61	R162	-79 237.43	3 490 071.84
L163	-80 888.57	3 490 954.88	R163	-79 292.21	3 490 137.25
L164	-80 931.23	3 490 930.61	R164	-79 329.23	3 490 178.10
L165	-80 983.01	3 490 909.47	R165	-79 377.40	3 490 229.74
L166	-81 047.64	3 490 893.38	R166	-79 432.20	3 490 267.10
L167	-81 111.20	3 490 888.98	R167	-79 568.37	3 490 364.82
L168	-81 449.22	3 490 913.49	R168	-80 227.19	3 490 837.62
L169	-81 484.38	3 490 912.02	R169	-80 276.89	3 490 872.80
L170	-81 512.03	3 490 910.87	R170	-80 311.27	3 490 886.68
L171	-81 618.77	3 490 918.03	R171	-80 389.47	3 490 946.33
L172	-81 687.34	3 490 926.85	R172	-80 411.78	3 490 972.35
L173	-81 765.19	3 490 928.75	R173	-80 482.94	3 491 027.06
L174	-81 809.74	3 490 917.85	R174	-80 524.15	3 491 047.78
L175	-81 837.80	3 490 906.32	R175	-80 567.12	3 491 061.88
L176	-81 960.02	3 490 812.34	R176	-80 625.60	3 491 071.32
L177	-81 986.56	3 490 794.36	R177	-80 668.89	3 491 075.38
L178	-82 050.30	3 490 782.70	R178	-80 722.25	3 491 070.92
L179	-82 217.34	3 490 811.56	R179	-80 769.72	3 491 061.76
L180	-82 219.87	3 490 812.04	R180	-80 814.39	3 491 044.22
L181	-82 524.52	3 490 870.38	R181	-80 858.14	3 491 019.39
L182	-82 567.07	3 490 886.20	R182	-80 908.78	3 490 976.69
L183	-82 605.82	3 490 907.08	R183	-80 938.28	3 490 956.83
L184	-82 641.72	3 490 933.78	R184	-80 969.36	3 490 942.20
L185	-82 675.22	3 490 967.02	R185	-81 004.98	3 490 930.41
L186	-82 681.12	3 490 972.87	R186	-81 075.45	3 490 917.50
L187	-82 827.23	3 491 133.50	R187	-81 121.92	3 490 916.45
L188	-82 964.14	3 491 186.73	R188	-81 296.82	3 490 928.88
L189	-83 056.84	3 491 236.56	R189	-81 428.55	3 490 939.50
L190	-83 132.92	3 491 269.28	R190	-81 738.81	3 490 958.24
L191	-83 208.09	3 491 302.63	R191	-81 802.78	3 490 955.68
L192	-83 249.29	3 491 327.89	R192	-81 853.16	3 490 935.42
L193	-83 282.28	3 491 355.36	R193	-81 888.42	3 490 911.55
L194	-83 340.99	3 491 415.11	R194	-81 982.88	3 490 830.30
L195	-83 483.29	3 491 591.58	R195	-82 067.50	3 490 811.35
L196	-83 545.00	3 491 668.87	R196	-82 407.40	3 490 875.87
L197	-83 566.45	3 491 693.61	R197	-82 522.51	3 490 897.72
L198	-83 850.12	3 492 042.40	R198	-82 598.18	3 490 935.66
L199	-83 908.64	3 492 099.44	R199	-82 607.19	3 490 943.87
L200	-83 958.14	3 492 139.68	R200	-82 638.18	3 490 972.10
L201	-84 045.22	3 492 186.31	R201	-82 667.46	3 491 004.14
L202	-84 112.84	3 492 211.28	R202	-82 757.31	3 491 116.63
L203	-84 671.21	3 492 382.03	R203	-82 808.08	3 491 166.07
L204	-84 738.22	3 492 408.15	R204	-82 932.61	3 491 217.80

Vel Sheet	13	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L205	-84 774.75	3 492 428.05		R205	-83 088.02	3 491 277.91
L206	-84 823.01	3 492 466.05		R206	-83 177.80	3 491 317.83
L207	-84 876.38	3 492 517.48		R207	-83 221.28	3 491 341.26
L208	-84 911.70	3 492 575.43		R208	-83 262.49	3 491 373.21
L209	-84 933.69	3 492 620.77		R209	-83 327.58	3 491 440.90
L210	-84 949.06	3 492 669.20		R210	-83 843.93	3 492 074.90
L211	-84 968.24	3 492 768.83		R211	-83 884.41	3 492 116.68
L212	-84 986.13	3 492 814.10		R212	-83 931.44	3 492 154.55
L213	-85 012.96	3 492 860.67		R213	-83 974.40	3 492 182.54
L214	-85 097.40	3 492 982.02		R214	-84 032.00	3 492 212.40
L215	-85 132.50	3 493 040.54		R215	-84 223.53	3 492 274.32
L216	-85 159.67	3 493 096.77		R216	-84 555.86	3 492 374.22
L217	-85 175.83	3 493 146.91		R217	-84 637.07	3 492 403.83
L218	-85 222.74	3 493 345.75		R218	-84 711.47	3 492 427.46
L219	-85 251.18	3 493 446.19		R219	-84 747.37	3 492 443.44
L220	-85 262.80	3 493 511.04		R220	-84 793.72	3 492 475.49
L221	-85 291.57	3 493 607.19		R221	-84 833.97	3 492 511.90
L222	-85 322.93	3 493 670.43		R222	-84 862.19	3 492 545.85
L223	-85 352.79	3 493 715.08		R223	-84 888.25	3 492 586.63
L224	-85 353.25	3 493 715.77		R224	-84 909.28	3 492 630.38
L225	-85 381.21	3 493 750.52		R225	-84 924.76	3 492 682.39
L226	-85 414.17	3 493 791.46		R226	-84 942.34	3 492 775.29
L227	-85 486.33	3 493 850.62		R227	-84 960.63	3 492 823.28
L228	-85 586.37	3 493 923.61		R228	-84 988.19	3 492 873.07
L229	-85 630.81	3 493 952.39		R229	-85 067.29	3 492 983.87
L230	-85 727.83	3 494 020.10		R230	-85 105.47	3 493 045.51
L231	-85 778.89	3 494 062.40		R231	-85 130.31	3 493 096.81
L232	-85 834.53	3 494 103.59		R232	-85 154.57	3 493 170.39
L233	-85 917.22	3 494 154.03		R233	-85 214.34	3 493 432.53
L234	-85 922.27	3 494 157.11		R234	-85 234.15	3 493 528.89
L235	-85 934.58	3 494 163.65		R235	-85 252.84	3 493 586.27
L236	-86 014.64	3 494 206.16		R236	-85 275.26	3 493 642.49
L237	-86 074.16	3 494 235.20		R237	-85 305.74	3 493 691.83
L238	-86 141.07	3 494 267.84		R238	-85 335.45	3 493 735.85
L239	-86 209.05	3 494 300.85		R239	-85 388.99	3 493 804.31
L240	-86 249.69	3 494 316.54		R240	-85 499.66	3 493 893.44
L241	-86 278.56	3 494 327.68		R241	-85 888.72	3 494 173.35
L242	-86 386.41	3 494 353.21		R242	-86 206.74	3 494 336.70
L243	-86 417.78	3 494 357.58		R243	-86 303.87	3 494 365.32
L244	-86 578.62	3 494 379.96		R244	-86 419.83	3 494 385.69
L245	-86 775.89	3 494 409.32		R245	-87 415.39	3 494 536.42
L246	-86 939.62	3 494 433.55		R246	-87 513.40	3 494 568.52
L247	-87 410.04	3 494 509.59		R247	-87 549.73	3 494 587.11
L248	-87 467.55	3 494 522.54		R248	-87 635.89	3 494 646.67
L249	-87 528.20	3 494 543.56		R249	-87 694.30	3 494 705.11
L250	-87 563.37	3 494 562.91		R250	-87 738.97	3 494 767.89
L251	-87 607.06	3 494 589.92		R251	-87 761.47	3 494 810.91
L252	-87 664.19	3 494 634.31		R252	-88 118.42	3 495 756.33
L253	-87 686.58	3 494 650.33		R253	-88 164.62	3 495 846.95
L254	-87 745.28	3 494 727.44		R254	-88 226.72	3 495 942.83
L255	-87 778.06	3 494 782.81		R255	-88 295.55	3 496 039.27

Vel Sheet	14	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			WG 27°	REGTERKANT/RIGHT HAND SIDE		
	Y	X			Y	X
L256	-87 824.45	3 494 898.41		R256	-88 357.84	3 496 130.63
L257	-87 941.06	3 495 212.27		R257	-88 455.26	3 496 270.07
L258	-88 136.60	3 495 727.67		R258	-88 476.37	3 496 307.93
L259	-88 164.24	3 495 790.17		R259	-88 486.13	3 496 355.44
L260	-88 239.47	3 495 910.81		R260	-88 478.70	3 496 494.91
L261	-88 466.87	3 496 233.46		R261	-88 479.35	3 496 541.47
L262	-88 501.99	3 496 291.62		R262	-88 495.97	3 496 637.83
L263	-88 520.64	3 496 365.28		R263	-88 509.26	3 496 669.38
L264	-88 512.79	3 496 512.32		R264	-88 530.46	3 496 706.71
L265	-88 519.33	3 496 584.63		R265	-88 578.66	3 496 773.87
L266	-88 539.02	3 496 655.96		R266	-88 648.79	3 496 855.09
L267	-88 560.75	3 496 692.34		R267	-88 673.61	3 496 876.88
L268	-88 590.94	3 496 727.80		R268	-88 701.17	3 496 897.17
L269	-88 674.93	3 496 840.52		R269	-88 791.70	3 496 938.14
L270	-88 730.58	3 496 874.90		R270	-88 822.18	3 496 957.31
L271	-88 839.43	3 496 922.76		R271	-88 859.23	3 496 990.81
L272	-88 871.06	3 496 959.80		R272	-88 898.62	3 497 080.42
L273	-88 893.42	3 496 989.59		R273	-88 932.18	3 497 176.61
L274	-88 905.32	3 497 012.78		R274	-88 969.58	3 497 226.33
L275	-88 935.80	3 497 089.22		R275	-89 003.99	3 497 259.74
L276	-88 956.22	3 497 145.80		R276	-89 033.82	3 497 282.29
L277	-88 981.72	3 497 190.45		R277	-89 126.57	3 497 336.68
L278	-89 002.57	3 497 216.93		R278	-89 207.55	3 497 393.40
L279	-89 035.34	3 497 246.29		R279	-89 288.11	3 497 468.91
L280	-89 083.33	3 497 280.82		R280	-89 411.73	3 497 616.98
L281	-89 215.27	3 497 358.92		R281	-89 486.58	3 497 722.64
L282	-89 251.00	3 497 389.63		R282	-89 569.56	3 497 818.45
L283	-89 376.47	3 497 525.65		R283	-89 622.82	3 497 883.73
L284	-89 464.42	3 497 624.38		R284	-89 656.31	3 497 929.83
L285	-89 638.79	3 497 862.27		R285	-89 688.00	3 497 982.76
L286	-89 721.48	3 497 943.71		R286	-89 733.80	3 498 005.73
L287	-89 780.67	3 498 011.13		R287	-89 761.21	3 498 090.04
L288	-89 801.92	3 498 024.05		R288	-89 822.73	3 498 075.05
L289	-89 826.21	3 498 028.58		R289	-89 856.31	3 498 073.39
L290	-89 836.28	3 498 030.46		R290	-89 915.53	3 498 070.44
L291	-89 903.27	3 498 029.09		R291	-90 049.32	3 498 101.14
L292	-90 019.37	3 498 050.51		R292	-90 150.69	3 498 188.60
L293	-90 051.05	3 498 059.46		R293	-90 154.96	3 498 195.91
L294	-90 089.24	3 498 060.13		R294	-90 198.39	3 498 270.17
L295	-90 158.89	3 498 138.58		R295	-90 242.01	3 498 330.22
L296	-90 176.88	3 498 163.80		R296	-90 278.87	3 498 371.34
L297	-90 194.42	3 498 194.58		R297	-90 309.74	3 498 406.08
L298	-90 199.49	3 498 205.36		R298	-90 342.03	3 498 423.93
L299	-90 225.99	3 498 261.66		R299	-90 381.68	3 498 450.50
L300	-90 270.27	3 498 322.94		R300	-90 435.91	3 498 477.97
L301	-90 302.98	3 498 358.34		R301	-90 516.15	3 498 506.17
L302	-90 335.09	3 498 386.13		R302	-90 604.06	3 498 520.48
L303	-90 389.47	3 498 424.20		R303	-90 891.41	3 498 515.43
L304	-90 435.29	3 498 447.95		R304	-90 967.68	3 498 523.62
L305	-90 527.88	3 498 480.35		R305	-91 126.25	3 498 570.41
L306	-90 578.24	3 498 489.83		R306	-91 297.00	3 498 647.52

Vel Sheet	15	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
WG 27°	Y	X		Y	X
L307	-90 670.64	3 498 493.93	R307	-91 369.01	3 498 677.87
L308	-90 993.86	3 498 489.73	R308	-91 418.92	3 498 690.70
L309	-91 037.65	3 498 501.52	R309	-91 488.75	3 498 693.85
L310	-91 062.39	3 498 515.15	R310	-91 538.04	3 498 685.01
L311	-91 211.87	3 498 577.76	R311	-91 822.50	3 498 655.08
L312	-91 323.80	3 498 630.84	R312	-91 884.21	3 498 654.31
L313	-91 431.66	3 498 663.67	R313	-91 953.51	3 498 668.83
L314	-91 493.75	3 498 663.99	R314	-91 996.19	3 498 693.28
L315	-91 592.49	3 498 649.71	R315	-92 025.15	3 498 706.14
L316	-91 726.72	3 498 635.93	R316	-92 086.79	3 498 739.19
L317	-91 841.97	3 498 625.43	R317	-92 134.83	3 498 751.33
L318	-91 882.25	3 498 625.84	R318	-92 266.28	3 498 750.41
L319	-91 923.34	3 498 633.79	R319	-92 373.42	3 498 746.13
L320	-91 965.35	3 498 643.23	R320	-92 425.82	3 498 754.52
L321	-92 016.07	3 498 668.33	R321	-92 468.38	3 498 776.52
L322	-92 054.37	3 498 691.09	R322	-92 502.23	3 498 805.14
L323	-92 115.76	3 498 718.20	R323	-92 540.20	3 498 853.69
L324	-92 167.97	3 498 711.56	R324	-92 573.29	3 498 912.28
L325	-92 338.86	3 498 711.21	R325	-92 694.50	3 499 149.42
L326	-92 404.67	3 498 718.77	R326	-92 770.37	3 499 243.44
L327	-92 466.94	3 498 737.76	R327	-92 796.52	3 499 272.28
L328	-92 510.24	3 498 772.91	R328	-92 832.71	3 499 297.80
L329	-92 539.57	3 498 805.52	R329	-92 867.66	3 499 314.05
L330	-92 567.37	3 498 845.46	R330	-92 917.69	3 499 327.60
L331	-92 695.57	3 499 091.93	R331	-92 981.67	3 499 324.97
L332	-92 729.88	3 499 149.75	R332	-93 072.44	3 499 301.54
L333	-92 805.36	3 499 242.78	R333	-93 142.09	3 499 290.73
L334	-92 833.27	3 499 264.62	R334	-93 187.07	3 499 294.72
L335	-92 880.96	3 499 287.03	R335	-93 313.72	3 499 316.05
L336	-92 927.34	3 499 296.84	R336	-93 364.74	3 499 329.47
L337	-92 979.44	3 499 291.93	R337	-93 394.66	3 499 344.50
L338	-93 059.77	3 499 278.62	R338	-93 451.47	3 499 391.58
L339	-93 110.59	3 499 265.06	R339	-93 540.05	3 499 480.77
L340	-93 162.99	3 499 264.28	R340	-93 576.56	3 499 534.09
L341	-93 298.58	3 499 280.75	R341	-93 612.99	3 499 661.90
L342	-93 350.10	3 499 290.37	R342	-93 627.18	3 499 699.77
L343	-93 383.55	3 499 302.14	R343	-93 643.90	3 499 719.52
L344	-93 430.34	3 499 330.34	R344	-93 703.24	3 499 777.75
L345	-93 459.68	3 499 355.65	R345	-93 740.13	3 499 819.86
L346	-93 496.25	3 499 391.52	R346	-93 774.62	3 499 864.27
L347	-93 599.71	3 499 510.77	R347	-93 800.12	3 499 889.28
L348	-93 633.72	3 499 607.61	R348	-93 837.28	3 499 936.63
L349	-93 644.99	3 499 657.78	R349	-93 898.87	3 499 994.32
L350	-93 674.21	3 499 700.94	R350	-93 963.07	3 500 061.87
L351	-93 740.95	3 499 770.14	R351	-93 978.22	3 500 077.81
L352	-93 841.38	3 499 894.89	R352	-94 005.32	3 500 108.10
L353	-93 873.54	3 499 926.61	R353	-94 031.06	3 500 131.47
L354	-93 908.91	3 499 964.28	R354	-94 057.27	3 500 180.83
L355	-93 955.83	3 500 015.28	R355	-94 076.08	3 500 228.87
L356	-93 975.60	3 500 036.76	R356	-94 106.91	3 500 278.67
L357	-94 055.58	3 500 118.02	R357	-94 132.54	3 500 328.39

Vel Sheet	16	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 27°		Y	X
L358	-94 080.01	3 500 162.05	R358	-94 170.67	3 500 390.59
L359	-94 116.96	3 500 245.64	R359	-94 179.85	3 500 430.64
L360	-94 203.61	3 500 381.61	R360	-94 175.28	3 500 470.78
L361	-94 215.73	3 500 450.08	R361	-94 142.44	3 500 506.78
L362	-94 217.14	3 500 481.36	R362	-94 073.57	3 500 529.38
L363	-94 135.89	3 500 543.19	R363	-94 037.00	3 500 537.82
L364	-94 052.31	3 500 565.75	R364	-93 847.63	3 500 581.50
L365	-94 041.67	3 500 567.93	R365	-93 704.84	3 500 574.35
L366	-93 951.46	3 500 586.44	R366	-93 684.09	3 500 578.59
L367	-93 873.18	3 500 610.48	R367	-93 651.20	3 500 596.66
L368	-93 822.11	3 500 614.49	R368	-93 612.93	3 500 637.74
L369	-93 743.82	3 500 608.61	R369	-93 589.39	3 500 671.32
L370	-93 698.02	3 500 617.22	R370	-93 598.14	3 500 699.28
L371	-93 665.07	3 500 641.82	R371	-93 611.05	3 500 843.64
L372	-93 646.58	3 500 669.39	R372	-93 587.41	3 500 934.21
L373	-93 631.31	3 500 708.83	R373	-93 586.59	3 500 955.62
L374	-93 647.56	3 500 843.91	R374	-93 594.24	3 501 004.61
L375	-93 648.59	3 500 882.13	R375	-93 590.67	3 501 013.92
L376	-93 629.29	3 500 938.88	R376	-93 604.23	3 501 062.09
L377	-93 633.99	3 500 975.20	R377	-93 625.64	3 501 084.59
L378	-93 686.24	3 501 117.65	R378	-93 633.29	3 501 102.22
L379	-93 714.67	3 501 157.70	R379	-93 634.62	3 501 121.90
L380	-93 783.71	3 501 294.37	R380	-93 677.96	3 501 201.52
L381	-93 803.44	3 501 349.75	R381	-93 679.84	3 501 211.99
L382	-93 788.44	3 501 456.13	R382	-93 687.59	3 501 218.86
L383	-93 759.03	3 501 498.08	R383	-93 693.68	3 501 237.15
L384	-93 738.13	3 501 540.54	R384	-93 717.84	3 501 292.65
L385	-93 729.74	3 501 596.81	R385	-93 745.77	3 501 346.10
L386	-93 748.01	3 501 639.19	R386	-93 750.94	3 501 365.04
L387	-93 788.21	3 501 788.37	R387	-93 747.95	3 501 392.91
L388	-93 764.77	3 501 857.99	R388	-93 729.05	3 501 437.43
L389	-93 755.89	3 501 873.94	R389	-93 722.82	3 501 474.11
L390	-93 762.08	3 501 929.31	R390	-93 697.88	3 501 503.07
L391	-93 769.32	3 502 030.14	R391	-93 696.27	3 501 513.92
L392	-93 738.55	3 502 101.61	R392	-93 681.93	3 501 581.09
L393	-93 712.16	3 502 145.79	R393	-93 677.38	3 501 594.10
L394	-93 698.59	3 502 180.19	R394	-93 682.08	3 501 625.17
L395	-93 687.12	3 502 270.76	R395	-93 738.72	3 501 745.91
L396	-93 691.71	3 502 302.04	R396	-93 738.64	3 501 793.11
L397	-93 708.00	3 502 332.00	R397	-93 720.51	3 501 860.74
L398	-93 797.74	3 502 480.88	R398	-93 725.65	3 501 907.58
L399	-93 822.46	3 502 521.89	R399	-93 731.39	3 501 989.05
L400	-93 836.91	3 502 654.57	R400	-93 725.31	3 502 055.64
L401	-93 917.48	3 502 769.01	R401	-93 706.10	3 502 099.04
L402	-93 931.20	3 502 802.43	R402	-93 673.60	3 502 157.06
L403	-93 938.56	3 502 835.49	R403	-93 663.52	3 502 183.77
L404	-93 944.15	3 502 887.88	R404	-93 657.47	3 502 206.52
L405	-93 963.78	3 502 936.37	R405	-93 652.13	3 502 242.29
L406	-94 018.91	3 503 047.97	R406	-93 652.99	3 502 284.72
L407	-93 986.80	3 503 182.19	R407	-93 663.36	3 502 325.44
L408	-93 978.01	3 503 201.42	R408	-93 673.73	3 502 354.10

Vel Sheet	17	Van of	18	P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE

	Y	X
	WG 27°	
L409	-93 967.92	3 503 253.95
L410	-94 217.49	3 503 856.32
L411	-94 299.39	3 503 933.53
L412	-94 326.19	3 503 958.80
L413	-94 373.83	3 504 021.38
L414	-94 470.68	3 504 159.93
L415	-94 498.90	3 504 209.48
L416	-94 516.41	3 504 257.07
L417	-94 529.76	3 504 321.12
L418	-94 530.04	3 504 487.84
L419	-94 534.41	3 504 531.63
L420	-94 550.49	3 504 596.19
L421	-94 580.74	3 504 661.05
L422	-94 620.04	3 504 715.70
L423	-94 992.99	3 505 073.65
L424	-95 020.55	3 505 110.47
L425	-95 035.66	3 505 146.39
L426	-95 048.36	3 505 204.15
L427	-95 048.04	3 505 255.55
L428	-95 038.49	3 505 296.74
L429	-95 024.48	3 505 329.59
L430	-94 952.85	3 505 433.70
L431	-94 944.44	3 505 475.73
L432	-94 964.79	3 505 709.98
L433	-94 963.09	3 505 757.03
L434	-94 952.56	3 505 800.58
L435	-94 901.30	3 505 921.06
L436	-94 904.09	3 505 962.80
L437	-94 910.32	3 505 981.42

REGTERKANT/RIGHT HAND SIDE

	Y	X
R460	-94 947.45	3 505 386.86
R461	-94 929.68	3 505 419.41
R462	-94 915.58	3 505 467.12
R463	-94 914.11	3 505 509.68
R464	-94 916.63	3 505 573.18
R465	-94 918.26	3 505 718.24
R466	-94 921.40	3 505 746.72
R467	-94 906.16	3 505 784.54
R468	-94 878.93	3 505 842.03
R469	-94 877.04	3 505 850.54
R470	-94 884.99	3 505 873.68
R471	-94 869.75	3 505 910.63
R472	-94 877.16	3 505 968.12
R473	-94 885.78	3 505 988.28

REGTERKANT/RIGHT HAND SIDE

	Y	X
R409	-93 687.30	3 502 373.81
R410	-93 708.17	3 502 404.11
R411	-93 727.05	3 502 427.40
R412	-93 764.60	3 502 494.60
R413	-93 778.00	3 502 552.51
R414	-93 778.71	3 502 583.03
R415	-93 787.92	3 502 601.93
R416	-93 808.61	3 502 661.41
R417	-93 821.87	3 502 686.49
R418	-93 857.73	3 502 741.08
R419	-93 872.76	3 502 771.04
R420	-93 899.21	3 502 810.47
R421	-93 903.81	3 502 838.12
R422	-93 906.28	3 502 874.23
R423	-93 914.19	3 502 908.62
R424	-93 925.53	3 502 936.81
R425	-93 939.34	3 502 963.23
R426	-93 956.25	3 503 005.41
R427	-93 972.47	3 503 049.75
R428	-93 973.76	3 503 118.90
R429	-93 939.88	3 503 235.39
R430	-93 936.53	3 503 274.42
R431	-93 944.07	3 503 312.55
R432	-93 952.45	3 503 333.73
R433	-93 986.08	3 503 392.17
R434	-94 011.10	3 503 432.75
R435	-94 046.78	3 503 515.30
R436	-94 118.72	3 503 748.76
R437	-94 139.69	3 503 799.68
R438	-94 187.52	3 503 867.40
R439	-94 254.79	3 503 939.38
R440	-94 293.43	3 503 974.97
R441	-94 424.83	3 504 157.37
R442	-94 458.29	3 504 197.74
R443	-94 485.04	3 504 248.58
R444	-94 500.13	3 504 306.11
R445	-94 503.30	3 504 343.26
R446	-94 503.11	3 504 468.88
R447	-94 505.57	3 504 509.23
R448	-94 508.49	3 504 534.16
R449	-94 513.47	3 504 561.30
R450	-94 529.08	3 504 615.87
R451	-94 549.32	3 504 660.29
R452	-94 577.52	3 504 706.57
R453	-94 602.73	3 504 736.64
R454	-94 857.30	3 504 982.20
R455	-94 953.34	3 505 071.86
R456	-94 994.16	3 505 120.03
R457	-95 010.63	3 505 154.28
R458	-95 022.61	3 505 218.80
R459	-95 016.78	3 505 278.00

Vel Sheet	18	Van of	18	P1255/25

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**