

Government Gazette
Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 732 8 June Junie 2026 No. 54793

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845





AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

NO FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

No.		Gazette No.	Page No.
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS			
Transport, Department of / Vervoer, Departement van			
7571	South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration amendment of National Road R34 Section 4: Amendment of Declaration No. 4014 of 2023	54793	3
7571	Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998): Verklaring wysiging van Nasionale Pad R34 Seksie 4: Wysiging van Verklaring No. 4014 van 2023	54793	4

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 7571 **8 June 2026**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R34 SECTION 4

AMENDMENT OF DECLARATION No. 4014 OF 2023.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 4014 of 2023 by substituting a part of paragraph B of the Schedule, being the descriptive declaration of the route from Hoopstad up to Odendaalsrus, with the accompanying sheets 1 to 22 of Plan No. P1266/25.

(National Road R34 Section 4: Hoopstad – Odendaalsrus)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 7571 **8 Junie 2026**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R34 SEKSIE 4


WYSIGING VAN VERKLARING No. 4014 VAN 2023.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 4014 van 2023 deur 'n gedeelte van paragraaf B van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Hoopstad tot by Odendaalsrus, met bygaande velle 1 tot 22 van Plan No. P1266/25.


(Nasionale Pad R34 Seksie 4: Hoopstad – Odendaalsrus)


MINISTER VAN VERVOER



DE BRUG 1191
REM
KAMEELDOORN 35
PTN 12
REM
550
673
HOOPSTAD TOWNSHIP
1/252
HOOPSTAD EXT.12
HOOPSTAD EXT.8
692
PTN 6
726
R/727
1/727
799
806
HOOPSTAD
SERV 19.00m
SERV 3.00m
ST
R34/3
R59/2
L1
L2
L3
L4
L5
L6
L7
L8
R1
R2
R3
R4
R5
R6
R7
R8
R9
R10
R11
R12
+3 079 500
+3 079 750
+3 080 000
+3 080 250
-88 250
-89 000
-88 750
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 1 van 22
Sheet of
Plan P1266/25



HOOPSTAD EXT.10
HOOPSTAD EXT.9
796
HOOPSTAD EXT.9
HOOPSTAD EXT.6
KAMEELDOORN 35 PTN 62
KAMEELDOORN 35 REM
DE BRUG 1191
REM
PTN 12
1/796
ST
SERV
HOOPSTAD EXT.11
PTN 65
HOOPSTAD EXT.10
HOOPSTAD EXT.6
HOOPSTAD EXT.13
PTN 44
Y -90 000
Y -89 750
Y -89 500
Y -90 750
Y -91 000
Y -90 500
X +3 079 500
X +3 080 000
X +3 080 250
X +3 079 750
X +3 079 250
591 592 593 594 595 596 597 598 599 600 601 602 603 604 605
425 543 421 420 419 418 417 416 415 414 413 412 411 410 409 408 407 406 405 404 403 402 401
558 557 556 555 553 552 551
588 589 590 591 592 593
427 428 429 430 431 426
732 733 734 735 736
788 789 790 791
792
L8 L9 L10 L11 L12 L13 L14 L15 L16 L17 L18 L19 L20
R12 R13 R14 R15 R16 R17 R18 R19 R20 R21 R22 R23 R24 R25 R26 R27 R28 R29
2
3
4
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 2 van 22
Sheet 2 of 22
Plan P1266/25



4
5
KAMEELDOORN 35 REM
HOOPSTAD EXT.13 TIKWANA 299 TIKWANA
TIKWANA EXT.2
KAMEELDOORN 35 REM
HOOPSTAD EXT.14
TIKWANA EXT.4
436 TIKWANA EXT.2
313 TIKWANA EXT.2
2995 TIKWANA
R59/3
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 3 van 22
Sheet of
Plan P1266/25



THERONSHOOP 411
KAMEELDOORN 35
REM
HOOPSTAD EXT. 14
835
834 (PARK)
831 (PARK)
832
830
ST
ST
R40
L32
WINTERVLEI 344
THERONSHOOP 411
CL OF EPL SERV
CL OF EPT SERV 40M WIDE
L33
L34
L35
L36
L37
L38
L39
L40
L41
L42
R41
R42
R43
R44
R45
R46
R47
R48
R49
R50
R51
R52
R53
Y -95 500
Y -95 000
Y -94 500
Y -94 000
Y -96 500
Y -97 000
Y -97 500
X +3 082 000
X +3 082 500
X +3 081 500
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
Vel 4 van 22
Sheet of
Plan P1266/25



WINTERVLEI 1366
KLIPPAN 410
PTN 6
DOORNBUILT 1310
PTN 3
PTN 5
REM
PTN 1
PTN 6
WINTERVLEI 344
KLIPPAN 410
REM
PTN 5
PTN 6
DOORNBUILT 1310
PTN 3
L43
L44
L45
L46
L47
L48
L49
L50
L51
R54
R55
R56
R57
R58
R59
R60
R61
R62
R63
Y -99 500
Y -100 000
Y -102 000
Y -101 500
Y -99 000
Y -101 000
Y -98 500
X +3 081 500
X +3 082 000
X +3 082 000
X +3 081 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34
of National Route
Seksie 4
Section
Vel 5 van 22
Sheet of
Plan P1266/25



10
11
KLIPPAN 410
PTN 5
DOORNPLAAT 30
REM
KORHAANSPRUIT 628
ABRAHAMSKRAAL 627
GROOTHOEK 221
DOORNBUILT 1310
PTN 6
KLEINWAL 629
DOORNPAN 98
REM
PTN 1
PTN 2
DOORNPLAAT 30
REM
L52
R64
L53
R67
R66
R65
L54
X +3 081 500
X +3 082 000
Y +92 000
Y +92 500
Y +90 000
Y +93 000
Y +90 500
Y +93 500
Y +91 000
Y +91 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 6 van 22
Sheet of
Plan P1266/25



12
13
DOORNPAN 98
PTN 2
NIEUWERUST 786
PTN 1
WELTEVREDEN 785
REM
PTN 1
LEEUWDOORNS 312
PTN 1
SOMERSLAAGTE 245
PTN 1
WELGEGUND 136
REM
PTN 1
LEEUWDOORNS 312
REM
WELTEVREDEN 785
PTN 1
L55
R68
L56
R69
L57
R70
L58
R71
L59
R72
R73
L60
R74
R75
L61
R76
X +3 081 500
X +3 082 000
Y +88 500
Y +88 000
Y +87 500
Y +87 000
Y +86 000
Y +85 500
Y +85 000
Y +84 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 7 van 22
Sheet of
Plan P1266/25



14
15
245
PTN 1
X +3 081 500
ELLENBOOGLEEGTE 346
PTN 2
WELGEGUND 136
PTN 1
PTN 3
PTN 15
ELLENBOOGLEEGTE 346
PTN 2
PTN 1
QUAGGAVLAKTE 21
REM
PTN 1
PTN 2
L62
R78
R77
L63
R80
R79
L64
R81
Y +83 500
Y +82 500
Y +83 000
Y +80 500
Y +81 000
Y +80 000
X +3 082 000
X +3 081 500
X +3 082 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 8 van 22
Sheet of
Plan P1266/25



16
17
MISPAH 148
QUAGGAVLAKTE 21
PTN 1
ZANDHEUVEL 331
PTN 1
BUSMARK 240
BUSMARK 240
RIETVLEI 181
PTN 1
REM
CL OF EPL SERV
SERV AREA
L65
L66
L67
L68
L69
R82
R83
R84
R85
R86
R87
R88
R89
Y +77 000
Y +75 000
Y +77 500
Y +78 000
Y +75 500
Y +78 500
Y +76 000
Y +76 500
X +3 082 000
X +3 081 500
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
Vel 9 van 22
Sheet of
Plan P1266/25



DRIEPAN 200 REM
DRIEPAN 200 PTN 1
RIETVLEI 356
RIETVLEI 181 PTN 1
NIETGEGUND 258 PTN 4
RIETVLEI 181 PTN 1
RIETVLEI 356
DRIEPAN 200 REM
PTN 1
18
19
L70 L71 L72 L73 L74 L75 L76 L77 L78
R90 R91 R92 R93 R94 R95 R96 R97 R98 R99 R100
Y +72 500
Y +73 000
Y +73 500
Y +70 000
Y +70 500
Y +71 000
Y +71 500
X +3 081 500
X +3 082 000
X +3 082 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon stel die padreserwe voor van 'n gedeelte van Nasionale Roete R34
The figure shown represents the road reserve of a portion of National Route R34
Seksie 4
Section 4
Vel 10 van 22
Sheet 10 of 22
Plan P1266/25



20
21
NIETGEGUND 258
PTN 3
PTN 2
PTN 4
PTN 11
RIETVLEI 181
PTN 1
UITKYK 25
REM
PTN 2
PTN 11
Y +67 500
Y +68 000
Y +68 500
Y +69 000
Y +65 000
Y +65 500
Y +66 000
Y +66 500
X +3 082 000
X +3 082 500
L79
L80
L81
L82
L83
L84
L85
L86
L87
R101
R102
R103
R104
R105
R106
R107
R108
R109
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 11 van 22
Sheet of
Plan P1266/25



WESSELSBRON DORPGRONDEN 106
EUREKA 275
UITKYK 25
PTN 1
FLEUR DE LYS 70
KORENSPRUIT 242
PTN 1
GELUKWAARDS 276
EXT. 3
WESSELSBRON TOWNSHIP
REM
PTN 53
SOUTH-WESTERN BOUNDARY SERV 10M WIDE
SOUTHERN BOUNDARY OF SERV 10M WIDE
CL OF EPL WITH UNDERGROUND CABLES SERV
R719/1
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 12 van 22
Sheet of
Plan P1266/25


24
25
KORENSPRUIT 242
REM
GELUKWAARDS 276
PTN 1
DEPRESSIE 335
CONSTANTIA 126
PTN 1
DEPRESSIE 335
L130
L131
L132
L133
L134
L135
L136
L137
L138
L139
R140
R141
R142
R143
R144
R145
R146
R147
CL OF EPL SERV
SOUTHERN BOUNDARY OF SERV 10M WIDE
SOUTHERN BOUNDARY OF SERV 10M WIDE
X +3 083 500
X +3 084 000
X +3 084 500
Y +55 500
Y +56 000
Y +56 500
Y +57 000
Y +58 000
Y +58 500
Y +59 000
Y +59 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 13 van 22
Sheet of
Plan P1266/25


26
27
28
CROGNET 17
CONCORDIA 16
ROTTERDAM 12
REM
ZONDERDAM 221
CONSTANTIA 126
PTN 1
CROGNET 17
SPES BONA 145
ROTTERDAM 12
PTN 1
REM
SOUTHERN BOUNDARY OF SERV 10M WIDE
CL OF SERV 5M WIDE
L140
L141
L142
L143
L144
L145
L146
L147
L148
R148
R149
R150
R151
R152
R153
R154
R155
Y +53 000
Y +53 500
Y +54 000
Y +54 500
Y +52 500
Y +51 000
Y +51 500
Y +49 000
Y +49 500
Y +48 500
X +3 084 500
X +3 085 000
X +3 085 500
X +3 086 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 14 van 22
Sheet of
Plan P1266/25


29
30
31
AMSTERDAM 109 REM
SONNESKYN 254
ZONDERDAM 221
WELGEGUND 206 PTN 1
WELGEGUND 206 PTN 2
ONTEVREDE 71
MOOIPLAATS 169
PTN 3
MERINO 437
GETROUW 295
SOUTHERN BOUNDARY OF SERV 10M WIDE
CL OF SERV 5M WIDE
REM
L149
L150
L151
L152
L153
L154
L155
L156
L157
L158
L159
L160
L161
R156
R157
R158
R159
R160
R161
R162
R163
R164
R165
R166
R167
R168
Y +47 500
Y +47 000
Y +46 500
Y +46 000
Y +45 000
Y +44 500
Y +44 000
Y +43 500
Y +42 500
Y +42 000
Y +41 500
X +3 086 000
X +3 086 500
X +3 087 000
X +3 088 000
X +3 081 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 15 van 22
Sheet of
Plan P1266/25


32
33
MERINO 437
MERINO 437
WELTEVREDEN 130
MINING LEASE
MINING LEASE
SOUTHERN BOUNDARY OF SERV 10M WIDE
SOUTHERN BOUNDARY OF SERV 10M WIDE
L168
L167
L166
L165
L164
L163
L162
L169
L170
R174
R173
R172
R171
R170
R169
R175
Y +39 000
Y +39 500
Y +40 000
Y +36 500
Y +37 000
Y +37 500
Y +38 000
X +3 089 000
X +3 088 000
X +3 088 500
X +3 088 000
X +3 088 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 16 van 22
Sheet of
Plan P1266/25


34
35
36
EUREKA 146
ERFDEEL 156
MERINO 437
MINING LEASE
WELTEVREDEN 130
HESTERS RUST 224
REM
FREGUL 443
KALKKUIL 153
REM PTN 2
EMIL 140
PTN 1
OUDERS GIFT 48
EUREKA 146
FREGUL 443
HESTERS RUST 224
REM
SOUTHERN BOUNDARY OF SERV 10M WIDE
CL OF SERV 5M WIDE
CL OF PL SERV 15.00m WIDE
CLAIM AREAS
MINING LEASE
R30/4
x +3 088 000
x +3 087 500
x +3 087 000
x +3 086 500
y +36 000
y +35 500
y +35 000
y +34 500
y +34 000
y +33 500
y +33 000
y +32 500
y +32 000
y +31 000
y +30 500
y +30 000
y +29 500
L171
L172
L173
L174
L175
L176
L177
L178
L179
L180
L181
L182
L183
L184
L185
L186
L187
L188
L189
L190
L191
L192
L193
L194
L195
L196
L197
L198
L1910
R176
R177
R178
R179
R180
R181
R182
R183
R184
R185
R186
R187
R188
R189
R190
R191
R192
R193
R194
R195
R196
R197
R198
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R34 Seksie 4
of National Route Section
Vel 17 van 22
Sheet of
Plan P1266/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
WG 25°	Y	X		Y	X
L1	-88 487.19	3 080 379.07	R1	-88 545.92	3 080 399.75
L2	-88 501.38	3 080 341.68	R2	-88 595.17	3 080 396.63
L3	-88 698.54	3 079 774.95	R3	-88 597.30	3 080 366.69
L4	-88 726.87	3 079 707.05	R4	-88 590.71	3 080 366.29
L5	-88 773.59	3 079 625.93	R5	-88 550.74	3 080 344.22
L6	-88 853.89	3 079 530.17	R6	-88 549.90	3 080 298.41
L7	-88 951.21	3 079 452.51	R7	-88 728.24	3 079 785.85
L8	-89 006.15	3 079 424.76	R8	-88 755.16	3 079 720.96
L9	-89 051.65	3 079 399.71	R9	-88 799.58	3 079 643.89
L10	-89 182.83	3 079 362.28	R10	-88 856.99	3 079 575.69
L11	-89 306.82	3 079 353.18	R11	-88 922.16	3 079 516.14
L12	-89 430.59	3 079 368.82	R12	-88 993.68	3 079 466.12
L13	-89 483.47	3 079 387.02	R13	-89 075.54	3 079 427.12
L14	-89 555.53	3 079 411.97	R14	-89 188.74	3 079 395.57
L15	-89 583.96	3 079 425.20	R15	-89 305.93	3 079 386.97
L16	-89 656.36	3 079 471.89	R16	-89 422.93	3 079 401.75
L17	-89 732.37	3 079 525.93	R17	-89 542.90	3 079 443.18
L18	-90 239.71	3 079 892.87	R18	-89 567.68	3 079 454.72
L19	-90 319.06	3 079 950.39	R19	-89 637.90	3 079 500.01
L20	-90 664.66	3 080 200.33	R20	-89 713.61	3 079 551.86
L21	-91 381.90	3 080 719.27	R21	-90 178.90	3 079 888.44
L22	-91 423.04	3 080 747.18	R22	-90 205.03	3 079 925.85
L23	-91 452.57	3 080 764.79	R23	-90 184.80	3 079 966.76
L24	-91 535.51	3 080 807.68	R24	-90 172.00	3 079 979.35
L25	-91 629.77	3 080 843.66	R25	-90 186.02	3 079 993.61
L26	-92 204.52	3 081 025.82	R26	-90 201.24	3 079 978.65
L27	-92 256.75	3 081 025.99	R27	-90 246.12	3 079 955.58
L28	-92 278.40	3 081 002.91	R28	-90 293.95	3 079 971.66
L29	-92 312.01	3 081 019.08	R29	-91 063.65	3 080 529.29
L30	-92 301.78	3 081 040.58	R30	-91 116.31	3 080 567.39
L31	-92 309.88	3 081 059.27	R31	-91 363.62	3 080 745.54
L32	-94 319.64	3 081 698.47	R32	-91 405.95	3 080 774.25
L33	-96 534.78	3 082 402.99	R33	-91 437.12	3 080 792.83
L34	-96 716.56	3 082 459.17	R34	-91 521.99	3 080 836.71
L35	-96 798.81	3 082 476.76	R35	-91 555.86	3 080 850.81
L36	-96 883.62	3 082 487.00	R36	-91 619.68	3 080 874.04
L37	-96 977.79	3 082 488.42	R37	-92 236.94	3 081 069.00
L38	-97 050.32	3 082 482.51	R38	-92 294.11	3 081 087.21
L39	-97 132.83	3 082 468.73	R39	-93 247.14	3 081 391.07
L40	-97 213.29	3 082 447.71	R40	-94 308.84	3 081 731.60
L41	-97 254.00	3 082 434.48	R41	-96 529.14	3 082 433.71
L42	-97 393.97	3 082 384.56	R42	-96 678.58	3 082 480.97
L43	-99 411.04	3 081 653.85	R43	-96 708.42	3 082 489.08
L44	-99 549.41	3 081 603.43	R44	-96 745.77	3 082 499.04
L45	-99 585.23	3 081 592.20	R45	-96 793.54	3 082 508.33
			R46	-96 837.05	3 082 514.96
			R47	-96 932.08	3 082 521.21
			R48	-97 012.90	3 082 519.23
			R49	-97 088.89	3 082 509.86
			R50	-97 177.72	3 082 491.86
			R51	-97 263.97	3 082 465.41

Vel Sheet 18	Van of 22	P1266/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE		WG 25°	REGTERKANT/RIGHT HAND SIDE	
Y	X		Y	X
		R52	-97 331.63	3 082 440.88
		R53	-97 336.87	3 082 438.91
		R54	-99 402.86	3 081 689.93
		R55	-99 559.15	3 081 633.27
		R56	-99 645.45	3 081 606.60
		R57	-99 686.42	3 081 598.48

Vel Sheet	19	Van of	22	P1266/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 27°		Y	X
L46	97 374.21	3 081 558.11	R58	97 278.15	3 081 569.10
L47	97 283.74	3 081 538.29	R59	97 188.74	3 081 558.78
L48	97 191.48	3 081 527.70	R60	97 124.55	3 081 557.61
L49	97 116.66	3 081 525.75	R61	96 946.84	3 081 558.43
L50	96 379.66	3 081 530.03	R62	96 387.23	3 081 561.70
L51	95 337.43	3 081 536.08	R63	95 340.60	3 081 567.82
L52	94 287.23	3 081 542.18	R64	94 289.54	3 081 573.96
L53	90 812.00	3 081 562.35	R65	90 831.52	3 081 594.18
L54	89 620.24	3 081 569.27	R66	90 806.89	3 081 594.88
L55	89 045.28	3 081 572.63	R67	90 788.31	3 081 594.74
L56	88 164.01	3 081 577.78	R68	89 043.04	3 081 605.29
L57	87 709.66	3 081 580.44	R69	88 173.07	3 081 610.55
L58	86 920.45	3 081 585.05	R70	87 710.05	3 081 613.35
L59	85 968.34	3 081 591.93	R71	86 928.90	3 081 618.04
L60	85 397.76	3 081 595.31	R72	85 977.75	3 081 623.96
L61	84 555.77	3 081 598.88	R73	85 919.65	3 081 623.93
L62	83 764.04	3 081 603.51	R74	85 408.80	3 081 627.10
L63	81 284.95	3 081 618.00	R75	85 363.65	3 081 626.15
L64	80 269.62	3 081 623.94	R76	84 580.14	3 081 630.73
L65	79 326.02	3 081 629.45	R77	83 982.47	3 081 634.23
L66	78 539.16	3 081 634.05	R78	83 736.24	3 081 637.81
L67	78 472.98	3 081 634.44	R79	81 309.33	3 081 652.05
L68	77 458.90	3 081 640.42	R80	81 279.00	3 081 650.03
L69	74 935.90	3 081 655.31	R81	80 292.43	3 081 655.80
L70	73 847.20	3 081 661.73	R82	79 341.37	3 081 661.36
L71	72 573.63	3 081 669.25	R83	78 552.06	3 081 665.98
L72	72 473.16	3 081 672.63	R84	78 432.08	3 081 666.68
L73	72 395.74	3 081 677.47	R85	78 429.43	3 081 668.77
L74	72 269.29	3 081 699.95	R86	77 824.03	3 081 672.13
L75	72 170.56	3 081 723.33	R87	77 484.57	3 081 673.95
L76	71 735.34	3 081 841.68	R88	77 483.25	3 081 672.22
L77	71 716.43	3 081 846.83	R89	74 924.39	3 081 687.35
L78	69 783.25	3 082 372.86	R90	73 830.60	3 081 693.81
L79	69 543.44	3 082 438.22	R91	72 573.94	3 081 701.24
L80	69 151.84	3 082 539.40	R92	72 475.30	3 081 704.55
L81	69 061.51	3 082 549.09	R93	72 418.07	3 081 708.92
L82	68 952.83	3 082 548.77	R94	72 329.06	3 081 721.19
L83	68 600.17	3 082 525.59	R95	72 268.28	3 081 732.69
L84	67 603.41	3 082 460.07	R96	72 226.14	3 081 743.02
L85	66 870.43	3 082 411.89	R97	72 081.02	3 081 781.17
L86	66 748.64	3 082 399.92	R98	69 821.53	3 082 396.61
L87	66 747.45	3 082 402.63	R99	69 784.46	3 082 405.73
L88	64 570.27	3 082 258.91	R100	69 750.95	3 082 414.84
L89	64 531.74	3 082 257.43	R101	69 536.29	3 082 473.23
L90	64 459.27	3 082 261.30	R102	69 531.70	3 082 474.38
L91	64 391.66	3 082 270.06	R103	69 255.33	3 082 549.52
L92	64 289.47	3 082 292.44	R104	69 156.29	3 082 570.53
L93	64 208.12	3 082 319.10	R105	69 063.37	3 082 580.46
L94	64 131.42	3 082 347.70	R106	68 949.76	3 082 580.12
L95	64 073.41	3 082 378.43	R107	68 586.90	3 082 556.15
L96	64 071.16	3 082 379.62	R108	67 582.94	3 082 489.85

Vel Sheet	20	Van of	22	P1266/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X WG 27°		Y	X
L97	64 045.68	3 082 377.94	R109	66 733.73	3 082 433.77
L98	64 000.01	3 082 349.42	R110	64 595.02	3 082 292.03
L99	63 983.12	3 082 376.44	R111	64 508.52	3 082 291.39
L100	64 025.02	3 082 402.64	R112	64 412.39	3 082 298.96
L101	64 024.34	3 082 408.03	R113	64 324.46	3 082 316.23
L102	63 911.22	3 082 501.74	R114	64 219.40	3 082 348.90
L103	63 873.29	3 082 540.77	R115	64 116.58	3 082 398.62
L104	63 809.13	3 082 609.56	R116	64 037.03	3 082 447.00
L105	63 397.72	3 083 090.98	R117	63 962.68	3 082 499.42
L106	63 369.00	3 083 121.58	R118	63 896.81	3 082 560.05
L107	63 349.04	3 083 142.86	R119	63 828.62	3 082 635.68
L108	63 278.66	3 083 198.84	R120	63 506.64	3 083 012.58
L109	63 218.44	3 083 232.43	R121	63 418.00	3 083 113.50
L110	63 195.19	3 083 245.39	R122	63 371.55	3 083 164.93
L111	63 008.58	3 083 330.33	R123	63 307.23	3 083 216.88
L112	62 523.86	3 083 550.96	R124	63 298.64	3 083 223.82
L113	62 515.43	3 083 548.08	R125	63 248.68	3 083 252.01
L114	62 509.99	3 083 537.80	R126	63 217.09	3 083 269.84
L115	62 482.04	3 083 551.66	R127	62 975.72	3 083 381.02
L116	62 486.38	3 083 561.03	R128	62 298.86	3 083 692.78
L117	62 484.33	3 083 568.80	R129	62 249.72	3 083 713.56
L118	62 240.71	3 083 682.92	R130	62 206.21	3 083 729.84
L119	62 147.34	3 083 714.27	R131	62 109.81	3 083 755.65
L120	62 051.49	3 083 733.10	R132	62 044.08	3 083 770.60
L121	62 000.02	3 083 735.96	R133	62 002.65	3 083 778.39
L122	61 980.25	3 083 719.38	R134	62 017.06	3 083 816.41
L123	61 971.02	3 083 695.07	R135	61 987.04	3 083 827.79
L124	61 940.91	3 083 706.49	R136	61 976.16	3 083 799.01
L125	61 950.40	3 083 731.75	R137	61 956.61	3 083 784.39
L126	61 945.22	3 083 739.89	R138	61 865.93	3 083 777.59
L127	61 842.87	3 083 745.91	R139	60 902.33	3 083 771.89
L128	61 830.76	3 083 745.92	R140	59 708.70	3 083 764.82
L129	60 892.48	3 083 739.43	R141	58 738.83	3 083 759.10
L130	59 690.47	3 083 731.14	R142	58 675.20	3 083 755.39
L131	57 999.42	3 083 719.45	R143	58 019.64	3 083 751.27
L132	57 720.10	3 083 717.52	R144	57 709.47	3 083 749.32
L133	57 695.58	3 083 717.61	R145	57 590.93	3 083 756.36
L134	57 647.04	3 083 719.38	R146	57 468.18	3 083 780.20
L135	57 598.80	3 083 723.45	R147	56 401.53	3 084 068.15
L136	57 551.08	3 083 730.14	R148	54 377.54	3 084 614.54
L137	57 503.69	3 083 739.12	R149	54 322.70	3 084 629.35
L138	57 456.50	3 083 750.75	R150	53 963.33	3 084 726.36
L139	56 391.81	3 084 038.40	R151	52 975.05	3 084 993.15
L140	54 770.55	3 084 476.41	R152	51 746.21	3 085 322.05
L141	54 330.52	3 084 594.77	R153	51 143.41	3 085 483.39
L142	54 291.92	3 084 605.16	R154	49 924.15	3 085 719.62
L143	54 039.90	3 084 672.95	R155	48 362.21	3 086 022.25
L144	51 723.95	3 085 295.92	R156	47 171.65	3 086 252.92
L145	51 164.41	3 085 446.44	R157	46 645.40	3 086 354.88
L146	51 139.97	3 085 451.95	R158	46 470.81	3 086 388.71
L147	49 888.34	3 085 694.31	R159	45 131.10	3 086 648.28

Vel Sheet	21	Van of	22	P1266/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 27°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L148	48 385.87	3 085 985.24	R160	44 700.05	3 086 731.79
L149	47 152.53	3 086 224.05	R161	44 680.71	3 086 736.00
L150	47 147.11	3 086 225.10	R162	44 610.39	3 086 755.26
L151	46 599.42	3 086 331.15	R163	44 533.36	3 086 781.51
L152	46 473.72	3 086 355.49	R164	43 408.56	3 087 218.62
L153	45 098.97	3 086 621.69	R165	42 505.29	3 087 569.68
L154	44 755.81	3 086 688.14	R166	42 459.05	3 087 587.65
L155	44 613.85	3 086 719.49	R167	41 045.15	3 088 137.51
L156	44 567.81	3 086 734.20	R168	40 985.07	3 088 163.52
L157	44 522.24	3 086 750.77	R169	39 741.78	3 088 646.34
L158	42 464.89	3 087 549.72	R170	39 587.92	3 088 694.24
L159	42 445.25	3 087 557.35	R171	39 470.92	3 088 722.71
L160	41 043.35	3 088 101.76	R172	39 384.41	3 088 735.20
L161	41 030.01	3 088 112.20	R173	39 244.83	3 088 729.01
L162	39 666.62	3 088 642.22	R174	39 190.69	3 088 725.20
L163	39 563.83	3 088 674.59	R175	37 840.94	3 088 481.92
L164	39 483.35	3 088 692.73	R176	35 365.03	3 088 035.67
L165	39 409.53	3 088 701.94	R177	34 828.92	3 087 938.89
L166	39 342.51	3 088 704.91	R178	33 820.67	3 087 756.90
L167	39 247.05	3 088 700.60	R179	33 735.37	3 087 737.56
L168	38 718.64	3 088 607.75	R180	33 674.74	3 087 717.71
L169	37 808.61	3 088 443.51	R181	33 598.19	3 087 683.68
L170	37 251.05	3 088 345.61	R182	33 592.58	3 087 681.19
L171	35 420.52	3 088 013.65	R183	33 518.28	3 087 640.23
L172	34 836.91	3 087 908.70	R184	33 363.42	3 087 549.73
L173	33 824.30	3 087 726.59	R185	32 991.91	3 087 331.46
L174	33 781.45	3 087 717.00	R186	32 165.60	3 086 846.84
L175	33 738.97	3 087 705.58	R187	32 108.77	3 086 819.38
L176	33 668.67	3 087 679.95	R188	32 092.07	3 086 811.31
L177	33 662.86	3 087 677.96	R189	32 016.22	3 086 781.96
L178	33 640.14	3 087 668.61	R190	31 937.35	3 086 758.63
L179	33 617.39	3 087 659.36	R191	31 856.82	3 086 741.83
L180	33 573.17	3 087 637.60	R192	31 774.57	3 086 731.63
L181	33 484.78	3 087 584.05	R193	31 693.31	3 086 728.26
L182	33 143.21	3 087 383.85	R194	31 639.30	3 086 729.67
L183	33 021.21	3 087 312.12	R195	31 590.32	3 086 733.47
L184	32 597.45	3 087 063.55	R196	31 250.14	3 086 774.32
L185	32 180.68	3 086 818.65	R197	31 236.36	3 086 780.37
L186	32 104.60	3 086 782.47	R198	31 192.38	3 086 810.67
L187	32 026.61	3 086 751.51			
L188	31 945.17	3 086 727.59			
L189	31 862.04	3 086 710.40			
L190	31 777.19	3 086 699.74			
L191	31 693.34	3 086 696.18			
L192	31 672.83	3 086 696.57			
L193	31 637.62	3 086 698.07			
L194	31 587.07	3 086 701.63			
L195	31 300.77	3 086 736.01			
L196	31 253.48	3 086 741.68			
L197	31 209.25	3 086 731.89			
L198	31 198.61	3 086 687.84			

Vel Sheet	22	Van of	22	P1266/25

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065

This gazette is also available free online at **www.gpwonline.co.za**